ivoclar vivadeni:

Material Safety Data Sheet acc. to ISO 11014

Printing date 06/23/2015

Version number 7

Reviewed on 05/07/2015

1 Identification

- · Product identifier
- · Trade name: d.SIGN 96

• *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*

- · Application of the substance / the mixture Manufacture of dental prothesis
- · Details of the supplier of the safety data sheet

Manufacturer/Supplier: Ivoclar Vivadent Inc. 175 Pineview Drive, Amherst, N.Y. 14228 USA Tel. +1 800 533 6825 Fax +1 716 691 2285

Ivoclar Vivadent Inc. 1-6600 Dixie Road Mississauga, Ontario L5T 2Y2 Canada Phone: +1 905 670 8499 Fax: +1 905 670 3102

Information department: Quality Assurance / Regulatory Affairs
 Emergency telephone number:
 24 Hour Emergency Assistance:
 Emergency-Call USA - Infotrac: 1-800-535-5053

Emergency-Call Canada - Canutec: 1-613-996-6666

General SDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182

2 Hazard(s) identification

· Classification of the substance or mixture

Ox. Sol. 2 H272 May intensify fire; oxidizer.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

- · Hazard statements
- May intensify fire; oxidizer.
- · Precautionary statements

Keep away from heat. Take any precaution to avoid mixing with combustibles. Wear protective gloves / eye protection / face protection. Keep/Store away from clothing/combustible materials.

(Contd. on page 2)

CA

Reviewed on 05/07/2015

Trade name: d.SIGN 96

(Contd. of page 1)

In case of fire: Use for extinction: CO2, powder or water spray. Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

Alloys do not require a label, providing they do not present a hazard to human health by inhalation, ingestion or contact with skin or to the aquatic environment in the form in which they are placed on the market.

- · Information pertaining to particular dangers for man and environment: Alloys do not require a label, providing they do not present a hazard to human health by inhalation, ingestion or contact with skin or to the aquatic environment in the form in which they are placed on the market.
- · Classification system:

· NFPA ratings (scale 0 - 4)

Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH • Health = 0FIRE 0 Fire = 0**REACTIVITY** O *Reactivity* = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

 Dangerous 	components:	
7440-22-4	silver	5-<10%
7440-06-4	platinum	5-<10%
7440-05-3	palladium	3-7%
7440-74-6	indium	1-<3%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Grinding dust: Supply fresh air; consult doctor in case of complaints.
- After skin contact: After contact with the molten product, cool rapidly with cold water.
- After eye contact:

Grinding dust: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- Mechanical effects only.
- · After swallowing: Seek medical treatment.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

Printing date 06/23/2015

Version number 7

Printing date 06/23/2015

Version number 7

Reviewed on 05/07/2015

Trade name: d.SIGN 96

(Contd. of page 2)

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: The product is not flammable.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Extractors are required on all machines used for thermal processing or splinter removal processes. Only adequately trained personnel should handle this product. For use in dentistry only.

· Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

744	10-22-4 silver	
EL	Short-term value: 0.03 mg/m ³	_
	Long-term value: 0.01 mg/m ³	
	as Ag	
EV	Long-term value: 0.1* 0.01** mg/m ³	
	*metal;**water-soluble compdounds (as silver)	
744	40-06-4 platinum	_
EL	Long-term value: 1* 0.002** mg/m ³	
	*metal;**soluble salts (as Pt): S	
	(Contd. on	ı pa

Printing date 06/23/2015

Version number 7

Reviewed on 05/07/2015

Trade name: d.SIGN 96

	(Contd. of page
EV	Long-term value: 1* 0.002** mg/m ³
	*metal; **water-soluble compounds (as Pt)
744	0-74-6 indium
EL	Long-term value: 0.1 mg/m ³
	as In; ACGIH 2B
EV	Long-term value: 0.1 mg/m ³
	as indium
· Add	<i>itional information:</i> The lists that were valid during the creation were used as basis.
· Exp	osure controls
· Pers	sonal protective equipment:
· Gen	eral protective and hygienic measures:
Was	sh hands before breaks and at the end of work.
Usu	al hygienic measures for dental practice.
Bree	athing equipment: Use respiratory protective device against the effects of fumes/dust/aerosol.
· Pro	tection of hands:
Pro	tective gloves should always be worn during mechanical and thermal processing.
Afte	r use of gloves apply skin-cleaning agents and skin cosmetics.
· Mat	terial of gloves
Mec	chanical processing:
Lea	ther gloves
Stro	ng gloves
The	rmal processing:
Hea	t protection gloves
· Pen	etration time of glove material
The	exact break through time has to be found out by the manufacturer of the protective gloves and has to be
obse	erved.
Eye	protection:
Alw	ays wear safety goggles during mechanical processing (grinding, sawing /cutting, drilling, milling).

9 Physical and chemical properties

General Information		
Appearance:		
Form:	Solid	
Color:	Yellow	
Odor:	Odorless	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	1050–1170 °C	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Contact with combustible material may cause fire.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not determined.	

Printing date 06/23/2015

Version number 7

Reviewed on 05/07/2015

Trade name: d.SIGN 96

		(Contd. of page 4)
Upper:	Not determined.	
· Vapor pressure:	Not applicable.	
· Density at 20 °C:	16.7 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octand	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
Solids content:	100.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

 $\cdot \textit{\it Reactivity} \ \textit{No further relevant information available}.$

- · Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials:} No further relevant information available.$
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Fumes or dusts generated from cutting or grinding operations may cause respiratory irritation.

· Carcinogenic categories

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

• Aquatic toxicity: No further relevant information available.

(Contd. on page 6)

⁻ CA

Version number 7

Reviewed on 05/07/2015

(Contd. of page 5)

Trade name: d.SIGN 96

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

· Bioaccumulative potential No further relevant information available.

• *Mobility in soil* No further relevant information available.

 \cdot Additional ecological information:

 \cdot General notes: Generally not hazardous for water

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number DOT, TDG, ADN, IMDG, IATA	Void
UN proper shipping name DOT, TDG, ADN, IMDG, IATA	Void
Transport hazard class(es)	
DOT, TDG, ADN, IMDG, IATA Class	Void
Packing group DOT, TDG, IMDG, IATA	Void
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).
UN "Model Regulation":	-

(Contd. on page 7)

Printing date 06/23/2015

Printing date 06/23/2015

Version number 7

Reviewed on 05/07/2015

(Contd. of page 6)

Trade name: d.SIGN 96

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

7440-22-4 silver

7439-96-5 manganese

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

7440-22-4 silver

7439-96-5 manganese

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements
 The product is classified and labeled according to the Globally Harmonized System (GHS).
 • Hazard pictograms



· Signal word Danger

• Hazard statements

May intensify fire; oxidizer.

· Precautionary statements

Keep away from heat.

Take any precaution to avoid mixing with combustibles.

Wear protective gloves / eye protection / face protection.

Keep/Store away from clothing/combustible materials.

In case of fire: Use for extinction: CO2, powder or water spray.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 8)

D

D

Printing date 06/23/2015

Version number 7

Reviewed on 05/07/2015

Trade name: d.SIGN 96

(Contd. of page 7)

· National regulations:

• Other regulations, limitations and prohibitive regulations The product is a medical device according to the Directive 93/42/EEC. This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 06/23/2015 / 6

 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) Ox. Sol. 2: Oxidising Solids, Hazard Category 2
 * Data compared to the previous version altered.