ivoclar vivadeni:

Version number 4

Printing date 06/12/2013

Reviewed on 06/12/2013

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

Trade name: IPS InLine - Dentin, Deep Dentin, Occlusal Dentin, Incisal, Transpa Incisal, Cervical Incisal,

Transpa, Gingiva, Intensiv Gingiva, Mamelon, Add-On Margin, Add-On

• CAS Number: 66402-68-4

• **EC number:** 266-340-9

- *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*
- · Application of the substance / the preparation Manufacture of dental prothesis
- · Details of the supplier of the safety data sheet

Manufacturer/Supplier: Ivoclar Vivadent Inc. 175 Pineview Drive, Amherst, N.Y. 14228 USA Tel. +1 800 533 6825 Fax +1 716 691 2285

Ivoclar Vivadent Inc. 1-6600 Dixie Road Mississauga, Ontario L5T 2Y2 Canada Phone: +1 905 670 8499 Fax: +1 905 670 3102

· Information department: Quality Assurance / Regulatory Affairs

Emergency telephone number: 24 Hour Emergency Assistance:
 Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-66666

General MSDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182

2 Hazards identification

• *Classification of the substance or mixture The substance is not classified according to the Globally Harmonized System (GHS).*

• Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable. • Information concerning particular hazards for human and environment: Not applicable.

· Label elements

• Labelling according to EU guidelines: The substance is not subject to classification according to the sources of literature known to us. • Additional information: Void

(Contd. on page 2)

CA

Printing date 06/12/2013

Version number 4


Reviewed on 06/12/2013

(Contd. of page 1)

Trade name: IPS InLine - Dentin, Deep Dentin, Occlusal Dentin, Incisal, Transpa Incisal, Cervical Incisal, Transpa, Gingiva, Intensiv Gingiva, Mamelon, Add-On Margin, Add-On

Classification system:
NFPA ratings (scale 0 - 4)





HEALTHImage: 0FIREImage: 0FIREImage: 0REACTIVITYImage: 0

• Other hazards

Dust generation

Particular danger of slipping on leaked/spilled product.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Substances
 CAS No. Description
 66402-68-4 ceramic materials
- Identification number(s)
- EC number: 266-340-9

4 First aid measures

- Description of first aid measures
- · General information: No special measures required.
- After inhalation:
- Supply fresh air; consult doctor in case of complaints.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:
- *Rinse with water. Generally the product does not irritate the skin.*
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Mechanical effects only.

- · After swallowing:
- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

Printing date 06/12/2013

Version number 4

Reviewed on 06/12/2013

Trade name: IPS InLine - Dentin, Deep Dentin, Occlusal Dentin, Incisal, Transpa Incisal, Cervical Incisal, Transpa, Gingiva, Intensiv Gingiva, Mamelon, Add-On Margin, Add-On

(Contd. of page 2)

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: The product is not flammable.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/spilled product.*
- Environmental precautions: No special measures required. • Methods and material for containment and cleaning up:
- Pick up mechanically.
- Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

- Precautions for safe handling
 Only adequately trained personnel should handle this product.
 Prevent formation of dust.
 Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in dry conditions.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

CA

Printing date 06/12/2013

Trade name: IPS InLine - Dentin, Deep Dentin, Occlusal Dentin, Incisal, Transpa Incisal, Cervical Incisal, Transpa, Gingiva, Intensiv Gingiva, Mamelon, Add-On Margin, Add-On

(Contd. of page 3)

Exposure controls
Personal protective equipment:
General protective and hygienic measures: Usual hygienic measures for dental practice.
Wash hands before breaks and at the end of work.
Keep away from foodstuffs, beverages and feed.
Vacuum clean contaminated clothing. Do not blow or brush off contamination.
Do not inhale dust / smoke / mist.
Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer

exposure use respiratory protective device that is independent of circulating air.

• **Protection of hands:** Not required.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. • Penetration time of glove material

- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection: Safety glasses

Information on basic physical and a General Information	chemical properties	
Appearance:		
Form:	Powder	
Color:	According to product specification	
Odor:	Odorless	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Product is not flammable.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density:	Not determined.	
Relative density	Not determined.	

Printing date 06/12/2013

Version number 4

Reviewed on 06/12/2013

Trade name: IPS InLine - Dentin, Deep Dentin, Occlusal Dentin, Incisal, Transpa Incisal, Cervical Incisal, Transpa, Gingiva, Intensiv Gingiva, Mamelon, Add-On Margin, Add-On

 • Evaporation rate
 Not applicable.

 • Solubility in / Miscibility with
 Insoluble.

 • Vater:
 Insoluble.

 • Partition coefficient (n-octanol/water): Not determined.

 • Viscosity:
 Not applicable.

 • Dynamic:
 Not applicable.

 • Kinematic:
 Not applicable.

 • Other information
 No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- \cdot on the eye: Mechanical effects only.
- Sensitization: No sensitizing effects known.
- Additional toxicological information: The substance is not subject to classification.
- · Carcinogenic categories
- · NTP (National Toxicology Program)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 6)

Printing date 06/12/2013

Version number 4

Reviewed on 06/12/2013

(Contd. of page 5)

Trade name: IPS InLine - Dentin, Deep Dentin, Occlusal Dentin, Incisal, Transpa Incisal, Cervical Incisal, Transpa, Gingiva, Intensiv Gingiva, Mamelon, Add-On Margin, Add-On

· vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number · DOT, TDG, ADN, IMDG, IATA	Void
· UN proper shipping name · DOT, TDG, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, TDG, ADN, IMDG, IATA · Class	Void
· Packing group · DOT, TDG, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II oj MARPOL73/78 and the IBC Code	f Not applicable.
· UN "Model Regulation":	-

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

(Contd. on page 7)

CA

Printing date 06/12/2013

· Proposition 65

Version number 4

Reviewed on 06/12/2013

Trade name: IPS InLine - Dentin, Deep Dentin, Occlusal Dentin, Incisal, Transpa Incisal, Cervical Incisal, Transpa, Gingiva, Intensiv Gingiva, Mamelon, Add-On Margin, Add-On

(Contd. of page 6)

Subst	ance is not listed.
Chem	icals known to cause reproductive toxicity for females:
Subst	ance is not listed.
Chem	icals known to cause reproductive toxicity for males:
Subst	ance is not listed.
Chem	icals known to cause developmental toxicity:
Subst	ance is not listed.
Carci	nogenic categories
EPA	(Environmental Protection Agency)
Subst	ance is not listed.
TLV	(Threshold Limit Value established by ACGIH)
Subst	ance is not listed.
NIOS	H-Ca (National Institute for Occupational Safety and Health)
Subst	ance is not listed.
OSH.	A-Ca (Occupational Safety & Health Administration)
Subst	ance is not listed.
Cana	dian substance listings:
Cana	dian Domestic Substances List (DSL)
Subst	ance is listed.
Cana	dian Ingredient Disclosure list (limit 0.1%)
Subst	ance is not listed.
Cana	dian Ingredient Disclosure list (limit 1%)
Subst	ance is not listed.
	uct related hazard informations:
The s	ubstance is not subject to classification according to the sources of literature known to us.

The product is a medical device according to the EC-directive 93/42/EEC.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Abbreviations and acronyms: ICAO: International Civil Aviation Organization IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 8)

Printing date 06/12/2013

Version number 4

Reviewed on 06/12/2013

Trade name: IPS InLine - Dentin, Deep Dentin, Occlusal Dentin, Incisal, Transpa Incisal, Cervical Incisal, Transpa, Gingiva, Intensiv Gingiva, Mamelon, Add-On Margin, Add-On

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

CA

(Contd. of page 7)