## ivoclar vivadeni:

\*

#### Material Safety Data Sheet acc. to ISO 11014

Printing date 04/29/2015

Version number 9

Reviewed on 04/18/2015

#### **1** Identification

- · Product identifier
- · Trade name: SR Retentions Adhesive

• *Relevant identified uses of the substance or mixture and uses advised against* No further relevant information available.

- · Application of the substance / the mixture Auxiliary for manufacture of dental prothesis
- · Details of the supplier of the safety data sheet

Manufacturer/Supplier: Ivoclar Vivadent Inc. 175 Pineview Drive, Amherst, N.Y. 14228 USA Tel. +1 800 533 6825 Fax +1 716 691 2285

Ivoclar Vivadent Inc. 1-6600 Dixie Road Mississauga, Ontario L5T 2Y2 Canada Phone: +1 905 670 8499 Fax: +1 905 670 3102

 Information department: Quality Assurance / Regulatory Affairs
 Emergency telephone number: 24 Hour Emergency Assistance:

Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-6666

*General SDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182* 

#### 2 Hazard(s) identification

Classification of the substance or mixture
 Flam. Liq. 2 H225 Highly flammable liquid and vapor.
 Eye Irrit. 2A H319 Causes serious eye irritation.
 STOT SE 3 H336 May cause drowsiness or dizziness.

#### · Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

- *Hazard-determining components of labeling:* acetone
- · Hazard statements

Highly flammable liquid and vapor.

(Contd. on page 2)

CA

Printing date 04/29/2015

Version number 9

Reviewed on 04/18/2015

#### Trade name: SR Retentions Adhesive

(Contd. of page 1)

Causes serious eye irritation. May cause drowsiness or dizziness.

#### · Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection. Keep container tightly closed. Call a poison center/doctor if you feel unwell. Store in a closed container.

• Hazard description:

• WHMIS-symbols: B2 - Flammable liquid D2B - Toxic material causing other toxic effects



#### · Classification system:

· NFPA ratings (scale 0 - 4)

 $\begin{array}{c} \textbf{Health} = 1\\ Fire = 3\\ Reactivity = 0 \end{array}$ 

· HMIS-ratings (scale 0 - 4)

HEALTH	1	Health = 1
FIRE	3	Fire = 3
REACTIVITY	0	Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

67-64-1 acetone

#### 50-70%

#### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints. In case of unconsciousness place patient stably in side position for transportation.
   After skin contact: Wash with water and acidic soap.
- *After eye contact:* Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

(Contd. on page 3)

CA

Printing date 04/29/2015

#### Version number 9

Reviewed on 04/18/2015

#### Trade name: SR Retentions Adhesive

(Contd. of page 2)

- Information for doctor:
   Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- *CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.* • *For safety reasons unsuitable extinguishing agents:* Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information Cool endangered receptacles with water spray.

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling:
- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

CA –

Printing date 04/29/2015

#### Version number 9

Reviewed on 04/18/2015

#### nti. • CD Data A .....

Control parameters         Components with limit values that require monitoring at the workplace:         67-64-1 acetome         El. Short-term value: 500 ppm Long-term value: 500 ppm         EV       Short-term value: 500 ppm         Additional information: The lists that were valid during the creation were used as basis.         Esposure controls         Personal protective equipment:         General protective equipment:         Mark hands before breaks and at the end of work.         Keep away from foodstuffs, beverages and fed.         Immediately remove all solied and containnated clothing.         Do not inhale gause / fumes / acrosols.         Avoid contact with the eyes and skin.         Breathing equipment:         nectase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposus are respiratory protective device that is independent of circulating air.         Protective glowes         Neas of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposus are respiratory protective device that is independent of circulating air.         Protective gloves         Protective gloves         Destore material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. <t< th=""><th></th><th>(Contd. of page</th></t<>		(Contd. of page
67-64-1 acetone         EL       Short-term value: 500 ppm         Long-term value: 250 ppm         VS Nort-term value: 500 ppm         Additional information: The lists that were valid during the creation were used as basis.         Exposure controls         Personal protective equipment:         General protective and hygienic measures:         Usual hygienic measures for dental practice.         Wash hands before breaks and at the end of work.         Keep away from foodstuffs, beverages and feed.         Immediately remove all soiled and contaminated clothing.         Do not inhale gases / fumes / acrosols.         Avoid contact with the eyes and skin.         Breathing equipment:         Incase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.         Protection of hands:         Image tests no recommendation to the glove material can be given for the product/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture.         Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation of the glove material can not be calculated in advance and has therefore to be checked	· Con	trol parameters
EL       Short-term value: 500 ppm         Long-term value: 250 ppm         Long-term value: 500 ppm         Long-term value: 500 ppm         Additional information: The lists that were valid during the creation were used as basis.         Exposure controls         Personal protective and hygienic measures:         Usual hygienic measures for dental practice.         Wash hands before breaks and at the end of work.         Keep away from foodstuffs, beverages and feed.         Immediately remove all solied and contaminated clothing.         Do not inhale gases / limes / aerosols.         Avoid contact with the eyes and skin.         Breating equipment:         In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.         Protection of hands:         Image low material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation degradation         Material of gloves         The selection of the suitable gloves does not only depend on the material, but also on further marks of quala and varies of the glove material can not be calculated in advance and has therefore to be checked prior to the application.         Preteriation time of glove material       Exerptomeanufacturer to manufactur	· Con	nponents with limit values that require monitoring at the workplace:
Long-term value: 250 ppm         EV         Short-term value: 500 ppm         Additional information: The lists that were valid during the creation were used as basis.         Exposure controls         Personal protective equipment:         General protective equipment:         Usual hygienic measures;         Usual hygienic measures for dental practice.         Wash hands before breaks and at the end of work.         Keep away from foodstuffs, beverages and feed.         Dom tinhale gases / fumes / aerosols.         Avoid contact with the eyes and skin.         Breathing equipment:         In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposus are respiratory protective device that is independent of circulating air.         Protection of hands:         wise respiratory protective device that is independent of circulating air.         Protective gloves         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation.         Due to missing tests no recommendation of the penetration times, rates of diffusion and the degradation         Marcial of gloves         The selection of the substance/ the preparation divers form manufacturer to manufacturer. As the product is a preparation of several substances, th	67-0	54-1 acetone
EV       Short-term value: 500 ppm Long-term value: 500 ppm         Additional information: The lists that were valid during the creation were used as basis.         Exposure controls         Personal protective equipment: General protective and hygienic measures: Usual hygienic measures for dental practice.         Wash hands before breaks and at the end of work.         Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Do not inhale gases / fumes / aerosols.         Avoid contact with the eyes and skin.         Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposures respiratory protective device that is independent of circulating air.         Protection of hands:         Vivi         Vivi         Reading equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposures respiratory protective device that is independent of circulating air.         Protection of hands:         Vivi         Vivi         Reading equipment: Reading equipment: Reading equipment         The elseve material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation and varies from manufacturer to manufacturer. As the product is a preparation of several su		
Long-term value: 500 ppm         Additional information: The lists that were valid during the creation were used as basis.         Exposure controls         Personal protective equipment:         General protective and hygienic measures:         Usual hygienic measures for dental practice.         Wash hands before breaks and at the end of work.         Keep away from foodstuffs, beverages and feed.         Immediately remove all solied and contaminated clothing.         Do not inhale gases / fumes / aerosols.         Avoid contact with the eyes and skin.         Breathing equipment:         In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.         Protection of hands:         Vivo         Protective gloves         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture.         Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation         Material of gloves         The selection of the glove material can not be calculated in advance and has therefore to be checked prior to the application.         Preteration time of glove material         The s		· · · · · · · · · · · · · · · · · · ·
Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Usual hygienic measures for dental practice. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Do not inhale gases / funes / aerosols. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposu use respiratory protective device that is independent of circulating air. Protection of hands: Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. Selection of the gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quali and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Fightly sealed goggles		
Personal protective equipment: General protective and hygienic measures: Usual hygienic measures for dental practice. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposur use respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. Selection of the gloves material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of qualia and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to ta application. Penetration time of glove material The selection is a through time has to be found out by the manufacturer of the protective gloves and has to be observed. Experiettion: Fightly sealed goggles		
Personal protective equipment: General protective and hygienic measures: Usual hygienic measures for dental practice. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposur use respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. Selection of the gloves material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of qualia and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to ta application. Penetration time of glove material The selection is a through time has to be found out by the manufacturer of the protective gloves and has to be observed. Experiettion: Fightly sealed goggles	· Exp	osure controls
Usual hygienic measures for dental practice. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Do not inhale gases / Junes / aerosols. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposur use respiratory protective device that is independent of circulating air. Protection of hands:		
<ul> <li>Wash hands before breaks and at the end of work.</li> <li>Keep away from foodstuffs, beverages and feed.</li> <li>Immediately remove all soiled and contaminated clothing.</li> <li>Do not inhale gases / funes / aerosols.</li> <li>Avoid contact with the eyes and skin.</li> <li><b>Breathing equipment:</b></li> <li>In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure are respiratory protective device that is independent of circulating air.</li> <li><b>Protection of hands:</b></li> <li><b>Protective gloves</b></li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.</li> <li>Due to missing tests no recommendation to the glove material can be given for the product/ the preparation.</li> <li>Selection of the gloves</li> <li><b>Material of gloves</b></li> <li><b>Material of gloves</b></li> <li><b>Material of gloves</b></li> <li><b>Material of gloves</b></li> <li><b>Material of glove material</b> can not be calculated in advance and has therefore to be checked prior to tapplication.</li> <li><b>Penetration time of glove material</b></li> <li><b>The selection:</b></li> <li><b>The selection:</b></li> <li><b>Tightly sealed goggles</b></li> </ul>		
Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. <b>Breathing equipment:</b> In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposu use respiratory protective device that is independent of circulating air. <b>Protection of hands:</b> <b>Protective gloves</b> The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>Material of gloves</b> The selection of the suitable gloves does not only depend on the material, but also on further marks of qualia and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material <b>Can not be calculated in advance and has therefore to be checked prior to ta</b> application. <b>Penetration time of glove material</b> The selection <b>con glove material</b> The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. <b>Eye protection:</b> <b>Fightly sealed goggles</b>		
Immediately remove all soiled and contaminated clothing. Do not inhale gases / fames / aerosols. Avoid contact with the eyes and skin. <b>Breathing equipment:</b> In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposures respiratory protective device that is independent of circulating air. <b>Protection of hands:</b> Www. Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>Material of gloves</b> The selection of the suitable gloves does not only depend on the material, but also on further marks of qualit and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can no be calculated in advance and has therefore to be checked prior to the application. <b>Penetration time of glove material</b> The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. <b>Eye protection:</b> <b>Waterial of gloves</b>		
Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands:		
Avoid contact with the eyes and skin. <b>Breathing equipment:</b> In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposures <b>Protection of hands:</b> <b>Work:</b> <b>Protective gloves</b> The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. Selection of the suitable gloves does not only depend on the material, but also on further marks of qualit and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. <b>Penetration time of glove material</b> The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. <b>Eye protection:</b> <b>Wighty sealed goggles</b>		
Breathing equipment:         In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.         Protection of hands:         Image: State of the substance of the product of the substance of the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture.         Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation         Material of gloves         The selection of the suitable gloves does not only depend on the material, but also on further marks of qualit and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.         Penetration time of glove material         The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.         Eye protection:         Tightly sealed goggles		
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposures use respiratory protective device that is independent of circulating air. <b>Protection of hands: Protection of hands: Protective gloves</b> The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>Material of gloves</b> The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. <b>Penetration time of glove material</b> The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. <b>Eye protection: Tightly sealed goggles</b>		
Protection of hands: We protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quali- and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles		
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to trapplication. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles		
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>Material of gloves</b> The selection of the suitable gloves does not only depend on the material, but also on further marks of quali- and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. <b>Penetration time of glove material</b> The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. <b>Eye protection:</b> Tightly sealed goggles	· Pro	tection of hands:
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>Material of gloves</b> The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. <b>Penetration time of glove material</b> The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. <b>Eye protection:</b> Tightly sealed goggles	Chin.	Protective gloves
the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>Material of gloves</b> The selection of the suitable gloves does not only depend on the material, but also on further marks of quali- and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. <b>Penetration time of glove material</b> The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. <b>Eye protection:</b> Tightly sealed goggles		
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles		
<ul> <li>degradation</li> <li>Material of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of glove material</li> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection:</li> <li>Tightly sealed goggles</li> </ul>		
Material of gloves         The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.         Penetration time of glove material         The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.         Eye protection:         Tightly sealed goggles		
The selection of the suitable gloves does not only depend on the material, but also on further marks of quala and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. <b>Penetration time of glove material</b> The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. <b>Eye protection:</b> Tightly sealed goggles		
and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles		
application. <b>Penetration time of glove material</b> The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. <b>Eye protection:</b> Tightly sealed goggles	and	varies from manufacturer to manufacturer. As the product is a preparation of several substances, the
Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles		
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles		
observed. Eye protection: Tightly sealed goggles		
Eye protection: Tightly sealed goggles		
Tightly sealed goggles		
		-
	FI	Tightly sealed goggles
Physical and chemical properties	1	
Physical and chemical properties		
	) Ph	vsical and chemical properties

- General Information Appearance:
- Form:

Fluid

(Contd. on page 5)

CA

Version number 9

Reviewed on 04/18/2015

#### Trade name: SR Retentions Adhesive

	(Contd. of page 4)
Color:	Yellow tint
· Odor:	Acetone-like
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	55 °C
· Flash point:	-19 °C
· Ignition temperature:	465 °C
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor
	mixtures are possible.
· Explosion limits:	
Lower:	2.6 Vol %
Upper:	13.0 Vol %
· Vapor pressure at 20 °C:	233 hPa
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Partly miscible.
· Partition coefficient (n-octanol/wa	ter): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
• Other information	No further relevant information available.

#### **10 Stability and reactivity**

· *Reactivity* No further relevant information available.

- · Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Reacts with strong oxidizing agents.
- Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

#### **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

67-64-1 acetone

#### Oral LD50 5800 mg/kg (rat)

Dermal LD50 20000 mg/kg (rabbit)

(Contd. on page 6)

CA

Printing date 04/29/2015

Version number 9

Reviewed on 04/18/2015

#### Trade name: SR Retentions Adhesive

(Contd. of page 5)

#### • Primary irritant effect:

• on the skin: No irritant effect.

- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information: No further relevant information available.

#### · Carcinogenic categories

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### **12 Ecological information**

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- · Behavior in environmental systems:
- · *Bioaccumulative potential* No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

#### · Waste treatment methods

• Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number		
·DOT	UN1090	
· TDG, IMDG, IATA	1090	
· UN proper shipping name		
· DOT, ÎMDG, ÎATĂ	ACETONE	
·TDG	1090 ACETONE	

Printing date 04/29/2015

Version number 9

Reviewed on 04/18/2015

Trade name: SR Retentions Adhesive (Contd. of page 6) · Transport hazard class(es) · DOT · Class 3 Flammable liquids · Label 3 • TDG (Transport dangerous goods): · Class 3 (F1) Flammable liquids · Label 3 · IMDG, IATA · Class 3 Flammable liquids · Label 3 · Packing group · DOT, TDG, IMDG, IATA II· Environmental hazards: • Marine pollutant: No · Special precautions for user Warning: Flammable liquids · Danger code (Kemler): 33 • EMS Number: F-E, S-D· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · UN "Model Regulation": UN1090, ACETONE, 3, II

#### **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
67-64-1 acetone	
	(Contd. on page 8)
	CA

Printing date 04/29/2015

· Proposition 65

#### Version number 9

Reviewed on 04/18/2015

#### Trade name: SR Retentions Adhesive

(Contd. of page 7)

Ι

A4

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

 $\cdot$  Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

67-64-1 acetone

· TLV (Threshold Limit Value established by ACGIH)

67-64-1 acetone

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

*The product is classified and labeled according to the Globally Harmonized System (GHS).* • *Hazard pictograms* 



· Signal word Danger

• *Hazard-determining components of labeling:* acetone

· Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

• Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection.

Keep container tightly closed.

- Call a poison center/doctor if you feel unwell.
- Store in a closed container.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Date of preparation / last revision 04/29/2015 / 8

• Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

Printing date 04/29/2015

Version number 9

Reviewed on 04/18/2015

(Contd. of page 8)

CΔ

### Trade name: SR Retentions Adhesive

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 2: Flammable liquids, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 + \* Data compared to the previous version altered.