ivoclar vıvadenl:

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/22/2019

Version number 5

Reviewed on 06/03/2019

1 Identification

· Product identifier

• Trade name: Multilink Hybrid Abutment (Base)

· Application of the substance / the mixture Self-curing dental luting composite for extraoral cementation

Details of the supplier of the safety data sheet
Manufacturer/Supplier: Ivoclar Vivadent Inc.
175 Pineview Drive, Amherst, N.Y. 14228 USA Tel. +1 800 533 6825 Fax +1 716 691 2285

Ivoclar Vivadent Inc. 1-6600 Dixie Road Mississauga, Ontario L5T 2Y2 Canada Phone: +1 905 670 8499 Fax: +1 905 670 3102

 Information department: Quality Assurance / Regulatory Affairs
 Emergency telephone number: 24 Hour Emergency Assistance: Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-6666

General SDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182

2 Hazard identification

· Classification of the substance or mixture	
Skin Irritation - Category 2	H315 Causes skin irritation.
Eye Irritation - Category 2A	H319 Causes serious eye irritation.
Skin Sensitizer - Category 1	H317 May cause an allergic skin reaction.
Carcinogenicity – Category 2	H351 Suspected of causing cancer.
Specific Target Organ Toxicity - Single Exposure - Category 3	H335 May cause respiratory irritation.

· Label elements

• *GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).*

· Hazard pictograms



· Signal word Warning

• *Hazard-determining components of labeling: Bis-GMA ytterbium trifluoride*

(Contd. on page 2)

CA

Printing date 07/22/2019

Version number 5

Reviewed on 06/03/2019

Trade name: Multilink Hybrid Abutment (Base)

(Contd. of page 1)

(Contd. of page 1)
titanium dioxide
2-hydroxyethyl methacrylate
2-dimethylaminoethyl methacrylate
· Hazard statements
Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.
Suspected of causing cancer.
May cause respiratory irritation.
· Precautionary statements
Avoid breathing dust/fume/gas/mist/vapours/spray.
Wear protective gloves/protective clothing/eye protection/face protection.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
do. Continue rinsing.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
·NFPA ratings (scale 0 - 4)
Health = 2
Fire = 1
2 <i>Q Reactivity</i> = 0
· HMIS-ratings (scale 0 - 4)
HEALTH 2 $Health = 2$
FIRE 1 Fire = 1
REACTIVITY O Reactivity = 0

3 Composition/Information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous compo		
CAS: 13760-80-0	ytterbium trifluoride	≥20- <i>≤</i> 30% w/w *
CAS: 36425-15-7	Bis-GMA	<i>≥10-≤13%</i> w/w *
CAS: 868-77-9	2-hydroxyethyl methacrylate	3-7% w/w *
CAS: 13463-67-7	titanium dioxide	1-5% w/w *
CAS: 2867-47-2	2-dimethylaminoethyl methacrylate	≥0.1-<1% w/w *
* Actual concentre	ation ranges are withheld as a trade secret.	·

4 First aid measures

· Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Rinse with water.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

(Contd. on page 3)

Printing date 07/22/2019

Version number 5

Reviewed on 06/03/2019

Trade name: Multilink Hybrid Abutment (Base)

(Contd. of page 2)

If symptoms persist consult doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available. • Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Firefighting measures*

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Only adequately trained personnel should handle this product.

For use in dentistry only.

• Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Protect from exposure to the light.
- Protect from heat and direct sunlight.
- Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

CA –

Printing date 07/22/2019

Version number 5

Reviewed on 06/03/2019

Trade name: Multilink Hybrid Abutment (Base)

(Contd. of page 3)

• Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- Usual hygienic measures for dental practice and dental laboratories. Wash hands before breaks and at the end of work.
- Keep away from foodstuffs, beverages and feed.
- Avoid contact with the eyes and skin.
- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Not suitable are gloves made of the following materials:

Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates.

· Eye protection: Safety glasses

Information on basic physical and chemical properties General Information			
Appearance:			
Form:	Pasty		
Color:	According to product specification		
Odor:	Characteristic		
Odor threshold:	Not determined.		
pH-value:	Not applicable.		
Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	Undetermined.		
Flash point:	Not applicable.		
Flammability (solid, gaseous):	Not applicable.		
Auto igniting:	Product is not selfigniting.		
Danger of explosion:	Product does not present an explosion hazard.		
Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
Vapor pressure:	Not determined.		
Density at 20 °C:	$\sim 1.95 \text{ g/cm}^3$		
Relative density	Not determined.		

Printing date 07/22/2019

Version number 5

Reviewed on 06/03/2019

Trade name: Multilink Hybrid Abutment (Base)

		(Contd. of page
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with	h	
Water:	Nearly insoluble.	
· Partition coefficient (n-octar	nol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

Photoreactive (Danger of polymerization).

Stable under normal handling and storage conditions.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid
- Protect from exposure to the light.

Keep away from heat and direct sunlight.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

· Sensitization: Sensitization possible through skin contact.

• Additional toxicological information: No further relevant information available.

• Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 13760-80-0 ytterbium trifluoride

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 6)

3

CA

Printing date 07/22/2019

Version number 5

Reviewed on 06/03/2019

Trade name: Multilink Hybrid Abutment (Base)

(Contd. of page 5)

- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number · DOT/TDG, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · DOT/TDG, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	Void
· Packing group · DOT/TDG, ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II oj MARPOL73/78 and the IBC Code	f Not applicable.
• Transport/Additional information:	Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).
· UN "Model Regulation":	Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 7)

CA -

Printing date 07/22/2019

Version number 5

Reviewed on 06/03/2019

Trade name: Multilink Hybrid Abutment (Base)

		(Contd. of page
· Section 313 (Spec	ific toxic chemical listings):	
None of the ingred	lients is listed.	
· TSCA (Toxic Sub	stances Control Act):	
CAS: 13760-80-0	ytterbium trifluoride	
CAS: 1565-94-2	Bis-GMA	
CAS: 868-77-9	2-hydroxyethyl methacrylate	
CAS: 2867-47-2	2-dimethylaminoethyl methacrylate	
CAS: 13463-67-7	titanium dioxide	ACTIV
• GHS label elemen The product is cla • Hazard pictogram	ssified and labeled according to the Globally Harmonized System (GHS).	
GHS07 GHS0	-	
• Hazard-determini Bis-GMA	ng components of labeling:	

Bis-GMA ytterbium trifluoride titanium dioxide 2-hydroxyethyl methacrylate 2-dimethylaminoethyl methacrylate · Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation. Precautionary statements Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · National regulations:

· Other regulations, limitations and prohibitive regulations

The product is a medical device according to the Directive 93/42/EEC.

This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of the latest revision of the safety data sheet 07/22/2019 / 4

• Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 8)

CA

Printing date 07/22/2019

Version number 5

Reviewed on 06/03/2019

Trade name: Multilink Hybrid Abutment (Base)

(Contd. of page 7)

DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative * *** Data compared to the previous version altered.**