

Printing date 04/26/2018

Version number 6.1

Reviewed on 04/26/2018

1 Identification

· Product identifier

- Trade name: IPS Classic Glaze and Stain Liquid
- · CAS Number:
- 107-21-1
- EC number:
- 203-473-3 • Index number:
- 603-027-00-1
- · Application of the substance / the mixture Auxiliary for manufacture of dental prothesis

· Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Ivoclar Vivadent Inc. 175 Pineview Drive, Amherst, N.Y. 14228 USA Tel. +1 800 533 6825 Fax +1 716 691 2285

Ivoclar Vivadent Inc. 1-6600 Dixie Road Mississauga, Ontario L5T 2Y2 Canada Phone: +1 905 670 8499 Fax: +1 905 670 3102

 Information department: Quality Assurance / Regulatory Affairs
 Emergency telephone number: 24 Hour Emergency Assistance: Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-6666

General SDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182

2 Hazard identification

• Classification of the substance or mixture Acute Toxicity (Oral) - Category 4 H302 Harmful if swallowed.
 Classification according to Directive 67/548/EEC or Directive 1999/45/EC Harmful Harmful if swallowed. Information concerning particular hazards for human and environment: Not applicable.
• Label elements • GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
· Hazard pictograms



(Contd. on page 2)

Printing date 04/26/2018

Version number 6.1

Reviewed on 04/26/2018

Trade name: IPS Classic Glaze and Stain Liquid

(Contd. of page 1)

· Signal word Warning · Hazard-determining components of labeling: ethanediol · Hazard statements Harmful if swallowed. · Precautionary statements Wash thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Get medical advice/attention if you feel unwell. Rinse mouth. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



3 Composition/Information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 107-21-1 ethanediol
- · Identification number(s)
- EC number: 203-473-3
- · Index number: 603-027-00-1

4 First aid measures

· Description of first aid measures

- After inhalation:
- Supply fresh air; consult doctor in case of complaints.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eve for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing:
- Rinse out mouth and then drink plenty of water.
- Induce vomiting and call for medical help.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

Printing date 04/26/2018

Version number 6.1

Reviewed on 04/26/2018

Trade name: IPS Classic Glaze and Stain Liquid

(Contd. of page 2)

5 Firefighting measures

· Extinguishing media

- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- *Protective equipment:* No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Only adequately trained personnel should handle this product. For use in dentistry only.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- This product is hygroscopic.
- *Specific end use(s) No further relevant information available.*

8 Exposure controls/ Personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 107-21-1 ethanediol

- EL Short-term value: 20** mg/m³
 Long-term value: 10** mg/m³
 Ceiling limit value: 100* mg/m³, 50*** ppm
 *Aerosol; **Particulate; ***Vapour
- *EV Ceiling limit value: 100 mg/m³*

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

CA

Printing date 04/26/2018

Version number 6.1

Reviewed on 04/26/2018

Trade name: IPS Classic Glaze and Stain Liquid

(Contd. of page 3)

· Exposure controls · Personal protective equipment: • General protective and hygienic measures: Usual hygienic measures for dental practice and dental laboratories. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves Butyl rubber, BR Fluorocarbon rubber (Viton) Nitrile rubber, NBR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Safety glasses 9 Physical and chemical properties

Annoananao		
Appearance: Form:	Fluid	
Color:	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	-12.4 °C	
Boiling point/Boiling range:	197 °C	
Flash point:	111 °C	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	410 °C	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	

Printing date 04/26/2018

Version number 6.1

Reviewed on 04/26/2018

Trade name: IPS Classic Glaze and Stain Liquid

		(Contd. of page
· Explosion limits:		
Lower:	3.2 Vol %	
Upper:	53 Vol %	
· Vapor pressure at 20 •C:	0.08 hPa	
• Density at 20 •C:	1.11 g/cm ³	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water at 20 °C:	1 g/l	
· Partition coefficient (n-octanol/wa	uter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions

Reacts with strong oxidizing agents.

Reacts with alkali (lyes).

- *Conditions to avoid No further relevant information available.*
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

CAS: 107-21-1 ethanediol

Oral LD50 5840 mg/kg (rat)

Dermal LD50 9530 mg/kg (rabbit)

• on the skin: No irritant effect.

- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

· Carcinogenic categories

·NTP (National Toxicology Program)

Substance is not listed.

(Contd. on page 6)

Printing date 04/26/2018

Version number 6.1

Reviewed on 04/26/2018

Trade name: IPS Classic Glaze and Stain Liquid

(Contd. of page 5)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, TDG, ADN, IMDG, IATA	Void
UN proper shipping name	
DOT, TDG, ADN, IMDG, IATA	Void
Transport hazard class(es)	
DOT, TDG, ADN, IMDG, IATA	
Class	Void
Packing group	
DOT, TDG, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).
UN "Model Regulation":	Void

(Contd. on page 7)

Printing date 04/26/2018

Version number 6.1

Reviewed on 04/26/2018

Trade name: IPS Classic Glaze and Stain Liquid

(Contd. of page 6)

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

• Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

• TSCA (Toxic Substances Control Act):

Substance is listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

- Hazard-determining components of labeling: ethanediol
- · Hazard statements
- Harmful if swallowed.

Precautionary statements
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
Get medical advice/attention if you feel unwell.
Rinse mouth.

· National regulations:

- Other regulations, limitations and prohibitive regulations The product is a medical device according to the Directive 93/42/EEC. This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation / last revision 04/26/2018 / 6
Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 8)

CA

Printing date 04/26/2018

Version number 6.1

Reviewed on 04/26/2018

Trade name: IPS Classic Glaze and Stain Liquid

vPvB: very Persistent and very Bioaccumulative

(Contd. of page 7)

CA

•* Data compared to the previous version altered.