Printing date 07/22/2019

vıvadeni:

Version number 4

Reviewed on 06/03/2019

1 Identification

· Product identifier

· Trade name: Tetric EvoFlow Bulk Fill

· Application of the substance / the mixture Light-curing, flowable, resin-based dental restorative

Details of the supplier of the safety data sheet
Manufacturer/Supplier: Ivoclar Vivadent Inc.
175 Pineview Drive, Amherst, N.Y. 14228 USA Tel. +1 800 533 6825 Fax +1 716 691 2285

Ivoclar Vivadent Inc. 1-6600 Dixie Road Mississauga, Ontario L5T 2Y2 Canada Phone: +1 905 670 8499 Fax: +1 905 670 3102

 Information department: Quality Assurance / Regulatory Affairs
 Emergency telephone number: 24 Hour Emergency Assistance: Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-6666

General SDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.Skin Sens. 1H317May cause an allergic skin reaction.

- · Label elements
- *GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).*
- · Hazard pictograms



· Signal word Warning

- · Hazard-determining components of labeling:
- Bis-GMA
- · Hazard statements

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.

(Contd. on page 2)

US

Printing date 07/22/2019

Version number 4

Reviewed on 06/03/2019

Trade name: Tetric EvoFlow Bulk Fill

(Contd. of page 1)

• **Precautionary statements** Wear protective gloves/protective clothing/eye protection/face protection. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse.

• Additional information: Medical devices are exempt from the labeling provisions of GHS according to the Hazard Communication Standard (HCS).

- Classification system:
- · NFPA ratings (scale 0 4)

 $\begin{array}{c} \textbf{Health} = 2\\ \textbf{Fire} = 0\\ \textbf{Reactivity} = 0 \end{array}$

· HMIS-ratings (scale 0 - 4)

HEALTH	2	Health = 2
		Fire = 0
REACTIVITY	0	Reactivity $= 0$

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 36425-15-7	Bis-GMA	<i>≥</i> 2.5-<10%		
CAS: 13760-80-0	ytterbium trifluoride	≥2.5-<10%		
CAS: 43048-08-4	tricyclodocane dimethanol dimethacrylate	<i>≥</i> 2.5-<10%		

4 First-aid measures

· Description of first aid measures

- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:
- Rinse with water.
- If skin irritation continues, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

Version number 4

Reviewed on 06/03/2019

Trade name: Tetric EvoFlow Bulk Fill

(Contd. of page 2)

5 *Fire-fighting measures*

· Extinguishing media

• Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- *Protective equipment:* No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

• *Precautions for safe handling* Only adequately trained personnel should handle this product. For use in dentistry only.

• Information about protection against explosions and fires: No special measures required.

- Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Protect from exposure to the light.
- Protect from heat and direct sunlight.
- Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Usual hygienic measures for dental practice and dental laboratories. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)

⁻ US

Printing date 07/22/2019

Version number 4

Reviewed on 06/03/2019

Trade name: Tetric EvoFlow Bulk Fill

(Contd. of page 3)

· Breathing equipment: Not required.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. After use of gloves apply skin-cleaning agents and skin cosmetics.

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Not suitable are gloves made of the following materials:

Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. • Eye protection: Safety glasses

Information on basic physical and chemical properties General Information			
Appearance:			
Form:	Pasty		
Color:	According to product specification		
Odor:	Characteristic		
Odor threshold:	Not determined.		
pH-value:	Not applicable.		
Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	Undetermined.		
Flash point:	Not applicable.		
Auto igniting:	Product is not selfigniting.		
Danger of explosion:	Product does not present an explosion hazard.		
Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
Vapor pressure:	Not applicable.		
Density at 20 °C (68 °F):	1.86 g/cm³ (15.522 lbs/gal)		
Relative density	Not determined.		
Vapor density	Not determined.		
Evaporation rate	Not determined.		
Solubility in / Miscibility with			
Water:	Nearly insoluble.		

Printing date 07/22/2019

Version number 4

Reviewed on 06/03/2019

Trade name: Tetric EvoFlow Bulk Fill

(Contd. of page 4)

 Viscosity: *Dynamic: Kinematic: Other information*
 Viscosity: *Not determined. Not determined. Not determined. Not determined. Not determined.*

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Stable under normal handling and storage conditions.
- Photoreactive (Danger of polymerization).
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid
- Protect from exposure to the light.
- Keep away from heat and direct sunlight.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information: No further relevant information available.

· Carcinogenic categories

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- *Persistence and degradability* No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

- Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

• vPvB: Not applicable.

(Contd. on page 6)

US

Version number 4

Reviewed on 06/03/2019

Trade name: Tetric EvoFlow Bulk Fill

(Contd. of page 5)

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, ADR/RID/ADN, ADN, IMDG, IAT	'A Void
UN proper shipping name	
DOT, ADN, IMDG, IATA	Void
ADR/RID/ADN	Void
Transport hazard class(es)	
DOT, ADR/RID/ADN, ADN, IMDG, IAT	A
Class	Void
Packing group	
DOT, ADR/RID/ADN, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II	of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).
UN "Model Regulation":	Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):					
None of the ingredients is listed.					
· Section 313 (Specific toxic chemical listings):					
None of the ingredients is listed.					
• TSCA (Toxic Sub	stances Control Act):				
CAS: 1565-94-2	Bis-GMA				
CAS: 13760-80-0	ytterbium trifluoride				
	(Contd. on page 7)				

Printing date 07/22/2019

· Proposition 65

Version number 4

Reviewed on 06/03/2019

Trade name: Tetric EvoFlow Bulk Fill

(Contd. of page 6)

A4

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

CAS: 13760-80-0 ytterbium trifluoride

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

Hazard-determining components of labeling: Bis-GMA
Hazard statements Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.
Precautionary statements Wear protective gloves/protective clothing/eye protection/face protection. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Wash contaminated clothing before reuse.
National regulations:
Other regulations, limitations and prohibitive regulations

The product is a medical device according to the Directive 93/42/EEC.

This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 07/22/2019 / 3

Printing date 07/22/2019

Version number 4

Reviewed on 06/03/2019

Trade name: Tetric EvoFlow Bulk Fill

• Abbreviations and acronyms:

(Contd. of page 7)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation – Category 1 • * Data compared to the previous version altered.