

Printing date 05/22/2015

Version number 6

Reviewed on 04/21/2015

1 Identification · Product identifier • Trade name: IPS Classic Ceramic Isolating Liquid · CAS Number: 8042-47-5 • EC number: 232-455-8 · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Auxiliary for manufacture of dental prothesis · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Ivoclar Vivadent Inc. 175 Pineview Drive, Amherst, N.Y. 14228 USA Tel. +1 800 533 6825 Fax +1 716 691 2285 Ivoclar Vivadent Inc. 1-6600 Dixie Road Mississauga, Ontario L5T 2Y2 Canada Phone: +1 905 670 8499 Fax: +1 905 670 3102 · Information department: Quality Assurance / Regulatory Affairs · Emergency telephone number: 24 Hour Emergency Assistance: Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-6666 General SDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182

2 Hazard(s) identification

• *Classification of the substance or mixture* Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

· Label elements

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: White mineral oil (petroleum)

(Contd. on page 2)

CA

Printing date 05/22/2015

Version number 6

Reviewed on 04/21/2015

Trade name: IPS Classic Ceramic Isolating Liquid

(Contd. of page 1)

• Hazard statements May be fatal if swallowed and enters airways.

· Precautionary statements

If swallowed: Immediately call a poison center/doctor.

Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 8042-47-5 White mineral oil (petroleum)
- · Identification number(s)
- · EC number: 232-455-8

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately rinse with water.
- Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- *After swallowing:* Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- Use fire fighting measures that suit the environment.

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. (Contd. on page 3)

ĊA

Printing date 05/22/2015

Version number 6

Reviewed on 04/21/2015

Trade name: IPS Classic Ceramic Isolating Liquid

(Contd. of page 2)

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbon monoxide (CO)

· Advice for firefighters

• Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective clothing.
 Remove persons from danger area.
 Particular danger of slipping on leaked/spilled product.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Only adequately trained personnel should handle this product. For use in dentistry only.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Usual hygienic measures for dental practice.
- Breathing equipment: Not required.

(Contd. on page 4)

CA

Printing date 05/22/2015

Version number 6

Reviewed on 04/21/2015

Trade name: IPS Classic Ceramic Isolating Liquid

(Contd. of page 3)

• *Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. After use of gloves apply skin-cleaning agents and skin cosmetics.*

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Goggles recommended during refilling.



Tightly sealed goggles

9 Physical and chemical properties

| Information on basic physical and General Information | | | | |
|--|---|-----------------|--|--|
| Appearance: | | | | |
| Form: | Fluid | | | |
| Color: | Amber colored | | | |
| Odor: | Mild | | | |
| Odour threshold: | Not determined. | | | |
| pH-value: | Not applicable. | | | |
| Change in condition | | | | |
| Melting point/Melting range: | Undetermined. | | | |
| Boiling point/Boiling range: | Undetermined. | | | |
| Flash point: | Not applicable. | | | |
| Flammability (solid, gaseous): | Not applicable. | | | |
| Auto igniting: | Not determined. | | | |
| Danger of explosion: | Product does not present an explosion hazard. | | | |
| Explosion limits: | | | | |
| Lower: | Not determined. | | | |
| Upper: | Not determined. | | | |
| Vapor pressure: | Not determined. | | | |
| Density at 20 °C: | $0.852 \ g/cm^3$ | | | |
| Relative density | Not determined. | | | |
| Vapour density | Not determined. | | | |
| Evaporation rate | Not determined. | | | |
| Solubility in / Miscibility with | | | | |
| Water: | Not miscible or difficult to mix. | | | |
| Partition coefficient (n-octanol/wat | er): Not determined. | | | |
| Viscosity: | | | | |
| Dynamic: | Not determined. | | | |
| Kinematic: | Not determined. | | | |
| | | (Contd. on page | | |

Version number 6

Reviewed on 04/21/2015

Trade name: IPS Classic Ceramic Isolating Liquid

(Contd. of page 4)

Organic solvents: • Other information

Printing date 05/22/2015

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal handling and storage conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Reacts with oxidizing agents.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

·NTP (National Toxicology Program)

Substance is not listed.

- · OSHA-Ca (Occupational Safety & Health Administration)
- Substance is not listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- *Water hazard class 1 (Self-assessment): slightly hazardous for water*

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 6)

0.0 %

Printing date 05/22/2015

Version number 6

Reviewed on 04/21/2015

Trade name: IPS Classic Ceramic Isolating Liquid

(Contd. of page 5)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

14 Transport information · UN-Number · DOT, TDG, ADN, IMDG, IATA Void · UN proper shipping name · DOT, TDG, ADN, IMDG, IATA Void · Transport hazard class(es) · DOT, TDG, ADN, IMDG, IATA · Class Void · Packing group · DOT, TDG, IMDG, IATA Void · Environmental hazards: · Marine pollutant: No · Special precautions for user Not applicable. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: Product is not classified as a dangerous good for transport (ADR, IMDG, IATA). · UN "Model Regulation": _

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

| Section | 355 | (extremelv | hazardous | substances): |
|-----------------------------|-----|-------------|-------------|--------------|
| Deciton | 000 | CALL CHILLY | nul,un uous | substances, |

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed. • TSCA (Toxic Substances Control Act):

Substance is not listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

(Contd. on page 7)

CA

Material Safety Data Sheet

acc. to ISO 11014

Printing date 05/22/2015

Version number 6

Reviewed on 04/21/2015

Trade name: IPS Classic Ceramic Isolating Liquid

(Contd. of page 6)

- · Chemicals known to cause reproductive toxicity for females:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males:
- Substance is not listed.
- Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- Substance is not listed.
- TLV (Threshold Limit Value established by ACGIH)
- Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- Substance is not listed.
- · GHS label elements
- *The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms*



- · Signal word Danger
- *Hazard-determining components of labeling: White mineral oil (petroleum)*
- · Hazard statements
- May be fatal if swallowed and enters airways.
- **Precautionary statements** If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting.
- Store locked up.
- Dispose of contents/container in accordance with local/regional/national/international regulations.
- · National regulations:
- Other regulations, limitations and prohibitive regulations
 The product is a medical device according to the Directive 93/42/EEC.
 This product is classified as a medical device under US and Canadian regulations and has been reviewed by
 the US Food and Drug Administration and Health Canada.
 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Date of preparation / last revision 05/22/2015 / 5
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 8)

CA

Printing date 05/22/2015

Version number 6

Reviewed on 04/21/2015

Trade name: IPS Classic Ceramic Isolating Liquid

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) Asp. Tox. 1: Aspiration hazard, Hazard Category 1 (Contd. of page 7)

CA