

Material Safety Data Sheet
acc. to ISO 11014

Printing date 05/22/2015

Version number 2

Reviewed on 04/18/2015

1 Identification


- **Product identifier**
- **Trade name: *IPS Contrast Spray Labside***
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Auxiliary for manufacture of dental prothesis
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ivoclar Vivadent Inc.
175 Pineview Drive, Amherst, N.Y. 14228
USA
Tel. +1 800 533 6825
Fax +1 716 691 2285

- Ivoclar Vivadent Inc.
1-6600 Dixie Road
Mississauga, Ontario
L5T 2Y2
Canada
Phone: +1 905 670 8499
Fax: +1 905 670 3102
- **Information department: Quality Assurance / Regulatory Affairs**
- **Emergency telephone number:**
24 Hour Emergency Assistance:
Emergency-Call USA - Infotrac: 1-800-535-5053
Emergency-Call Canada - Canutec: 1-613-996-6666


- General SDS Assistance:
US: 1-800-533-6825
Canada: 1-800-263-8182

2 Hazard(s) identification

- **Classification of the substance or mixture**
Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.
Carc. 1A H350 May cause cancer.

 - **Label elements**
 - **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
 - **Hazard pictograms**
- 

GHS02



GHS08
- **Signal word** *Danger*
 - **Hazard-determining components of labeling:**
ethanol
 - **Hazard statements**
Extremely flammable aerosol. Pressurized container: May burst if heated.
May cause cancer.

(Contd. on page 2)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 05/22/2015

Version number 2

Reviewed on 04/18/2015

Trade name: **IPS Contrast Spray Labside**

(Contd. of page 1)

· **Precautionary statements**

- Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- Pressurized container: Do not pierce or burn, even after use.
- Do not spray on an open flame or other ignition source.
- Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

· **Hazard description:**

· **WHMIS-symbols:**

- A - Compressed gas
- B5 - Flammable aerosol



· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 0
Fire = 0
Reactivity = 3

· **HMIS-ratings (scale 0 - 4)**

HEALTH	0
FIRE	0
REACTIVITY	3

Health = 0
Fire = 0
Reactivity = 3

· **Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

75-28-5	isobutane	30-60%
64-17-5	ethanol	≤10%

4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

Supply fresh air.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Rinse with water.

Generally the product does not irritate the skin.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** Rinse out mouth and then drink plenty of water.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 05/22/2015

Version number 2

Reviewed on 04/18/2015

Trade name: IPS Contrast Spray Labside

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Do not inhale explosion gases or combustion gases.
- **Additional information** Cool endangered receptacles with water spray.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Dispose of the collected material according to regulations.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Only adequately trained personnel should handle this product.
For use in dentistry only.
Keep away from heat and direct sunlight.
Open and handle receptacle with care.
Use only in well ventilated areas.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store in a cool location.
Store only in the original receptacle.
Observe official regulations on storing packagings with pressurized containers.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.

(Contd. on page 4)

CA

Material Safety Data Sheet

acc. to ISO 11014

Printing date 05/22/2015

Version number 2

Reviewed on 04/18/2015

Trade name: IPS Contrast Spray Labside

(Contd. of page 3)

- *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

- *Additional information about design of technical systems: No further data; see item 7.*

- *Control parameters*

- *Components with limit values that require monitoring at the workplace:*

75-28-5 isobutane

EV Long-term value: 800 ppm

64-17-5 ethanol

EL Short-term value: 1000 ppm

EV Long-term value: 1.900 mg/m³, 1.000 ppm

- *Additional information: The lists that were valid during the creation were used as basis.*

- *Exposure controls*

- *Personal protective equipment:*

- *General protective and hygienic measures:*

Usual hygienic measures for dental practice.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Do not inhale gases / fumes / aerosols.

- *Breathing equipment:*

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- *Protection of hands:*

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

After use of gloves apply skin-cleaning agents and skin cosmetics.

- *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- *Penetration time of glove material*

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- *As protection from splashes gloves made of the following materials are suitable:*

Nitrile rubber, NBR

Butyl rubber, BR

Natural rubber, NR

- *Eye protection: Safety glasses*

9 Physical and chemical properties

- *Information on basic physical and chemical properties*

- *General Information*

- *Appearance:*

Form: Aerosol

Color: Whitish

- *Odor: Characteristic*

- *Odour threshold: Not determined.*

(Contd. on page 5)

CA

Material Safety Data Sheet

acc. to ISO 11014

Printing date 05/22/2015

Version number 2

Reviewed on 04/18/2015

Trade name: IPS Contrast Spray Labside

(Contd. of page 4)

· pH-value:	Not applicable.
· Change in condition Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	-11 °C
· Flash point:	Not applicable, as aerosol.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	460 °C
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Not determined.
· Explosion limits: Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C:	3000 hPa
· Density at 20 °C:	0.64 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity: Dynamic:	Not determined.
Kinematic:	Not determined.
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable under normal handling and storage conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Danger of explosion.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** None under normal conditions of storage and use.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:** No further relevant information available.

(Contd. on page 6)

CA

Material Safety Data Sheet

acc. to ISO 11014

Printing date 05/22/2015

Version number 2

Reviewed on 04/18/2015

Trade name: IPS Contrast Spray Labside

(Contd. of page 5)

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

64-17-5 ethanol

I

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|----------------------------------|---------------------|
| · UN-Number | |
| · DOT, TDG, IMDG, IATA | UN1950 |
| · UN proper shipping name | |
| · DOT | Aerosols, flammable |
| · TDG | 1950 Aerosols |
| · IMDG | AEROSOLS |
| · IATA | AEROSOLS, flammable |

(Contd. on page 7)

CA

Material Safety Data Sheet

acc. to ISO 11014

Printing date 05/22/2015

Version number 2

Reviewed on 04/18/2015

Trade name: IPS Contrast Spray Labside

(Contd. of page 6)

· **Transport hazard class(es)**

· **DOT**



· **Class** 2.1

· **Label** 2.1

· **TDG (Transport dangerous goods):**



· **Class** 2 5F Gases

· **Label** 2.1

· **IMDG, IATA**



· **Class** 2.1

· **Label** 2.1

· **Packing group**

· **DOT, TDG, IMDG, IATA** Void

· **Environmental hazards:**

· **Marine pollutant:** No

· **Special precautions for user** Warning: Gases

· **Danger code (Kemler):** -

· **EMS Number:** F-D,S-U

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· **Transport/Additional information:**

· **TDG**

· **Excepted quantities (EQ)** Code: E0
Not permitted as Excepted Quantity

· **IMDG**

· **Limited quantities (LQ)** 1L

· **Excepted quantities (EQ)** Code: E0
Not permitted as Excepted Quantity

· **UN "Model Regulation":** UN1950, Aerosols, 2.1

(Contd. on page 8)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 05/22/2015

Version number 2

Reviewed on 04/18/2015

Trade name: IPS Contrast Spray Labside

(Contd. of page 7)

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

64-17-5 ethanol

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

64-17-5 ethanol

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02 GHS08

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

ethanol

· **Hazard statements**

Extremely flammable aerosol. Pressurized container: May burst if heated.

May cause cancer.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Pressurized container: Do not pierce or burn, even after use.

Do not spray on an open flame or other ignition source.

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

(Contd. on page 9)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 05/22/2015

Version number 2

Reviewed on 04/18/2015

Trade name: IPS Contrast Spray Labside

(Contd. of page 8)

- **National regulations:**
- **Other regulations, limitations and prohibitive regulations**
This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Date of preparation / last revision** 05/22/2015 / 1
- **Abbreviations and acronyms:**
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
Flam. Aerosol 1: Flammable aerosols, Hazard Category 1
Carc. 1A: Carcinogenicity, Hazard Category 1A

CA