

**1 Identification**


- **Product identifier**
- **Trade name: Laser C&B Yellow**
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture**  
Manufacture of dental prosthesis  
Dental alloy
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Ivoclar Vivadent Inc.  
175 Pineview Drive, Amherst, N.Y. 14228  
USA  
Tel. +1 800 533 6825  
Fax +1 716 691 2285  
  
Ivoclar Vivadent Inc.  
1-6600 Dixie Road  
Mississauga, Ontario  
L5T 2Y2  
Canada  
Phone: +1 905 670 8499  
Fax: +1 905 670 3102
- **Information department: Quality Assurance / Regulatory Affairs**
- **Emergency telephone number:**  
24 Hour Emergency Assistance:  
Emergency-Call USA - Infotrac: 1-800-535-5053  
Emergency-Call Canada - Canutec: 1-613-996-6666  
  
General SDS Assistance:  
US: 1-800-533-6825  
Canada: 1-800-263-8182

**2 Hazard(s) identification**

- **Classification of the substance or mixture**  
The product is not classified according to the Globally Harmonized System (GHS).

---

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the CLP regulation.
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**  
Alloys do not require a label, providing they do not present a hazard to human health by inhalation, ingestion or contact with skin or to the aquatic environment in the form in which they are placed on the market.
- **Hazard description:**
- **WHMIS-symbols:** C - Oxidizing materials
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 0  
Fire = 0  
Reactivity = 0

# Material Safety Data Sheet

## acc. to ISO 11014

Printing date 06/23/2015

Version number 5

Reviewed on 05/08/2015

Trade name: **Laser C&B Yellow**

(Contd. of page 1)

- **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description: Dental alloy**

- **Dangerous components:**

7440-22-4	silver	10-<25%
7440-50-8	copper	3-7%
7440-06-4	platinum	3-5%
7440-74-6	indium	1-1.5%

### 4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:**  
Grinding dust: Supply fresh air; consult doctor in case of complaints.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
After contact with the molten product, cool rapidly with cold water.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Grinding dust: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.  
Mechanical effects only.
- **After swallowing:** Seek medical treatment.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Do not inhale explosion gases or combustion gases.

CA

(Contd. on page 3)

## Material Safety Data Sheet acc. to ISO 11014

Printing date 06/23/2015

Version number 5

Reviewed on 05/08/2015

Trade name: **Laser C&B Yellow**

(Contd. of page 2)

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**  
No special measures required.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Extractors are required on all machines used for thermal processing or splinter removal processes.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

#### Components with limit values that require monitoring at the workplace:

##### 7440-22-4 silver

EL	Short-term value: 0.03 mg/m <sup>3</sup> Long-term value: 0.01 mg/m <sup>3</sup> as Ag
EV	Long-term value: 0.1 * 0.01** mg/m <sup>3</sup> *metal; **water-soluble compounds (as silver)

##### 7440-50-8 copper

EL	Long-term value: 1 * 0.2** mg/m <sup>3</sup> *dusts and mists; **fume, as Cu
EV	Long-term value: 0.2 * 1** mg/m <sup>3</sup> as copper, *fume; **dust and mists

##### 7440-06-4 platinum

EL	Long-term value: 1 * 0.002** mg/m <sup>3</sup> *metal; **soluble salts (as Pt): S
EV	Long-term value: 1 * 0.002** mg/m <sup>3</sup> *metal; **water-soluble compounds (as Pt)

(Contd. on page 4)

CA

## Material Safety Data Sheet

acc. to ISO 11014

Printing date 06/23/2015

Version number 5

Reviewed on 05/08/2015

**Trade name: Laser C&B Yellow**

(Contd. of page 3)

### 7440-74-6 indium

EL	Long-term value: 0.1 mg/m <sup>3</sup> as In; ACGIH 2B
EV	Long-term value: 0.1 mg/m <sup>3</sup> as indium

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Usual hygienic measures for dental practice.  
Wash hands before breaks and at the end of work.  
Keep away from foodstuffs, beverages and feed.
- **Breathing equipment:** Use respiratory protective device against the effects of fumes/dust/aerosol.
- **Protection of hands:**  
Protective gloves should always be worn during mechanical and thermal processing.  
After use of gloves apply skin-cleaning agents and skin cosmetics.
- **Material of gloves**  
Mechanical processing:  
Leather gloves  
Strong gloves  
Thermal processing:  
Heat protection gloves
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**  
Always wear safety goggles during mechanical processing (grinding, sawing /cutting, drilling, milling).

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Solid
Color:	Grey
Odor:	Odorless
Odour threshold:	Not determined.
- **pH-value:** Not applicable.
- **Change in condition**

Melting point/Melting range:	985 - 1025 °C
Boiling point/Boiling range:	Undetermined.
- **Flash point:** Not applicable.
- **Flammability (solid, gaseous):** Not determined.
- **Auto igniting:** Product is not selfigniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

(Contd. on page 5)

CA

## Material Safety Data Sheet

acc. to ISO 11014

Printing date 06/23/2015

Version number 5

Reviewed on 05/08/2015

Trade name: **Laser C&B Yellow**

(Contd. of page 4)

· <b>Vapor pressure:</b>	Not applicable.
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not applicable.
· <b>Evaporation rate</b>	Not applicable.
· <b>Solubility in / Miscibility with Water:</b>	Insoluble.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not applicable.
<b>Kinematic:</b>	Not applicable.
· <b>Other information</b>	No further relevant information available.

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable under normal handling and storage conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** None under normal conditions of storage and use.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Mechanical effects only.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
Fumes or dusts generated from cutting or grinding operations may cause respiratory irritation.
- **Carcinogenic categories**

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 6)

CA

## Material Safety Data Sheet

acc. to ISO 11014

Printing date 06/23/2015

Version number 5

Reviewed on 05/08/2015

Trade name: **Laser C&B Yellow**


(Contd. of page 5)

- **Additional ecological information:**
- **General notes:**  
*Water hazard class 1 (Self-assessment): slightly hazardous for water*  
*Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.*
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
*Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.*
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>DOT</b></li> <li>· <b>TDG, ADN, IMDG, IATA</b></li> </ul>  | <p style="margin-left: 20px;">NA3077</p> <p style="margin-left: 20px;">Void</p>  |
| <ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT</b></li> <li>· <b>TDG, ADN, IMDG, IATA</b></li> </ul>  | <p style="margin-left: 20px;">Environmentally hazardous substances, solid, n.o.s. (copper)</p> <p style="margin-left: 20px;">Void</p>                          |
| <ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>DOT</b></li> </ul> <div style="text-align: center; margin: 10px 0;">  </div> | <p style="margin-left: 20px;">9 Miscellaneous dangerous substances and articles</p> <p style="margin-left: 20px;">9</p> <p style="margin-left: 20px;">Void</p> |
| <ul style="list-style-type: none"> <li>· <b>Packing group</b></li> <li>· <b>DOT</b></li> <li>· <b>TDG, IMDG, IATA</b></li> </ul>   | <p style="margin-left: 20px;">III</p> <p style="margin-left: 20px;">Void</p>   |
| <ul style="list-style-type: none"> <li>· <b>Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> </ul>  | <p style="margin-left: 20px;">Not applicable.</p> <p style="margin-left: 20px;">Yes (DOT)</p>  |
| <ul style="list-style-type: none"> <li>· <b>Special precautions for user</b></li> </ul>  | <p style="margin-left: 20px;">Not applicable.</p>  |
| <ul style="list-style-type: none"> <li>· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b></li> </ul>   | <p style="margin-left: 20px;">Not applicable.</p>  |
| <ul style="list-style-type: none"> <li>· <b>Transport/Additional information:</b></li> </ul>   | <p style="margin-left: 20px;">Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).</p>   |

(Contd. on page 7)

CA

# Material Safety Data Sheet

acc. to ISO 11014

Printing date 06/23/2015

Version number 5

Reviewed on 05/08/2015

Trade name: **Laser C&B Yellow**

(Contd. of page 6)

- |                                 |  |
|---------------------------------|--|
| <b>· DOT</b>                    |  |
| <b>· Remarks:</b>               | Special marking with the symbol (fish and tree). |
| <b>· UN "Model Regulation":</b> | -  |

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture

- Sara

- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):

7440-22-4	silver
7440-50-8	copper

- TSCA (Toxic Substances Control Act):

7440-57-5	Gold
7440-22-4	silver
7440-50-8	copper
7440-06-4	platinum
7440-74-6	indium
7439-88-5	iridium

- Proposition 65

- Chemicals known to cause cancer:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Carcinogenic categories

- EPA (Environmental Protection Agency)

7440-22-4	silver	
7440-50-8	copper	D

- TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

- NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- GHS label elements Void

- Hazard pictograms Void

- Signal word Void

- Hazard statements Void

(Contd. on page 8)

CA

**Material Safety Data Sheet**  
acc. to ISO 11014

Printing date 06/23/2015

Version number 5

Reviewed on 05/08/2015

**Trade name: Laser C&B Yellow**

(Contd. of page 7)

- **National regulations:**
- **Other regulations, limitations and prohibitive regulations**  
The product is a medical device according to the Directive 93/42/EEC.  
This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Date of preparation / last revision** 06/23/2015 / 4
- **Abbreviations and acronyms:**  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
WHMIS: Workplace Hazardous Materials Information System (Canada)
- **\* Data compared to the previous version altered.**

CA