# ivoclar vivadeni:

## Material Safety Data Sheet acc. to ISO 11014

Printing date 06/23/2015

Version number 4

Reviewed on 05/20/2015

# **1 Identification**

- · Product identifier
- · Trade name: Spartan Ceramic Solder
- *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*
- Application of the substance / the mixture Manufacture of dental prothesis Dental alloy
- $\cdot$  Details of the supplier of the safety data sheet

Manufacturer/Supplier: Ivoclar Vivadent Inc. 175 Pineview Drive, Amherst, N.Y. 14228 USA Tel. +1 800 533 6825 Fax +1 716 691 2285

Ivoclar Vivadent Inc. 1-6600 Dixie Road Mississauga, Ontario L5T 2Y2 Canada Phone: +1 905 670 8499 Fax: +1 905 670 3102

 Information department: Quality Assurance / Regulatory Affairs
 Emergency telephone number: 24 Hour Emergency Assistance: Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-6666

General SDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182

# 2 Hazard(s) identification

- · Classification of the substance or mixture
- Ox. Sol. 2 H272 May intensify fire; oxidizer.
- · Label elements
- *GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).*
- · Hazard pictograms



- · Signal word Danger
- · Hazard statements
- May intensify fire; oxidizer.
- **Precautionary statements** Keep away from heat. Take any precaution to avoid mixing with combustibles.

(Contd. on page 2)

CA

Reviewed on 05/20/2015

Printing date 06/23/2015

Version number 4

Trade name: Spartan Ceramic Solder

(Contd. of page 1) *Wear protective gloves / eye protection / face protection.* Keep/Store away from clothing/combustible materials. In case of fire: Use for extinction: CO2, powder or water spray. Dispose of contents/container in accordance with local/regional/national/international regulations. · Additional information: Alloys do not require a label, providing they do not present a hazard to human health by inhalation, ingestion or contact with skin or to the aquatic environment in the form in which they are placed on the market. · Hazard description: · WHMIS-symbols: C - Oxidizing materials · Classification system: · NFPA ratings (scale 0 - 4) Health = 0Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH • Health = 0FIRE 3 Fire = 3**REACTIVITY O** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · *PBT:* Not applicable. · vPvB: Not applicable. 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Dental alloy

· Dangerous components:			
7440-50-8	copper	25-30%	
7440-05-3	palladium	10-<25%	
7440-66-6	zinc powder -zinc dust (stabilized)	<i>≤1%</i>	

# 4 First-aid measures

· Description of first aid measures

- · General information: No special measures required.
- After inhalation:

Grinding dust: Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

After contact with the molten product, cool rapidly with cold water.

If skin irritation continues, consult a doctor.

• After eye contact:

Grinding dust: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Mechanical effects only.

· After swallowing: Seek medical treatment.

(Contd. on page 3)

CA

Printing date 06/23/2015

#### Version number 4

Reviewed on 05/20/2015

(Contd. of page 2)

## Trade name: Spartan Ceramic Solder

- Most important symptoms and effects, both acute and delayed No further relevant information available. • Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **5** Fire-fighting measures

· Information for doctor:

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

## 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:
- No special measures required.
- Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Extractors are required on all machines used for thermal processing or splinter removal processes.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from flammable substances.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

#### 7440-50-8 copper

- *EL* Long-term value: 1\* 0.2\*\* mg/m<sup>3</sup> \*dusts and mists; \*\*fume, as Cu
- ausis ana misis, Ajume, as Cu
- *EV* Long-term value: 0.2\* 1\*\* mg/m<sup>3</sup> as copper, \*fume;\*\*dust and mists

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

CA

Printing date 06/23/2015

Version number 4

Reviewed on 05/20/2015

# Trade name: Spartan Ceramic Solder

(Contd. of page 3)

Exposure	
-	rotective equipment:
General p	otective and hygienic measures:
Usual hyg	enic measures for dental practice.
Wash hand	ls before breaks and at the end of work.
Keep away	from foodstuffs, beverages and feed.
Breathing	equipment: Use respiratory protective device against the effects of fumes/dust/aerosol.
Protection	of hands:
Protective	gloves should always be worn during mechanical and thermal processing.
After use c	f gloves apply skin-cleaning agents and skin cosmetics.
Material o	fgloves
Mechanica	l processing:
Leather gl	<i>wes</i>
Strong glo	les l
Thermal p	
	ction gloves
	n time of glove material
	preak through time has to be found out by the manufacturer of the protective gloves and has to be
observed.	
Eye protec	tion:
	ar safety goggles during mechanical processing (grinding, sawing /cutting, drilling, milling).

Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Solid
Color:	Grey
Odor:	Odorless
Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	1080 - 1105 °C
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.

Printing date 06/23/2015

Version number 4

Reviewed on 05/20/2015

## Trade name: Spartan Ceramic Solder

		(Contd. of page
· Solubility in / Miscibility with	ı alı alı alı alı alı alı alı alı alı al	
Water:	Insoluble.	
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity: Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Minemane.		

#### **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
  - · Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

#### **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Mechanical effects only.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Fumes or dusts generated from cutting or grinding operations may cause respiratory irritation.

· Carcinogenic categories

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 6)

CA

Version number 4

Reviewed on 05/20/2015

# Trade name: Spartan Ceramic Solder

(Contd. of page 5)

· **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

· Uncleaned packagings:

• *Recommendation:* Disposal must be made according to official regulations.

TTNT NT	
UN-Number DOT	NA3077
TDG, ADN, IMDG, IATA	Void
UN proper shipping name	
DOT	Environmentally hazardous substances, solid, n.o.s. (copper)
TDG, ADN, IMDG, IATA	Void
Transport hazard class(es)	
DOT	
Class	9 Miscellaneous dangerous substances and articles
Label	9
TDG, ADN, IMDG, IATA	
Class	Void
Packing group	
DOT	III
TDG, IMDG, IATA	Void
Environmental hazards:	Not applicable.
Marine pollutant:	Yes (DOT)
Special precautions for user	Not applicable.
Transport in bulk according to Annex A MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.
Transport/Additional information:	Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).
DOT	
Remarks:	Special marking with the symbol (fish and tree).

(Contd. on page 7)

Printing date 06/23/2015

Printing date 06/23/2015

#### Version number 4

Reviewed on 05/20/2015

## Trade name: Spartan Ceramic Solder

(Contd. of page 6)

## **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Sara
- · Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- · Section 313 (Specific toxic chemical listings):
- 7440-22-4 silver
- 7440-50-8 copper
- TSCA (Toxic Substances Control Act):
- 7440-57-5 Gold 7440-22-4 silver
- 7440-50-8 copper 7440-06-4 platinum
- 7440-74-6 indium 7439-88-5 iridium
- · Proposition 65
- · Chemicals known to cause cancer:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for females:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients is listed.
- · Chemicals known to cause developmental toxicity:
- None of the ingredients is listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- 7440-22-4
   silver
   D

   7440-50-8
   copper
   D

   TLV (Threshold Limit Value established by ACGIH)
   D

   None of the ingredients is listed.
   D
  - · NIOSH-Ca (National Institute for Occupational Safety and Health)
  - None of the ingredients is listed.
  - · GHS label elements
  - *The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms*



· Signal word Danger

· Hazard statements

May intensify fire; oxidizer.

Printing date 06/23/2015

#### Version number 4

Reviewed on 05/20/2015

## Trade name: Spartan Ceramic Solder

(Contd. of page 7)

#### · Precautionary statements

Keep away from heat. Take any precaution to avoid mixing with combustibles. Wear protective gloves / eye protection / face protection. Keep/Store away from clothing/combustible materials. In case of fire: Use for extinction: CO2, powder or water spray. Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

• Other regulations, limitations and prohibitive regulations The product is a medical device according to the Directive 93/42/EEC. This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation / last revision 06/23/2015 / 3
 Abbreviations and acronyms:
 IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) Ox. Sol. 2: Oxidising Solids, Hazard Category 2