# ivoclar vivadeni:

#### Material Safety Data Sheet acc. to ISO 11014

Version number 4

Reviewed on 06/23/2015

Printing date 06/24/2015

## **1 Identification**

- · Product identifier
- · Trade name: Universal Solder PKF
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Manufacture of dental prothesis Dental alloy
- $\cdot$  Details of the supplier of the safety data sheet

Manufacturer/Supplier: Ivoclar Vivadent Inc. 175 Pineview Drive, Amherst, N.Y. 14228 USA Tel. +1 800 533 6825 Fax +1 716 691 2285

Ivoclar Vivadent Inc. 1-6600 Dixie Road Mississauga, Ontario L5T 2Y2 Canada Phone: +1 905 670 8499 Fax: +1 905 670 3102

 Information department: Quality Assurance / Regulatory Affairs
Emergency telephone number: 24 Hour Emergency Assistance:

Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-6666

*General SDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182* 

## 2 Hazard(s) identification

• *Classification of the substance or mixture The product is not classified according to the Globally Harmonized System (GHS).* 

· Label elements

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- Hazard statements Void
- Additional information:

Alloys do not require a label, providing they do not present a hazard to human health by inhalation, ingestion or contact with skin or to the aquatic environment in the form in which they are placed on the market.

- Hazard description:
- WHMIS-symbols:

C - Oxidizing materials



(Contd. on page 2)

Printing date 06/24/2015

Version number 4


Reviewed on 06/23/2015

# Trade name: Universal Solder PKF

(Contd. of page 1)

30-60%

5-<10% 1-<3%





#### · Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

#### **3** Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Dental alloy

#### · Dangerous components:

#### 7440-22-4 silver

7440-66-6 zinc powder -zinc dust (stabilized)
---

7440-06-4 platinum

#### **4** First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation:
- Grinding dust: Supply fresh air; consult doctor in case of complaints.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:
- After contact with the molten product, cool rapidly with cold water.
- If skin irritation continues, consult a doctor.
- After eye contact:
- Grinding dust: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- Mechanical effects only.
- · After swallowing: Seek medical treatment.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Version number 4

Reviewed on 06/23/2015

# Trade name: Universal Solder PKF

(Contd. of page 2)

· Advice for firefighters

Printing date 06/24/2015

· Protective equipment: Do not inhale explosion gases or combustion gases.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:
- No special measures required.
- Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## 7 Handling and storage

· Handling:

· Precautions for safe handling

*Extractors are required on all machines used for thermal processing or splinter removal processes.* • *Information about protection against explosions and fires:* No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from flammable substances.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· C01	urol parameters			
· Components with limit values that require monitoring at the workplace:				
744	10-22-4 silver			
EL	Short-term value: 0.03 mg/m <sup>3</sup> Long-term value: 0.01 mg/m <sup>3</sup> as Ag			
EV	Long-term value: 0.1* 0.01** mg/m <sup>3</sup> *metal;**water-soluble compdounds (as silver)			
744	10-06-4 platinum			
EL	Long-term value: 1* 0.002** mg/m <sup>3</sup> *metal;**soluble salts (as Pt): S			
EV	Long-term value: 1* 0.002** mg/m <sup>3</sup> *metal;**water-soluble compounds (as Pt)			
· Add	<i>litional information:</i> The lists that were valid during the creation were used as basis.			
· Per · Ger	posure controls sonal protective equipment: neral protective and hygienic measures: nal hygienic measures for dental practice.	(Contd. on page 4)		
		(conta. on page 4)		

*Printing date 06/24/2015* 

Version number 4

Reviewed on 06/23/2015

# Trade name: Universal Solder PKF

(Contd. of page 3) Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. · Breathing equipment: Use respiratory protective device against the effects of fumes/dust/aerosol. · Protection of hands: Protective gloves should always be worn during mechanical and thermal processing. After use of gloves apply skin-cleaning agents and skin cosmetics. · Material of gloves Mechanical processing: Leather gloves Strong gloves Thermal processing: Heat protection gloves · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Always wear safety goggles during mechanical processing (grinding, sawing /cutting, drilling, milling).

Information on basic physical and	chemical properties	
General Information		
Appearance: Form:	Solid	
Form: Color:	Grey	
Odor:	Odorless	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	1100 - 1165 °C	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	

CA

Version number 4

Reviewed on 06/23/2015

(Contd. of page 4)

## Trade name: Universal Solder PKF

Kinematic:

Printing date 06/24/2015

Not applicable.

· Other information

No further relevant information available.

## **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Reacts with reducing agents.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

## **11 Toxicological information**

· Information on toxicological effects

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Mechanical effects only.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Fumes or dusts generated from cutting or grinding operations may cause respiratory irritation.

· Carcinogenic categories

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 6)

Printing date 06/24/2015

#### Version number 4

Reviewed on 06/23/2015

# Trade name: Universal Solder PKF

(Contd. of page 5)

#### **13 Disposal considerations**

· Waste treatment methods

• *Recommendation: Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.* 

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT	NA3077
TDG, ADN, IMDG, IATA	Void
UN proper shipping name	
DOT	Oxidizing solid, n.o.s.
TDG	1479 Oxidizing solid, n.o.s., ENVIRONMENTALLY
	HAZARDOUS
ADN, IMDG, IATA	Void
Transport hazard class(es)	
DOT	
Class	9 Miscellaneous dangerous substances and articles
Label	9
TDG, ADN, IMDG, IATA	
Class	Void
Packing group	
DOT	III
TDG, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Product is not classified as a dangerous good for transport
	(ADR, IMDG, IATA).
UN ''Model Regulation'':	UN1479, Oxidizing solid, n.o.s., ENVIRONMENTALLY

## **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

7440-22-4 silver

(Contd. on page 7)

CA

Printing date 06/24/2015

#### Version number 4

Reviewed on 06/23/2015

# Trade name: Universal Solder PKF

Trade name: Universal Solder PKF			
(Contd. of page 6)			
7440-50-8 copper			
· TSCA (Toxic Substances Control Act):			
7440-57-5 Gold			
7440-22-4 silver			
7440-50-8 copper			
7440-06-4 platinum			
7440-74-6 indium			
7439-88-5 iridium			
· Proposition 65			
· Chemicals known to cause cancer:			
None of the ingredients is listed.			
· Chemicals known to cause reproductive toxicity for females:			
None of the ingredients is listed.			
· Chemicals known to cause reproductive toxicity for males:			
None of the ingredients is listed.			
· Chemicals known to cause developmental toxicity:			
None of the ingredients is listed.			
· Carcinogenic categories			
· EPA (Environmental Protection Agency)			
7440-22-4 silver D			
7440-50-8 copper D			
· TLV (Threshold Limit Value established by ACGIH)			
None of the ingredients is listed.			
· NIOSH-Ca (National Institute for Occupational Safety and Health)			
None of the ingredients is listed.			
· GHS label elements Void			
• Hazard pictograms Void			
• Signal word Void • Hazard statements Void			
• National regulations: • Other regulations, limitations and prohibitive regulations			
The product is a medical device according to the Directive 93/42/EEC.			
This product is classified as a medical device under US and Canadian regulations and has been reviewed by			
the US Food and Drug Administration and Health Canada.			
• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.			

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 06/24/2015 / 3

• Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

(Contd. on page 8)

Printing date 06/24/2015

Version number 4

Reviewed on 06/23/2015

Trade name: Universal Solder PKF

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) (Contd. of page 7)

CA -