


All you need for restorations in a single visit



¹ Average biaxial flexural strength, over a period of 10 years

² Typical mean value of biaxial flexural strength

Strong combinations

		Variolink® Esthetic	
Curing Mode	light-curing	dual-curing	
	Conditioning	adhesive Adhese® Universal or Syntac® Monobond Etch & Prime®	

IPS e.max® CAD Lithium disilicate glass-ceramics (LS₂)

	light-curing	dual-curing
Veneers	✓	✓
Inlays	✓	✓
Onlays (e.g. occlusal veneers, partial crowns)	✓	✓
Minimally Invasive Crowns (1 mm)	—	✓
Crowns	—	✓

IPS Empress® CAD Leucite glass-ceramics

	light-curing	dual-curing
Veneers	✓	✓
Inlays	✓	✓
Onlays (e.g. partial crowns)	✓	✓
Crowns	—	✓

Tetric® CAD Composite

	light-curing	dual-curing
Veneers	✓*	✓*
Inlays	✓*	✓*
Onlays (e.g. occlusal veneers, partial crowns)	✓*	✓*
Crowns	—	✓*

✓ Recommended product combinations
 — Not recommended

* Conditioning with Adhese® Universal



Please take note of the corresponding instructions for use.



IPS e.max® Shade Navigation App



CNS: Das Cementation Navigation System
www.cementation-navigation.com

→ Connected to you

ivoclardigital.com

Date information prepared: 2019-09-03, Rev. 1
 690490/EN

