

Printing date 03/06/2018 Version number 9 Reviewed on 02/20/2018

1 Identification

- · Product identifier
- · Trade name: IPS e.max Press Invex Liquid
- · Application of the substance / the mixture Discharging agent
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ivoclar Vivadent Inc.

175 Pineview Drive, Amherst, N.Y. 14228

Tel. +1 800 533 6825 Fax +1 716 691 2285

Ivoclar Vivadent Inc. 1-6600 Dixie Road Mississauga, Ontario L5T 2Y2 Canada

Phone: +1 905 670 8499 Fax: +1 905 670 3102

- · Information department: Quality Assurance / Regulatory Affairs
- · Emergency telephone number: 24 Hour Emergency Assistance:

Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-6666

General SDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182

2 Hazard(s) identification

· Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin. Eye Irrit. 2A H319 Causes serious eye irritation.

Carc. 1A H350 May cause cancer.

- · Label elements
- GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

hydrofluoric acid sulphuric acid

· Hazard statements

Harmful if swallowed or in contact with skin.

(Contd. on page 2)

Printing date 03/06/2018 Version number 9 Reviewed on 02/20/2018

Trade name: IPS e.max Press Invex Liquid

(Contd. of page 1)

Causes serious eye irritation.

May cause cancer.

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN: Wash with plenty of soap and water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER/doctor if you feel unwell.

Specific measures (see on this label).

Wash contaminated clothing before reuse.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



1 Health = 1 Fire = 0

· Other hazards

Special safety notes for the use of IPS Ceramic Etching Gel: Hydrofluoric acid is highly toxic. It is strongly corrosive and does not cause any warning pain on the surface of skin and mucous membranes, but causes subsequent, painful in-depth effect.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Acids in aqueous solution

Dangerous components:				
CAS: 7664-93-9	sulphuric acid	1-<2.5%		
CAS: 7664-39-3	hydrofluoric acid	0.1-<1%		

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Rub in Ca-gluconate solution or Ca-gluconate gel immediately.

Seek medical treatment.

· After eye contact:

Rinse opened eye for several minutes under running water.

Seek immediate medical advice.

(Contd. on page 3)

Printing date 03/06/2018 Version number 9 Reviewed on 02/20/2018

Trade name: IPS e.max Press Invex Liquid

(Contd. of page 2)

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

Antidote: Ca-gluconate solution / Ca-gluconate gel

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- · Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Use neutralizing agent.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Only adequately trained personnel should handle this product.

For use in dentistry only.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Attacks materials containing glass and silicate.

- Information about storage in one common storage facility: Store away from flammable substances.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

(Contd. on page 4)

Printing date 03/06/2018 Version number 9 Reviewed on 02/20/2018

Trade name: IPS e.max Press Invex Liquid

(Contd. of page 3)

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7664-93-9 sulphuric acid

- PEL Long-term value: 1 mg/m³
- REL Long-term value: 1 mg/m³
- TLV Long-term value: 0.2* mg/m³
 *as thoracic fraction

CAS: 7664-39-3 hydrofluoric acid

PEL Long-term value: 3 ppm

as F

REL Long-term value: 2.5 mg/m³, 3 ppm

Ceiling limit value: 5* mg/m³, 6* ppm

*15-min, as F

TLV Long-term value: 0.41 mg/m³, 0.5 ppm

Ceiling limit value: 1.64 mg/m³, 2 ppm

as F; Skin; BEI

· Ingredients with biological limit values:

CAS: 7664-39-3 hydrofluoric acid

BEI 3 mg/g creatinine

Medium: urine Time: prior to shift

Parameter: Flourides (background)

10 mg/g creatinine Medium: urine Time: end of shift

Parameter: Flourides (background)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Usual hygienic measures for dental practice and dental laboratories.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Recommended filter device for short term use: Combination filter E-P2

(Contd. on page 5)

Printing date 03/06/2018 Version number 9 Reviewed on 02/20/2018

Trade name: IPS e.max Press Invex Liquid

(Contd. of page 4)

· Protection of hands:



Protective gloves

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Chloroprene rubber, CR

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

· Information on basic physical and chemical properties						
General Information						
Appearance:	F1 · 1					
Form:	Fluid					
Color: · Odor:	Colorless Odorless					
· Oaor: · Odor threshold:	Not determined.					
· Oaor inresnoia:	Not determined.					
· pH-value at 20 °C (68 °F):	2.2 (ISO 787)					
· Change in condition						
Melting point/Melting range:	Undetermined.					
Boiling point/Boiling range:	~100 °C (~212 °F)					
· Flash point:	Undetermined.					
· Flammability (solid, gaseous):	Not applicable.					
· Auto igniting:	Product is not selfigniting.					
· Danger of explosion:	Product does not present an explosion hazard.					
· Explosion limits:						
Lower:	Not determined.					
Upper:	Not determined.					
· Vapor pressure:	Not determined.					
Density at 20 °C (68 °F):	$\sim 1.008 \text{ g/cm}^3 (\sim 8.412 \text{ lbs/gal})$					
· Relative density	Not determined.					
· Vapor density	Not determined.					
· Evaporation rate	Not determined.					

(Contd. on page 6)

Printing date 03/06/2018 Version number 9 Reviewed on 02/20/2018

Trade name: IPS e.max Press Invex Liquid

(Contd. of page 5)

· Solubility in / Miscibility with

Water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

• *Other information* No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal handling and storage conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions

Reacts with:

Ammonia

Sulfuric acid

Reacts with alkali (lyes).

Reacts with organic substances.

Reacts with metals forming hydrogen.

- · Conditions to avoid Keep away from heat and direct sunlight.
- · Incompatible materials: Attacks materials containing glass and silicate.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information: No further relevant information available.
- · Carcinogenic categories

· IARC (International	Agency f	or I	Research	ı on (Cancer)
----------	---------------	----------	------	----------	--------	---------

CAS: 7664-93-9 sulphuric acid

· NTP (National Toxicology Program)

CAS: 7664-93-9 sulphuric acid

K

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textbf{\it Bioaccumulative potential} \ No \ further \ relevant \ information \ available.$
- · Mobility in soil No further relevant information available.

(Contd. on page 7)

Printing date 03/06/2018 Version number 9 Reviewed on 02/20/2018

Trade name: IPS e.max Press Invex Liquid

(Contd. of page 6)

- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Use neutralizing agent.

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

7 4 7	A CONTRACTOR OF THE PARTY OF TH		C	2.0
124	rang	nort in	forma	tion
<u> </u>	Tullus	DOIL III	JUITIU	uuli

- · UN-Number
- · DOT, ADR/RID/ADN, ADN, IMDG, IATA Void
- · UN proper shipping name
- · DOT, ADR/RID/ADN, ADN, IMDG, IATA Void
- · Transport hazard class(es)
- · DOT, ADR/RID/ADN, ADN, IMDG, IATA
- · Class Void
- · Packing group
- · DOT, ADR/RID/ADN, IMDG, IATA Void
- · Environmental hazards:
- · Marine pollutant:
- · Special precautions for user Not applicable.
- · Transport in bulk according to Annex II of
- MARPOL73/78 and the IBC Code Not applicable.
- Transport/Additional information: Product is not classified as a dangerous good for transport

(ADR, IMDG, IATA).

· UN "Model Regulation": Void

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara
- · Section 355 (extremely hazardous substances):

CAS: 7664-93-9 sulphuric acid

· Section 313 (Specific toxic chemical listings):

CAS: 7664-93-9 sulphuric acid

(Contd. on page 8)

Printing date 03/06/2018 Version number 9 Reviewed on 02/20/2018

Trade name: IPS e.max Press Invex Liquid

(Contd. of page 7)

· TSCA (Toxic Substances Control Act):

CAS: 7664-93-9 sulphuric acid

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

CAS: 7664-93-9 sulphuric acid

A2

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS07

GHS08

· Signal word Danger

Hazard-determining components of labeling:

hydrofluoric acid sulphuric acid

· Hazard statements

Harmful if swallowed or in contact with skin.

Causes serious eye irritation.

May cause cancer.

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN: Wash with plenty of soap and water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER/doctor if you feel unwell.

Specific measures (see on this label).

Wash contaminated clothing before reuse.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)

Printing date 03/06/2018 Version number 9 Reviewed on 02/20/2018

Trade name: IPS e.max Press Invex Liquid

(Contd. of page 8)

$\cdot \textit{Date of preparation / last revision } 03/06/2018 \, / \, 8$

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Carc. 1A: Carcinogenicity - Category 1A

* Data compared to the previous version altered.

US