# ivoclar vivadent:

\*

### Safety Data Sheet acc. to OSHA HCS

Printing date 04/30/2015

### Version number 7

Reviewed on 04/17/2015

**1** Identification

- · Product identifier
- · Trade name: SR Chroma Link

• Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

- · Application of the substance / the mixture Bonding agent
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Ivoclar Vivadent Inc. 175 Pineview Drive, Amherst, N.Y. 14228 USA Tel. +1 800 533 6825 Fax +1 716 691 2285

Ivoclar Vivadent Inc. 1-6600 Dixie Road Mississauga, Ontario L5T 2Y2 Canada Phone: +1 905 670 8499 Fax: +1 905 670 3102

 Information department: Quality Assurance / Regulatory Affairs
 Emergency telephone number: 24 Hour Emergency Assistance: Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-6666

*General SDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182* 

### 2 Hazard(s) identification

Classification of the substance or mixture
Flam. Liq. 2 H225 Highly flammable liquid and vapor.
Skin Irrit. 2 H315 Causes skin irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Carc. 1A H350 May cause cancer.
STOT SE 3 H335 May cause respiratory irritation.

· Label elements

• *GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).* 

· Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labeling: methyl methacrylate* 

(Contd. on page 2)

Printing date 04/30/2015

Version number 7

Reviewed on 04/17/2015

### Trade name: SR Chroma Link

(Contd. of page 1) ethanol · Hazard statements Highly flammable liquid and vapor. Causes skin irritation. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 3*Reactivity* = 2· HMIS-ratings (scale 0 - 4) HEALTH <sup>2</sup> Health = 2FIRE 3 Fire = 3**REACTIVITY 2** *Reactivity* = 2• Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

#### **3** Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

80-62-6	methyl methacrylate
61 17 5	

#### 64-17-5 ethanol

#### 4 First-aid measures

· Description of first aid measures

• After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

50-100% 1-<2.5%

Printing date 04/30/2015

#### Version number 7

Reviewed on 04/17/2015

### Trade name: SR Chroma Link

· Indication of any immediate medical attention and special treatment needed

#### (Contd. of page 2)

No further relevant information available.

### **5** *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Cool endangered receptacles with water spray.

#### **6** Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents
- · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling Only adequately trained personnel should handle this product. Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Store in a cool location.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Store receptacle in a well ventilated area. Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

US

Printing date 04/30/2015

#### Version number 7

Reviewed on 04/17/2015

# Trade name: SR Chroma Link

(Contd. of page 3)

80-62	2-6 methyl methacrylate
	Long-term value: 410 mg/m <sup>3</sup> , 100 ppm
	Long-term value: 410 mg/m <sup>3</sup> , 100 ppm
	Short-term value: 410 mg/m <sup>3</sup> , 100 ppm
ILV	Long-term value: 205 mg/m <sup>3</sup> , 50 ppm
	(SEN) NIC-DSEN
64-17	7-5 ethanol
PEL	Long-term value: 1900 mg/m³, 1000 ppm
REL	Long-term value: 1900 mg/m³, 1000 ppm
	Short-term value: 1880 mg/m <sup>3</sup> , 1000 ppm
	tional information: The lists that were valid during the creation were used as basis.
	sure controls
	onal protective equipment:
	ral protective and hygienic measures:
	l hygienic measures for dental practice.
	away from foodstuffs, beverages and feed.
Imme	diately remove all soiled and contaminated clothing.
Wash	hands before breaks and at the end of work.
Do n	ot inhale gases / fumes / aerosols.
Avoid	l contact with the eyes and skin.
	thing equipment:
Use s	uitable respiratory protective device in case of insufficient ventilation.
Filter	
· Prote	ection of hands:
, III	Protective gloves
	I tolective gloves
The	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	to missing tests no recommendation to the glove material can be given for the product/ the preparation.
	hemical mixture.
	tion of the glove material on consideration of the penetration times, rates of diffusion and the
	idation
0	rial of gloves
	election of the suitable gloves does not only depend on the material, but also on further marks of qua
	varies from manufacturer to manufacturer. As the product is a preparation of several substances, the
	tance of the glove material can not be calculated in advance and has therefore to be checked prior to
	cation.
	tration time of glove material
	exact break through time has to be found out by the manufacturer of the protective gloves and has to b
obser	
· For t	he permanent contact of a maximum of 15 minutes gloves made of the following materials are
suita	
Butyl	rubber, BR
	uitable are gloves made of the following materials:
Com	nercial medical gloves do not provide protection against the sensitizing effect of methacrylates.

Printing date 04/30/2015

Version number 7

Reviewed on 04/17/2015

# Trade name: SR Chroma Link

(Contd. of page 4)

• Eye protection: Tightly sealed goggles

Information on basic physical and c	shamical properties
General Information	nemical properties
Appearance:	
Form:	Fluid
Color:	Colorless
Odor:	Pungent
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-48 °C (-54 °F)
Boiling point/Boiling range:	101 °C (214 °F)
Flash point:	10 °C (50 °F)
Ignition temperature:	430 °C (806 °F)
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	2.1 Vol %
Upper:	12.5 Vol %
Vapor pressure at 20 $^{\circ}C$ (68 $^{\circ}F$ ):	47 hPa (35 mm Hg)
<i>Density at 20 °C (68 °F):</i>	0.94 g/cm <sup>3</sup> (7.844 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
<i>Water at 20 •C (68 •F):</i>	1.6 g/l
Partition coefficient (n-octanol/wate	r <b>):</b> Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No further relevant information available.

### 10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability Stable under normal handling and storage conditions.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. (Contd. on page 6)

US

Printing date 04/30/2015

Version number 7

Reviewed on 04/17/2015

## Trade name: SR Chroma Link

(Contd. of page 5)

3

- *Possibility of hazardous reactions Forms explosive gas mixture with air.*
- Reacts with strong oxidizing agents.
- Exothermic polymerization.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

#### **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

80-62-6 methyl methacrylate

Oral LD50 7872 mg/kg (rat)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information: No further relevant information available.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

80-62-6 methyl methacrylate

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12** Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 04/30/2015

#### Version number 7

Reviewed on 04/17/2015

### Trade name: SR Chroma Link

(Contd. of page 6)

### **13 Disposal considerations**

· Waste treatment methods

• *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.* 

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

UN-Number	
DOT	UN1247
ADR, IMDG, IATA	1247
UN proper shipping name	
ADR	1247 METHYL METHACRYLATE MONOMER, STABILIZED
IMDG, IATA	METHYL METHACRYLATE MONOMER, STABILIZED
Transport hazard class(es)	
DOT	
•	
Class	
Label	3 Flammable liquids 3
ADR	
ADK	
3	
Class	3 (F1) Flammable liquids
Label	3
IMDG, IATA	
A	
3	
Class	3 Flammable liquids
Label	3 3
Packing group	
DOT, ADR, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	33
EMS Number:	F-E,S-E

Printing date 04/30/2015

Version number 7

Reviewed on 04/17/2015

(Contd. of page 7)

Trade name: SR Chroma Link

· Transport in bulk according to Annex II of	•
MARPOL73/78 and the IBC Code	<i>Not applicable.</i>

· UN "Model Regulation":

UN1247, Methyl methacrylate monomer, stabilized, 3, II

**15 Regulatory information** 

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

80-62-6 methyl methacrylate

· TSCA (Toxic Substances Control Act):

80-62-6 methyl methacrylate

64-17-5 ethanol

#### · Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

 $\cdot$  Chemicals known to cause developmental toxicity:

64-17-5 ethanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

80-62-6 methyl methacrylate

· TLV (Threshold Limit Value established by ACGIH)

80-62-6 methyl methacrylate

64-17-5 ethanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labeling: methyl methacrylate ethanol*  NL

A4

AЗ

Printing date 04/30/2015

Version number 7

Reviewed on 04/17/2015

### Trade name: SR Chroma Link

(Contd. of page 8)

Hazard statements
Highly flammable liquid and vapor.
Causes skin irritation.
May cause an allergic skin reaction.
May cause cancer.
May cause respiratory irritation.
• Precautionary statements
Keep away from heat/sparks/open flames

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

#### · Other regulations, limitations and prohibitive regulations

The product is a medical device according to the Directive 93/42/EEC. This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Date of preparation / last revision 04/30/2015 / 6

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 2: Flammable liquids, Hazard Category 2 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Carc. 1A: Carcinogenicity, Hazard Category 1A STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 \* Data compared to the previous version altered.