Printing date 04/29/2015

vivadent

*

Version number 7

Reviewed on 04/18/2015

1 Identification

- · Product identifier
- · Trade name: SR Model Separator

• **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

- $\cdot \textit{Application of the substance / the mixture Auxiliary for dental technology}$
- · Details of the supplier of the safety data sheet

Manufacturer/Supplier: Ivoclar Vivadent Inc. 175 Pineview Drive, Amherst, N.Y. 14228 USA Tel. +1 800 533 6825 Fax +1 716 691 2285

Ivoclar Vivadent Inc. 1-6600 Dixie Road Mississauga, Ontario L5T 2Y2 Canada Phone: +1 905 670 8499 Fax: +1 905 670 3102

 Information department: Quality Assurance / Regulatory Affairs
Emergency telephone number: 24 Hour Emergency Assistance: Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-6666

General SDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182

2 Hazard(s) identification

• Classification of the substance or mixture Flam. Liq. 3 H226 Flammable liquid and vapour.

Carc. 1A H350 May cause cancer.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling: ethanol
- Hazard statements Flammable liquid and vapour. May cause cancer.

(Contd. on page 2)

Printing date 04/29/2015

Version number 7

Reviewed on 04/18/2015

(Contd. of page 1)

Trade name: SR Model Separator

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed. · Classification system:

· Precautionary statements

· NFPA ratings (scale 0 - 4)

Health = 0Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH • Health = 0FIRE 2 Fire = 2**REACTIVITY O** *Reactivity* = 0

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous con	nponents:
-----------------	-----------

64-17-5 ethanol

25322-68-3 Polyethylene glycol

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

50-100%

10-<25%

US

Printing date 04/29/2015

Version number 7

Reviewed on 04/18/2015

(Contd. of page 2)

Trade name: SR Model Separator

• Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling Only adequately trained personnel should handle this product.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

- PEL Long-term value: 1900 mg/m³, 1000 ppm
- REL Long-term value: 1900 mg/m³, 1000 ppm
- TLV Short-term value: 1880 mg/m³, 1000 ppm

25322-68-3 Polyethylene glycol

WEEL Long-term value: 10 mg/m³

(H); MW>200

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Wash hands before breaks and at the end of work. Usual hygienic measures for dental practice.
- Breathing equipment: Not required.

(Contd. on page 4)

US

Printing date 04/29/2015

Version number 7

Reviewed on 04/18/2015

Trade name: SR Model Separator

(Contd. of page 3)

• **Protection of hands:** The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form:	Fluid Colorless
Color: Odor:	Coloriess Alcohol-like
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	23 °C (73 °F)
Ignition temperature:	425 °C (797 °F)
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	3.5 Vol %
Upper:	15.0 Vol %
Vapor pressure at 20 °C (68 °F):	59 hPa (44 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Soluble.

Version number 7

Reviewed on 04/18/2015

Trade name: SR Model Separator

		(Contd. of page
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
VOC content:	67.3 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
 - · Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

· Information on toxicological effects

- Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

64-17-5 ethanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 6)

1

Printing date 04/29/2015

Version number 7

Reviewed on 04/18/2015

Trade name: SR Model Separator

(Contd. of page 5)

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• *Recommendation:* Disposal must be made according to official regulations.

UN-Number	
DOT	UN1170
ADR, IMDG, IATA	1170
UN proper shipping name	
ADR	1170 ETHANOL (ETHYL ALCOHOL), solution
IMDG	ETHANOL (ETHYL ALCOHOL), solution
IATA	ETHANOL, solution
Transport hazard class(es)	
DOT	
Class	3 Flammable liquids
Label	3
ADR	
Class	3 (F1) Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, ADR, İMDG, IATA	II

US -

Version number 7

Reviewed on 04/18/2015

Trade name: SR Model Separator

		(Contd. of page
· Environmental hazards:		
· Marine pollutant:	No	
· Special precautions for user	Warning: Flammable liquids	
· Danger code (Kemler):	33	
· EMS Number:	F-E,S-D	
· Transport in bulk according to Ann	ex II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN ''Model Regulation'':	UN1170, Ethanol (Ethyl alcohol) solution, 3, II	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 ethanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

A3

None of the ingredients is listed. • GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



(Contd. on page 8)

Printing date 04/29/2015

Version number 7

Reviewed on 04/18/2015

Trade name: SR Model Separator

(Contd. of page 7)

- · Signal word Danger
- Hazard-determining components of labeling: ethanol
- *Hazard statements Flammable liquid and vapour. May cause cancer.*
- **Precautionary statements** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 04/29/2015 / 6

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) Flam. Liq. 3: Flammable liquids, Hazard Category 3

Carc. 1A: Carcinogenicity, Hazard Category 1A

 \cdot * Data compared to the previous version altered.