

Safety Data Sheet
acc. to OSHA HCS

Printing date 06/23/2015

Version number 5

Reviewed on 06/23/2015

1 Identification


- **Product identifier**
- **Trade name:** **Super Solder Ceramic Solder**
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture**
Manufacture of dental prosthesis
Dental alloy
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ivoclar Vivadent Inc.
175 Pineview Drive, Amherst, N.Y. 14228
USA
Tel. +1 800 533 6825
Fax +1 716 691 2285

Ivoclar Vivadent Inc.
1-6600 Dixie Road
Mississauga, Ontario
L5T 2Y2
Canada
Phone: +1 905 670 8499
Fax: +1 905 670 3102
- **Information department:** Quality Assurance / Regulatory Affairs
- **Emergency telephone number:**
24 Hour Emergency Assistance:
Emergency-Call USA - Infotrac: 1-800-535-5053
Emergency-Call Canada - Canutec: 1-613-996-6666

General SDS Assistance:
US: 1-800-533-6825
Canada: 1-800-263-8182

2 Hazard(s) identification

- **Classification of the substance or mixture**
Ox. Sol. 2 H272 May intensify fire; oxidizer.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Carc. 2 H351 Suspected of causing cancer.
STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**


GHS03 GHS07 GHS08
- **Signal word** Danger

(Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/23/2015

Version number 5

Reviewed on 06/23/2015

Trade name: Super Solder Ceramic Solder

(Contd. of page 1)

· **Hazard-determining components of labeling:**

nickel

· **Hazard statements**

May intensify fire; oxidizer.

May cause an allergic skin reaction.

Suspected of causing cancer.

Causes damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

Obtain special instructions before use.

Keep away from heat.

Take any precaution to avoid mixing with combustibles.

Wear protective gloves / eye protection / face protection.

Wear protective gloves.

Do not breathe dust/fume/gas/mist/vapors/spray.

Keep/Store away from clothing/combustible materials.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Do not handle until all safety precautions have been read and understood.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

IF exposed or concerned: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

In case of fire: Use for extinction: CO₂, powder or water spray.

If on skin: Wash with plenty of water.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

Alloys do not require a label, providing they do not present a hazard to human health by inhalation, ingestion or contact with skin or to the aquatic environment in the form in which they are placed on the market.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 2

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 2

Fire = 0

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description: Dental alloy**

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/23/2015

Version number 5

Reviewed on 06/23/2015

Trade name: Super Solder Ceramic Solder

(Contd. of page 2)

· Dangerous components:		
7440-05-3	palladium	50-100%
7440-02-0	nickel	25-50%
7440-22-4	silver	2.5-<10%
7440-31-5	tin	2.5-<10%

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:**
Grinding dust: Supply fresh air; consult doctor in case of complaints.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
Rinse with water.
After contact with the molten product, cool rapidly with cold water.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Grinding dust: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
Mechanical effects only.
- **After swallowing:** Seek medical treatment.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Do not inhale explosion gases or combustion gases.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
No special measures required.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

US

(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/23/2015

Version number 5

Reviewed on 06/23/2015

Trade name: Super Solder Ceramic Solder

(Contd. of page 3)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Extractors are required on all machines used for thermal processing or splinter removal processes.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Store away from reducing agents.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

7440-02-0 nickel

PEL	Long-term value: 1 mg/m ³
REL	Long-term value: 0.015 mg/m ³ as Ni; See Pocket Guide App. A
TLV	Long-term value: 1.5* mg/m ³ elemental, *inhalable fraction

7440-22-4 silver

PEL	Long-term value: 0.01 mg/m ³
REL	Long-term value: 0.01 mg/m ³
TLV	Long-term value: 0.1 mg/m ³ metal: dust and fume

7440-31-5 tin

PEL	Long-term value: 2 mg/m ³ metal
REL	Long-term value: 2 mg/m ³
TLV	Long-term value: 2 mg/m ³ metal

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Usual hygienic measures for dental practice.
Wash hands before breaks and at the end of work.
Keep away from foodstuffs, beverages and feed.
Do not inhale dust / smoke / mist.
- **Breathing equipment:** Use respiratory protective device against the effects of fumes/dust/aerosol.
- **Protection of hands:**
Protective gloves should always be worn during mechanical and thermal processing.
After use of gloves apply skin-cleaning agents and skin cosmetics.
- **Material of gloves**
Mechanical processing:

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/23/2015

Version number 5

Reviewed on 06/23/2015

Trade name: Super Solder Ceramic Solder

(Contd. of page 4)

*Leather gloves**Strong gloves**Thermal processing:**Heat protection gloves*

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**

Always wear safety goggles during mechanical processing (grinding, sawing /cutting, drilling, milling).

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Solid

Color: Grey

- **Odor:** *Odorless*

- **Odour threshold:** *Not determined.*

- **pH-value:** *Not applicable.*

- **Change in condition**

Melting point/Melting range: 1085 - 1180 °C (1985 - 2156 °F)

Boiling point/Boiling range: Undetermined.

- **Flash point:** *Not applicable.*

- **Flammability (solid, gaseous):** *Not determined.*

- **Auto igniting:** *Product is not selfigniting.*

- **Danger of explosion:** *Product does not present an explosion hazard.*

- **Explosion limits:**

Lower: Not determined.

Upper: Not determined.

- **Vapor pressure:** *Not applicable.*

- **Density:** *Not determined.*

- **Relative density** *Not determined.*

- **Vapour density** *Not applicable.*

- **Evaporation rate** *Not applicable.*

- **Solubility in / Miscibility with**

Water: Insoluble.

- **Partition coefficient (n-octanol/water):** *Not determined.*

- **Viscosity:**

Dynamic: Not applicable.

Kinematic: Not applicable.

- **Other information** *No further relevant information available.*

10 Stability and reactivity

- **Reactivity** *No further relevant information available.*

- **Chemical stability** *Stable under normal handling and storage conditions.*

(Contd. on page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/23/2015

Version number 5

Reviewed on 06/23/2015

Trade name: Super Solder Ceramic Solder

(Contd. of page 5)

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Reacts with reducing agents.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** None under normal conditions of storage and use.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Mechanical effects only.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
Fumes or dusts generated from cutting or grinding operations may cause respiratory irritation.
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

7440-02-0	nickel	I
-----------	--------	---

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/23/2015

Version number 5

Reviewed on 06/23/2015

Trade name: Super Solder Ceramic Solder

(Contd. of page 6)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· DOT	NA3077
· ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	
· ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT	
· Class	9 Miscellaneous dangerous substances and articles
· Label	9
· ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· DOT	III
· ADR, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).
· UN "Model Regulation":	-

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

7440-22-4	silver
-----------	--------

7440-50-8	copper
-----------	--------

- **TSCA (Toxic Substances Control Act):**

7440-57-5	Gold
-----------	------

7440-22-4	silver
-----------	--------

7440-50-8	copper
-----------	--------

7440-06-4	platinum
-----------	----------

7440-74-6	indium
-----------	--------

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/23/2015

Version number 5

Reviewed on 06/23/2015

Trade name: Super Solder Ceramic Solder

(Contd. of page 7)

7439-88-5 | iridium

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

7440-22-4 | silver

D

7440-50-8 | copper

D

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS03

GHS07

GHS08

· **Signal word Danger**

· **Hazard-determining components of labeling:**

nickel

· **Hazard statements**

May intensify fire; oxidizer.

May cause an allergic skin reaction.

Suspected of causing cancer.

Causes damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

Obtain special instructions before use.

Keep away from heat.

Take any precaution to avoid mixing with combustibles.

Wear protective gloves / eye protection / face protection.

Wear protective gloves.

Do not breathe dust/fume/gas/mist/vapors/spray.

Keep/Store away from clothing/combustible materials.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Do not handle until all safety precautions have been read and understood.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

(Contd. on page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/23/2015

Version number 5

Reviewed on 06/23/2015

Trade name: Super Solder Ceramic Solder

(Contd. of page 8)

IF exposed or concerned: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

In case of fire: Use for extinction: CO2, powder or water spray.

If on skin: Wash with plenty of water.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**

· **Other regulations, limitations and prohibitive regulations**

The product is a medical device according to the Directive 93/42/EEC.

This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** 06/23/2015 / 4

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Ox. Sol. 2: Oxidising Solids, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Carc. 2: Carcinogenicity, Hazard Category 2

STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1