IPS Empress Esthetic Veneer: Incisal Opal, Incisal, Chroma Modifier, Brightener, Transparent, Add-On 770 $^\circ C$ / 1418 $^\circ F$



SAFET	SAFETY DATA SHEET (GHS)							
Issue Date: 24.07.2016								
Version: 1.0.3		1.0.3						
Revision Date:		12.07.2017						
Print Date: 21.12.2016								
_								
1.		IDENTIFICATION OF THE SUBSTANCE/MIXTURE/PRODUCT AND MANUFACTURER/IMPORTER						
1.1	Product identifier:-			IDC Emmana Eathertic Veneen Insigal Onel Insigal				
	Product nar	ne:		IPS Empress Esthetic Veneer: Incisal Opal, Incisal, Chroma Modifier, Brightener, Transparent,				
						70 °C / 1418 °F	parent,	
	Product nur	mber		Void				
1.2		s of identification	n	volu				
1.2	Not applicable.							
1.3		ded use of the ch	nemical and re	estriction	าร	on use:-		
	Not applicab							
		Identified uses:			ctu	re of dental prosthesis		
1.4	Details of th	ne manufacturer a	and importer:			•		
	Manufactur	er:	Ivoclar Vivadent AG					
				Bender	ers	trasse 2		
				FL-9494	-			
						LITY OF LIECHTENSTEIN		
				Tel: +423 235 35 35				
						235 33 60		
	Importer:					adent Pty Ltd	1000474	
						eas Drive Noble Park North		
						3 9795 9599 Fax: + 61 3 97 @ivoclarvivadent.com	(95 9645	
1.5	Emorgonov	nhono numbor:		13 11 2				
1.5	I.5 Emergency phone number:			Poisons Hotline (24 hours / 7 days)				
				1 013011	511			
2.	HAZARD(S)	IDENTIFICATIO	N					
2.1	GHS Classi							
	Void							
2.2	GHS Label	elements, includi	ing precaution	nary stat	em	ents:-		
	Hazard Pict			Void				
	Signal word			Void				
		ermining compor	ents of	Void				
	labelling:							
	Hazard state			Void				
	Precautiona	ary statements:		Void				
2.3	Additional i	nformation: Void						
2.3	Additional							
	Other hazar	·de·-		Dust de	no	ration		
				Dust generation Particular danger of slipping on leaked/spilled product.				
	Results of PBT and vPvB assessment;			PBT:		Not applicable.		
				vPvB:		Not applicable.		
3	COMPOSITI	COMPOSITION/INFORMATION ON INGREDIENTS						
	Mixture of substances listed below with nonhazardous additions.							
	U		CAS No	D.		Classification	Concentration	
	ceramic mat	erials	66402-68-4					

IPS Empress Esthetic Veneer: Incisal Opal, Incisal, Chroma Modifier, Brightener, Transparent, Add-On 770 $^\circ C$ / 1418 $^\circ F$



4. FIRST AID MEASURES

4.1 Description of necessary first aid measures:-

	If inhaled:	Supply fresh air; consult doctor in case of complaints. In case of unconsciousness place patient stably in side position for transportation.	
	In case of skin contact:	Rinse with water. Generally the product does not irritate the skin.	
	In case of eye contact:	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor	
	If swallowed:	Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.	
4.2 4.3	Symptoms caused by exposure:- Medical attention and special treatment:-	No further relevant information available No further relevant information available.	
5. 5.1	FIRE FIGHTING MEASURES Suitable extinguishing equipment:-		
	Suitable extinguishing media:	The product is not flammable.	
	Unsuitable extinguishing media:	No further relevant information available.	
5.2	Specific hazards arising from the substance/mixture/product:-	No further relevant information available.	
5.3	Special protective equipment and precaut	ions for fire fighters:-	
	Special personal protective equipment:	No further relevant information available	
	Precautions:	No further relevant information available	
6. 6.1 6.2 6.3	ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures:- Particular danger of slipping on leaked/spilled product. Environmental precautions:- Do not allow to enter sewers/ surface or ground water Methods and materials for containment and cleaning up:- Pick up mechanically. Ensure adequate ventilation See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.		
7. 7.1	HANDLING AND STORAGE Precautions for safe handling:- Only adequately trained personnel should handle this product. Prevent formation of dust. Ensure good ventilation/exhaustion at the workplace		
7.2	Conditions for safe storage, including any incompatibilities:- Store only in the original receptacle. Keep container tightly sealed. Store in dry conditions.		
8. 8.1	EXPOSURE CONTROLS/PERSONAL PRO Exposure control measures:- Occupational exposure limits:	TECTION	



Ingredients with biological limit values:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Biological monitoring:-

The lists valid during the making were used as basis. **Exposure controls / Personal protective equipment / General protective and hygienic measures:** Usual hygienic measures for dental practice. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Vacuum clean contaminated clothing. Do not blow or brush off contamination. Do not inhale dust / smoke / mist.

8.3 Control banding:-

Use good industrial hygiene practice and general ventilation.

- 8.4 Engineering controls:-
 - Void
- 8.5 Individual protection measures include PPE:-Eye/face protection: Safety glasses



Skin protection:

Standard AS 1336 and AS/NZS 1337.

Not required



Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. • **Recommended filter device for short term use**: Filter P2

Required Use tightly fitting safety glasses as per Australian

9. PHYSICAL/CHEMICAL PROPERTIES

9.1 Information on physical/chemical properties:-

- a) Appearance/Form:
- b) Colour:
- c) Odour:
- d) Odour threshold:
- e) **pH value at 20°C**:
- f) Melting point/melting range:
- g) **Boiling point/boiling range:**
- h) Flash point:
- i) Ignition temperature:
- j) Self-igniting:
- k) Danger of explosion:

Powder According to product specification Odourless Not determined. Not determined. Undetermined. Not determined. Not determined. Product is not self-igniting. Not determined. IPS Empress Esthetic Veneer: Incisal Opal, Incisal, Chroma Modifier, Brightener, Transparent, Add-On 770 °C / 1418 °F

Additional information:

Swallowed:

Eyes:

Skin:

Inhaled:

11.2 Information on possible routes of exposure:-

Short Term (Acute) Exposure:

				passion
I)	Upper/lower flammability or explosive	Lower	Not determined.	
	limits:	Upper	Not determined.	
m)	Vapour pressure 20°C:	Not detern	nined.	
n)	Bulk Density at 20°C:	Not detern	nined.	
o)	Relative density:	Not detern	nined.	
p)	Vapour density:	Not applic	able.	
q)	Evaporation rate:	Not applic	able.	
r)	Solubility in/miscibility with water:	Insoluble.		
s)	Partition coefficient: n- octanol/water:	Not detern		
t)	Viscosity:	Dynamic		
			Not applicable.	
u)	Solids content:	Not detern	nined.	
10.	STABILITY AND REACTIVITY			
10.1	Reactivity:-			
	No further relevant information available.			
10.2	Chemical stability:-			
	Stable under normal handling and storage cor	nditions.		
	Thermal decomposition / conditions to be a	avoided:		
	No decomposition if used according to specific	cations.		
10.3	Possibility of hazardous reactions:-			
	No dangerous reactions known.			
10.4	Conditions to avoid:-			
40 5	No further relevant information available.			
10.5	Incompatible materials:-			
10 C	No further relevant information available.			
10.6	Hazardous decomposition products:- None under normal conditions of storage and			
	None under normal conditions of storage and	use.		
11.	TOXICOLOGICAL INFORMATION			
11.1	Information on toxicological effects:-			
	Acute toxicity / Values relevant for classific	cation:		
	Skin corrosion/irritation:	No irritant		
	Serious eye damage/eye irritation:		al effects only.	
	Respiratory or skin sensitization:		sing effects known	- !! = - ! -
	Germ cell mutagenicity:		relevant information ava	
	Carcinogenicity:		relevant information ava relevant information ava	
	Reproductive toxicity: Specific target organ toxicity - single		relevant information ava	
	exposure:	NO IUITIEI		
	Specific target organ toxicity - repeated	No further	relevant information ava	ailable
	exposure:		1010 vant information ave	
	Aspiration hazard:	No further	relevant information ava	ailable.
	Additional information:		relevant information ave	

No further relevant information available

No further relevant information available.

No further relevant information available.

No further relevant information available. No further relevant information available.

No further relevant information available.



IPS Empress Esthetic Veneer: Incisal Opal, Incisal, Chroma Modifier, Brightener, Transparent, Add-On 770 °C / 1418 °F



passion vision innovation

		passion vision i
	Long Term (Chronic) Exposure:	No further relevant information available.
	Swallowed:	No further relevant information available.
	Eyes:	No further relevant information available.
	Skin:	No further relevant information available.
	Inhaled:	No further relevant information available.
11.3	Early onset symptoms related to	No further relevant information available.
	exposure:-	
11.4	Delayed health effects from exposure:-	No further relevant information available.
11.5	Exposure levels and health effects:-	No further relevant information available.
11.6	Interactive effects:-	No further relevant information available.
11.7	Other:-	No further relevant information available.
11.7	Other	
12.	ECOLOGICAL INFORMATION	
12.1	Ecotoxicity:-	
12.1	No further relevant information available.	
100		
12.2	Persistence/degradability:-	
12.3	No further relevant information available.	
12.3	Bioaccumulative potential:-	
40.4	No further relevant information available.	
12.4	Mobility in soil:- No further relevant information available.	
40.5		
12.5	Other adverse effects:-	
	No further relevant information available.	
	Additional ecological information / Genera	al notes:-
40.0	Generally not hazardous for water	
12.6	Other adverse effects:-	
	No further relevant information available.	
40		
13.	DISPOSAL CONSIDERATIONS	
13.1	Disposal methods:-	and the second s
		eration plant, under conditions approved by the local
	authority.	
	Uncleaned packaging:	and the state of t
	• Recommendation: Disposal must be made	e according to official regulations.
14.	TRANSPORTINFORMATION	
	UN number ADR / IMDG / IATA:-	Void.
	UN proper shipping name or technical nar	
		Void.
	IMDG, IATA:	Void.
	Transport hazard class(es):	Void.
	Label:	Void.
	Packaging group:	Void.
	Environmental hazards:	Not applicable.
	Special precautions for user:	Not applicable.
	Danger code:	Void.
	EMS Number:	Void.
	Transport in bulk according to Annex II	Not applicable.
	of MARPOL73/78 and the IBC Code:	
	Transport/Additional information:	Product is not classified as a dangerous good for tra
		(ADR, IMDG, IATA).

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance/mixture/product:-

for transport

IPS Empress Esthetic Veneer: Incisal Opal, Incisal, Chroma Modifier, Brightener, Transparent, Add-On 770 $^\circ\text{C}$ / 1418 $^\circ\text{F}$



The product is a medical device according to the Directive 93/42/EEC.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Key to abbreviations/acronyms used in Void SDS:-

Key literature references/data sources used to compile SDS:-Void

Copyright statement:-

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:-

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road). IMDG: International Maritime Code for Dangerous Goods. IATA: International Air Transport Association. GHS: Globally Harmonised System of Classification and Labelling of Chemicals. EINECS: European Inventory of Existing Commercial Chemical Substances. ELINCS: European List of Notified Chemical Substances. CAS: Chemical Abstracts Service (division of the American Chemical Society). LC50: Lethal concentration, 50 percent. LD50: Lethal dose, 50 percent. Flam. Lig. 2: Flammable liquids, Hazard Category 2. Flam. Lig. 3: Flammable liquids, Hazard Category 3. Acute Tox. 4: Acute toxicity, Hazard Category 4. Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2. Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2. Repr. 2: Reproductive toxicity, Hazard Category 2. STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3. STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2. Asp. Tox. 1: Aspiration hazard, Hazard Category 1.

* Data compared to the previous version altered

Disclaimer:-

Ivoclar Vivadent Pty Ltd believes the information in this document to be accurate as at the date of preparation, but, to the maximum extent permitted by law, Ivoclar Vivadent Pty Ltd accepts no responsibility for any loss or damage caused by any person acting or refraining from action because of this information.

The provision of this information should not be construed by anyone as a recommendation to use this product. In particular, no one should use any product in violation of any patent or other intellectual proprietary rights or in breach of any statute or regulation.

Users should rely on their own knowledge and inquiries and make their own determination as to the applicability of this information in relation to their particular purposes and specific circumstances. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace and in conjunction with other substances or products.

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.