

SAFETY DATA SHEET (GHS)

| Issue Date: | 27.07.2016 |
|----------------|------------|
| Version: | 1.0.3 |
| Revision Date: | 16.01.2017 |
| Print Date: | 16.01.2017 |

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE/PRODUCT AND MANUFACTURER/IMPORTER

| 1.1 | 1 Product identifier:- | | | | |
|-----|----------------------------------------------|--------------------------------------------------|--|--|--|
| | Product name: | Callisto Implant 60 | | | |
| | Product number: | 601960 | | | |
| 1.2 | Other means of identification:- | | | | |
| | Not applicable. | | | | |
| 1.3 | | | | | |
| | Identified uses: | Dental Alloy / Manufacture of dental prosthesis. | | | |
| 1.4 | 4 Details of the manufacturer and importer:- | | | | |
| | Manufacturer: | Ivoclar Vivadent Inc | | | |
| | | 175 Pineview Drive Amherst New York 14228 | | | |
| | | United States of America | | | |
| | | Tel: + 1 800 533 6825 Fax: + 1 716 691 2285 | | | |
| | Importer: | Ivoclar Vivadent Pty Ltd | | | |
| | | 1-5 Overseas Drive Noble Park North VIC 3174 | | | |
| | | Tel: + 61 3 9795 9599 Fax: + 61 3 9795 9645 | | | |
| | | Email: info@ivoclarvivadent.com | | | |
| 1.5 | Emergency phone number: | 13 11 26 | | | |
| | | Poisons Hotline (24 hours / 7 days) | | | |

2. HAZARD(S) IDENTIFICATION

- 2.1 GHS Classification:-
 - Ox. Sol. 2 H272 May intensify fire; oxidiser.
- 2.2 GHS Label elements, including precautionary statements:-Hazard Pictogram:



Danger Void.

| H272 May intensify fire; oxidiser. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P221 Take any precaution to avoid mixing with |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| combustibles. P280 Wear protective gloves/protective clothing/eye protection/face protection. P220 Keep/Store away from clothing/combustible |
| materials. P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. |
| P501 Dispose of contents/container in accordance with local/regional/national/international regulations. |

Signal word: Hazard-determining components of labelling: Hazard statements: Precautionary statements:



Additional information:

Alloys do not require a label, providing they do not present a hazard to human health by inhalation, ingestion or contact with skin or to the aquatic environment in the form in which they are placed on the market.

2.3 Other hazards:-

Results of PBT and vPvB assessment;

PBT: Not applicable. **vPvB:** Not applicable.

COMPOSITION/INFORMATION ON INGREDIENTS 3

| Ingredient name | CAS No. | Classification | Concentration |
|-------------------------------------|----------------------|-----------------------------|---------------|
| Palladium | 7440-05-3 | Self-heat. 2 – H252 | 50-100% |
| | | Ox. Sol. 2 – H272 | |
| Silver | 7440-22-4 | Substances with a | 25-50% |
| | | community workplace | |
| | | exposure limit | |
| Non-hazardous ingredients | N/A | N/A | to 100% |
| For the full text of the H-Statemen | ts mentioned in this | Section refer to Section 16 | • |

the full text of the H-Statements mentioned in this Section, refer to Section 16.

4. **FIRST AID MEASURES**

4.1 Description of necessary first aid measures:-

| | Beeenption of neededary met ala measure | |
|-----------|---------------------------------------------------------------------|---------------------------------------------------------------|
| | General advice: | Remove contaminated clothing and shoes immediately and |
| | | launder thoroughly before reusing. |
| | | First aid facilities include first aid rooms and medical |
| | | centres. |
| | | If a risk assessment determines that a first aid room or |
| | | medical centre is not needed, a rest area within the |
| | | workplace may be suitable to assist an injured or ill person. |
| | If inhaled: | Grinding dust: - |
| | | Ensure supply of fresh air. |
| | | Remove affected person from the immediate area. |
| | | |
| | | Keep patient warm. Consult doctor if symptoms persist. |
| | | In case of unconsciousness place patient stably in side |
| | In second alkin contract. | position for transportation. |
| | In case of skin contact: | After contact with molten product, cool rapidly with cold |
| | | water. |
| | | Wash off immediately with water. |
| | In second stand sectors. | If skin irritation continues, consult a doctor. |
| | In case of eye contact: | Grinding dust: - |
| | | Remove contact lenses, irrigate copiously with clean, fresh |
| | | water for at least 15 minutes holding the eyelids apart and |
| | | seek medical advice. |
| | | Mechanical effects only. |
| | If swallowed: | Do not induce vomiting. |
| | | Rinse mouth thoroughly with water. |
| | | Let plenty of water be drunk in small gulps. |
| | | Never give anything by mouth to an unconscious person. |
| | | Call a doctor immediately. |
| 4.2 | Symptoms caused by exposure:- | Please refer to section 2.2 and section 11. |
| 4.3 | Medical attention and special treatment:- | No further relevant information available. |
| 5. | FIRE FIGHTING MEASURES | |
| 5. 5.1 | | |
| J. I | Suitable extinguishing equipment:- Suitable extinguishing media: | This product is not flammable. |
| | | No further relevant information available. |
| E 0 | Unsuitable extinguishing media: | |
| 5.2 | Specific hazards arising from the | No further relevant information available. |
| | substance/mixture/product:- | |



5.3 Special protective equipment and precautions for fire fighters:-

Special personal protective equipment:

Precautions:

Do not inhale explosion gases or combustion gases, Wear self-contained respiratory protective device. Cool endangered receptacles with water spray.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:-

Wear protective equipment. Keep unprotected persons away.

Use of suitable equipment (incl PPE) to prevent contamination of skin, eyes, clothing, removal of ignition sources, ventilation, emergency procedures (eg. evacuate, consult expert).

6.2 Environmental precautions:-

Do not allow to enter sewers/surface or ground water.

6.3 Methods and materials for containment and cleaning up:-Pick up mechanically.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling:-

Extractors are required on all machines used for thermal processing or splinter removal processes. Ensure good ventilation/exhaustion at the workplace.

Keep ignition sources away - do not smoke.

Protect against electrostatic charges.

Wash hands before breaks and after work.

Do not eat, drink or smoke during work time.

Remove soiled or soaked clothing immediately.

Keep away from foodstuffs and beverages.

7.2 Conditions for safe storage, including any incompatibilities:-

Keep only in the original container.

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep container tightly sealed.

Store in cool, dry conditions in well-sealed receptacles.

Store receptacle in a well ventilated area.

Recommended storage temperature for storage rooms and vessels is 20 - 30°C.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Exposure control measures:-

Occupational exposure limits:

| Component | CAS No. | Value | Parameters | Basis |
|-----------|-----------|----------------------------------------|------------|----------------------------------------------------------------|
| Silver | 7440-22-4 | Long-term value: 0.1 mg/m ³ | | The lists valid during the making were used as basis. |

Ingredients with biological limit values:

Exposure should be kept to as low as practicable and below the AOES.

8.2 Biological monitoring:-

Assess in accordance with exposure limits – please refer to section 8.1. Exposure controls / Personal protective equipment / General protective and hygienic measures:

8.3 Control banding:-

Use good industrial hygiene practice and general ventilation.

8.4 Engineering controls:-

In case of intensive contact, wear protective gloves (EN 374).



passion vision innovation

Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties).

Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves.

Protective gloves shall be replaced immediately when physically damaged or worn.

8.5 Individual protection measures include PPE:-Eye/face protection:



Skin protection:

Safety glasses

Use tightly fitting safety glasses as per Australian Standard AS 1336 and AS/NZS 1337.

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. **Material of gloves**

Butyl rubber, BR.

Fluorocarbon rubber (Viton).

PVA gloves.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Provide for good ventilation of working area (local exhaust ventilation, if necessary).

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

9. PHYSICAL/CHEMICAL PROPERTIES

Respiratory protection:

- 9.1 Information on physical/chemical properties:-
- a) **Appearance/Form**:
- b) Colour:
- c) Odour:
- d) Odour threshold:
- e) pH value:

f) Melting point/melting range:

g) **Boiling point/boiling range**:

h) Flash point:

- i) Ignition temperature:
- j) Self-igniting:

Solid. White. Odourless. Not determined. Not applicable. 1100 - 1260°C. Undetermined. Not applicable. Not determined. Product is not self-igniting. Callisto Implant 60

- k) Danger of explosion:
- I) Upper/lower flammability or explosive limits:
- m) Vapour pressure:
- n) Density at 20°C:
- o) Relative density:
- p) Vapour density:
- q) Evaporation rate:
- r) Solubility in/miscibility with water:
- s) **Partition coefficient: n- octanol/water:**
- t) Viscosity:
- u) Solvent content:
- v) Solids content:
- 10. STABILITY AND REACTIVITY

10.1 Reactivity:-

- No further relevant information available.
- 10.2 Chemical stability:-Stable under normal handling and storage conditions. Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions:**-No dangerous reactions known.
- **10.4 Conditions to avoid:-**No further relevant information available.
- **10.5** Incompatible materials:-No further relevant information available.
- **10.6 Hazardous decomposition products:-**None under normal conditions of storage and use.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:-Acute toxicity / Values relevant for classification: No further relevant information available. Skin corrosion/irritation: No irritant effect. Serious eye damage/eye irritation: No irritating effect. Respiratory or skin sensitization: No sensitizing effects known. Germ cell mutagenicity: No further relevant information available. Carcinogenicity: No further relevant information available. **Reproductive toxicity:** No further relevant information available. Specific target organ toxicity - single No further relevant information available. exposure: Specific target organ toxicity - repeated No further relevant information available. exposure: Aspiration hazard: No further relevant information available. Additional information: Fumes or dusts generated from cutting or grinding may cause respiratory irritation. Information on possible routes of exposure: 11.2 Short Term (Acute) Exposure: No further relevant information available. Swallowed: No further relevant information available. Eves: No further relevant information available. Skin: No further relevant information available.

ivoclar vivadent:

passion vision innovation

Product does not present an explosion hazard. Not determined. Lower Upper Not determined. Not applicable. 10.8 g/cm³. Not determined. Not applicable. Not applicable. Insoluble. Not determined. Dynamic Not applicable. Kinematic Not applicable. 0.00% 100%

No further relevant information available.

No further relevant information available.

Inhaled:

Long Term (Chronic) Exposure:

Callisto Implant 60



passion vision innovation

No further relevant information available. No further relevant information available.

No further relevant information available.

No further relevant information available.

No further relevant information available.

No further relevant information available.

No further relevant information available.

No further relevant information available.

No further relevant information available.

Swallowed: Eyes: Skin: Inhaled:

- 11.3 Early onset symptoms related to exposure:-
- 11.4 Delayed health effects from exposure:-
- 11.5 Exposure levels and health effects:-
- 11.6 Interactive effects:-
- 11.7 Other:-
- 12. ECOLOGICAL INFORMATION
- **12.1 Ecotoxicity:-**No further relevant information available.
- 12.2 Persistence/degradability:-No further relevant information available.
- **12.3 Bioaccumulative potential:-**No further relevant information available.
- 12.4 Mobility in soil:-No further relevant information available.
 12.5 Other adverse effects:-
- No further relevant information available. Additional ecological information / General notes:-Generally not hazardous for water.
- **12.6** Other adverse effects:-No further relevant information available.

13. DISPOSAL CONSIDERATIONS

13.1 Disposal methods:-

Must not be disposed together with household garbage.

Do not allow product to reach sewage system.

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal.

Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

Disposal must be made according to official regulations.

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

14. **TRANSPORT INFORMATION** UN number ADR / IMDG / IATA:-Void. UN proper shipping name or technical name:-ADR: Void. IMDG, IATA: Void. Transport hazard class(es): Void. Void. Label: Void. Packaging group: Environmental hazards: No. Special precautions for user: Not applicable. Danger code: Void. **EMS Number:** Void. Transport in bulk according to Annex II of Not applicable. MARPOL73/78 and the IBC Code: Transport/Additional information: Product is not classified as a dangerous good for transport.

Callisto Implant 60



15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance/mixture/product:-Classified as Hazardous according to the criteria of the National Occupational Health and Safety Commission (NOHSC) approved criteria for the classifying hazardous substances [NOHSC: 1008] 3rd edition.

Standard for the Uniform Scheduling of Medicines and Poisons. Carcinogen classification under WHS Regulation 2011, Schedule 10. Notification status in accordance with section 3 and current national legislation.

16. OTHER INFORMATION

Key to abbreviations/acronyms used in SDS:-

H252 Self-heating in large quantities: may catch fire. H272 May intensify fire: oxidiser.

Key literature references/data sources used to compile SDS:-

Standard EN420:2003 General requirements for protective gloves: disposable gloves, e.g. nitrile rubber, material thickness 0.1 mm (Australian Standard 2161).

Long-term exposure (Level 6: < 480 min): protective gloves, e.g. nitrile rubber, material thickness 0.7 mm (Australian Standard 2161).

Personal eye protection - Eye and face protectors for occupational applications: safety glasses (Australian Standard AS 1336 and AS/NZS 1337.1:2010).

Copyright statement:-

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:-

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road).

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

GHS: Globally Harmonised System of Classification and Labelling of Chemicals.

EINECS: European Inventory of Existing Commercial Chemical Substances.

ELINCS: European List of Notified Chemical Substances.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

LC50: Lethal concentration, 50 percent.

LD50: Lethal dose, 50 percent.

Flam. Liq. 2: Flammable liquids, Hazard Category 2.

Flam. Liq. 3: Flammable liquids, Hazard Category 3.

Acute Tox. 4: Acute toxicity, Hazard Category 4.

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2.

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2.

Repr. 2: Reproductive toxicity, Hazard Category 2.

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3.

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2.

Asp. Tox. 1: Aspiration hazard, Hazard Category 1.

* Data compared to the previous version altered

Disclaimer:-

Ivoclar Vivadent Pty Ltd believes the information in this document to be accurate as at the date of preparation, but, to the maximum extent permitted by law, Ivoclar Vivadent Pty Ltd accepts no responsibility for any loss or damage caused by any person acting or refraining from action because of this information. The provision of this information should not be construed by anyone as a recommendation to use this product. In particular, no one should use any product in violation of any patent or other intellectual proprietary rights or in breach of any statute or regulation.

Users should rely on their own knowledge and inquiries and make their own determination as to the



passion vision innovation

applicability of this information in relation to their particular purposes and specific circumstances. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace and in conjunction with other substances or products.

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.