

SAFETY DATA SHEET (GHS)

Issue Date: 22.06.2016 Version: 1.0.2 **Revision Date:** 10.07.2017 Print Date: 14.12.2016

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE/PRODUCT AND MANUFACTURER/IMPORTER

Product identifier:-1.1

> **IPS Model Sealer** Product name:

Product number: 593401

1.2 Other means of identification:-

Not applicable.

1.3 Recommended use of the chemical and restrictions on use:-

Not applicable.

Importer:

Identified uses: Auxiliary for manufacture of dental prosthesis.

Details of the manufacturer and importer:-1.4

Manufacturer:

Ivoclar Vivadent AG

Bendererstrasse 2 FL-9494 Schaan

Principality of Liechtenstein

Tel: + 423 235 35 35 Fax: + 423 235 33 60

Ivoclar Vivadent Pty Ltd

1-5 Overseas Drive Noble Park North VIC 3174 Tel: +61 3 9795 9599 Fax: +61 3 9795 9645

Email: info@ivoclarvivadent.com

1.5 **Emergency phone number:** 13 11 26

Poisons Hotline (24 hours / 7 days)

2. HAZARD(S) IDENTIFICATION

GHS Classification:-2.1

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

Hazard-determining components of

STOT SE 3 H336 May cause drowsiness or dizziness.

2.2 GHS Label elements, including precautionary statements:-

Hazard Pictogram:

Signal word:

Hazard statements:

labelling:



Danger Ethyl acetate



H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye

protection/face protection.

P233 Keep container tightly closed.

Additional information:

Precautionary statements:

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3 Other hazards:-

Results of PBT and vPvB assessment PBT: Not applicable. **vPvB:** Not applicable.



3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient name	CAS No.	Classification	Concentration		
Ethyl acetate	141-78-6	Flam. Liq. 2 - H225	50-100%		
•		Eye Irrit. 2 - H319			
		STOT SE 3 - H336			
cellulose nitrate damped with 2-	9004-70-0	Flam. Liq. 1 - H224	10-<25%		
propanol		Eye Irrit. 2 - H319			
r		STOT SE 3 - H336			
Non-hazardous ingredients	N/A	N/A	to 100%		
For the full tout of the U. Statements mentioned in this Section, refer to Section 16					

For the full text of the H-Statements mentioned in this Section, refer to Section 16.

4. **FIRST AID MEASURES**

If inhaled:

4.1 Description of necessary first aid measures:-

General advice:

Remove contaminated clothing and shoes immediately and

launder thoroughly before reusing.

First aid facilities include first aid rooms and medical

centres

If a risk assessment determines that a first aid room or medical centre is not needed, a rest area within the workplace may be suitable to assist an injured or ill person.

Ensure supply of fresh air.

Remove affected person from the immediate area. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side

position for transportation.

In case of skin contact: Wash off immediately with water.

If skin irritation continues, consult a doctor.

Remove contact lenses, irrigate copiously with clean, fresh In case of eye contact:

water for at least 15 minutes holding the eyelids apart and

seek medical advice.

If swallowed:-Do not induce vomiting.

Rinse mouth thoroughly with water.

Let plenty of water be drunk in small gulps.

Never give anything by mouth to an unconscious person.

Call a doctor immediately.

4.2 Symptoms caused by exposure:-

Medical attention and special treatment:-4.3

Please refer to section 2.2 and section 11. No further relevant information available.

FIRE FIGHTING MEASURES 5.

5.1 Suitable extinguishing equipment:-

> Suitable extinguishing media: Carbon dioxide, powder or water spray.

> > Fight larger fires with water spray or alcohol resistant foam.

Water with full jet.

5.2 Specific hazards arising from the

Unsuitable extinguishing media: substance/mixture/product:-

No further relevant information available.

5.3 Special protective equipment and precautions for fire fighters

Special personal protective equipment:

Precautions: Hazchem code: Wear self-contained respiratory protective device. Cool endangered receptacles with water spray.

3 Flammable liquids.

ACCIDENTAL RELEASE MEASURES 6.

Personal precautions, protective equipment and emergency procedures:-6.1

Wear protective equipment. Keep unprotected persons away.

Use of suitable equipment (incl PPE) to prevent contamination of skin, eyes, clothing, removal of ignition sources, ventilation, emergency procedures (eg. evacuate, consult expert).

593401 Page 2 of 8



6.2 Environmental precautions:-

Do not allow to enter sewers/surface or ground water.

6.3 Methods and materials for containment and cleaning up:-

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling:-

No special measures necessary if stored and handled as prescribed.

Ensure good ventilation/exhaustion at the workplace.

Keep ignition sources away - do not smoke.

Protect against electrostatic charges.

Wash hands before breaks and after work.

Do not eat, drink or smoke during work time.

Remove soiled or soaked clothing immediately.

Keep away from foodstuffs and beverages.

7.2 Conditions for safe storage, including any incompatibilities:-

Keep only in the original container.

Containers which are opened must be carefully closed and kept upright to prevent leakage.

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed receptacles.

Store receptacle in a well ventilated area.

Recommended storage temperature for storage rooms and vessels is 20 - 30°C.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Exposure control measures:-

Occupational exposure limits:

Occupational exposure limits.							
Component	CAS No.	Value	Parameters	Basis			
Ethyl acetate	141-78-6	Short-term value: Long-term value:	400 ppm 200 ppm	The lists valid during the making were used as hasis			

Ingredients with biological limit values:

Exposure should be kept to as low as practicable and below the AOES.

8.2 Biological monitoring:-

Assess in accordance with exposure limits – please refer to section 8.1.

Exposure controls / Personal protective equipment / General protective and hygienic measures:

Usual hygienic measures for dental practice.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

8.3 Control banding;-

Use good industrial hygiene practice and general ventilation.

8.4 Engineering controls:-

In case of intensive contact, wear protective gloves (EN 374).

Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties).

Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves.

Protective gloves shall be replaced immediately when physically damaged or worn.

593401 Page 3 of 8



8.5 Individual protection measures include PPE:-

Eye/face protection:



Skin protection:



Respiratory protection:

Safety glasses

Use tightly fitting safety glasses as per Australian Standard AS 1336 and AS/NZS 1337.

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

Butvl rubber, BR.

Fluorocarbon rubber (Viton).

PVA aloves.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Provide for good ventilation of working area (local exhaust ventilation, if necessary).

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Recommended filter device for short term use:

Filter A

9. PHYSICAL/CHEMICAL PROPERTIES

9.1 Information on physical/chemical properties:-

Appearance/Form: a)

Colour: b)

Odour: c)

d) **Odour threshold:**

e) pH value:

Melting point/melting range: f)

Boiling point/boiling range: g)

h) Flash point:

i) Ignition temperature:

j) Self-igniting:

k) Danger of explosion: Fluid.

Colourless.

Characteristic.

Not determined.

Not determined.

Undetermined.

77°C.

-1°C.

460°C.

Product is not self-igniting.

Product is not explosive. However, formation of explosive

air/vapour mixtures are possible.



l) Upper/lower flammability or explosive Lower 2.1 Vol%. limits: Lower Upper 11.5 Vol%.

m) Vapour pressure at 20°C:
n) Density at 20°C:
o) Relative density:
97 hPa
0.989 g/cm³.
Not determined.

p) Vapour density: Not determined. q) Evaporation rate: Not determined.

r) Solubility in/miscibility with water: Not miscible or difficult to mix.

s) Partition coefficient: n- octanol/water: Not determined.

t) Viscosity: Dynamic Not determined. Kinematic Not determined.

10. STABILITY AND REACTIVITY

10.1 Reactivity:-

No further relevant information available.

10.2 Chemical stability:-

Stable under normal handling and storage conditions.

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions:-

Reacts with strong oxidising agents.

10.4 Conditions to avoid:-

No further relevant information available.

10.5 Incompatible materials:-

No further relevant information available.

10.6 Hazardous decomposition products:-

None under normal conditions of storage and use.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:-

Acute toxicity / Values relevant for classification:

Ethyl acetate | 141-78-6 | Oral | LD50 | 5620 mg/kg (rabbit) | Inhalation | LD50/4 h | 1600 mg/l (rat)

Skin corrosion/irritation: No further relevant information available.

Serious eye damage/eye irritation: Causes serious eye irritation.

Respiratory or skin sensitization:
Germ cell mutagenicity:

Carcinogenicity:

No further relevant information available.
No further relevant information available.
No further relevant information available.

Reproductive toxicity:No further relevant information available.

No further relevant information available.

Specific target organ toxicity - single exposure:

No further relevant information available.

Specific target organ toxicity - repeated exposure:No further relevant information available.

Aspiration hazard:

Additional information:

No further relevant information available.

No further relevant information available.

11.2 Information on possible routes of exposure:-

Short Term (Acute) Exposure: No further relevant information available.

Swallowed: No further relevant information available.

Eyes: Causes serious eye irritation.

Skin:No further relevant information available.Inhaled:No further relevant information available.

Long Term (Chronic) Exposure:

No further relevant information available.

No further relevant information available.

Eyes: Causes serious eye irritation.

Skin: No further relevant information available.

593401 Page 5 of 8



Inhaled:

11.3 Early onset symptoms related to exposure:-

11.4 Delayed health effects from exposure:-

11.5 Exposure levels and health effects:-

11.6 Interactive effects:-

11.7 Other:- No further relevant information available. No further relevant information available.

No further relevant information available.

No further relevant information available.

No further relevant information available.

No further relevant information available.

12. **ECOLOGICAL INFORMATION**

12.1 **Ecotoxicity:-**

No further relevant information available.

12.2 Persistence/degradability:-

No further relevant information available.

Bioaccumulative potential:-12.3

No further relevant information available.

Mobility in soil:-12.4

No further relevant information available.

12.5 Other adverse effects:-

No further relevant information available.

Additional ecological information / General notes:

Do not allow undiluted product or large quantities if it to reach ground water, water course or sewage system.

12.6 Other adverse effects:-

No further relevant information available.

13. **DISPOSAL CONSIDERATIONS**

Disposal methods:-13.1

Must not be disposed together with household garbage.

Do not allow product to reach sewage system.

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal.

Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

Disposal must be made according to official regulations.

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

14. TRANSPORT INFORMATION

UN number ADR / IMDG / IATA:-UN1173

UN proper shipping name or technical name:-

ADR: IMDG, IATA:

Transport hazard class(es):

1173 ETHYL ACETATE **ETHYL ACETATE**



Label:

Packaging group:

Environmental hazards:

Special precautions for user:

Danger code: **EMS Number:** 33

3 (F1) Flammable liquids

Ш



Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Additional information – ADR:-

Limited quantities:
Transport category:
Tunnel restriction code:

LQ4
2
D/E

Hazchem or emergency action code: 3 (F1) Flammable liquids.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance/mixture/product:-

Classified as Hazardous according to the criteria of the National Occupational Health and Safety Commission (NOHSC) approved criteria for the classifying hazardous substances [NOHSC: 1008] 3rd edition.

Not applicable.

Standard for the Uniform Scheduling of Medicines and Poisons.

Carcinogen classification under WHS Regulation 2011, Schedule 10.

Notification status in accordance with section 3 and current national legislation.

16. OTHER INFORMATION

Key to abbreviations/acronyms used in SDS:-

H224 Extremely flammable liquid and vapour.

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Key literature references/data sources used to compile SDS:-

Standard EN420:2003 General requirements for protective gloves: disposable gloves, e.g. nitrile rubber, material thickness 0.1 mm (Australian Standard 2161).

Long-term exposure (Level 6: < 480 min): protective gloves, e.g. nitrile rubber, material thickness 0.7 mm (Australian Standard 2161).

Personal eye protection - Eye and face protectors for occupational applications: safety glasses (Australian Standard AS 1336 and AS/NZS 1337.1:2010).

Copyright statement:-

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:-

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road).

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

GHS: Globally Harmonised System of Classification and Labelling of Chemicals.

EINECS: European Inventory of Existing Commercial Chemical Substances.

ELINCS: European List of Notified Chemical Substances.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

LC50: Lethal concentration, 50 percent.

LD50: Lethal dose, 50 percent.

Flam. Liq. 2: Flammable liquids, Hazard Category 2.

Flam. Liq. 3: Flammable liquids, Hazard Category 3.

Acute Tox. 4: Acute toxicity, Hazard Category 4.

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2.

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2.

Repr. 2: Reproductive toxicity, Hazard Category 2.

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3.

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2.

Asp. Tox. 1: Aspiration hazard, Hazard Category 1.

593401 Page 7 of 8

^{*} Data compared to the previous version altered

IPS Model Sealer



Disclaimer:-

Ivoclar Vivadent Pty Ltd believes the information in this document to be accurate as at the date of preparation, but, to the maximum extent permitted by law, Ivoclar Vivadent Pty Ltd accepts no responsibility for any loss or damage caused by any person acting or refraining from action because of this information. The provision of this information should not be construed by anyone as a recommendation to use this product. In particular, no one should use any product in violation of any patent or other intellectual proprietary rights or in breach of any statute or regulation.

Users should rely on their own knowledge and inquiries and make their own determination as to the applicability of this information in relation to their particular purposes and specific circumstances. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace and in conjunction with other substances or products.

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

593401 Page 8 of 8