Printing date 31.01.2020

Version number 9

Revision: 31.01.2020

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

· Product identifier

· Trade name: SR Retentions Adhesive

• *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*

· Application of the substance / the mixture Auxiliary for manufacture of dental prothesis

Details of the supplier of the safety data sheet
Manufacturer/Supplier: Ivoclar Vivadent AG Bendererstrasse 2
9494 Schaan PRINCIPALITY OF LIECHTENSTEIN Tel: +423 235 35 35 / Fax: +423 235 33 60

Importer: Ivoclar Vivadent Pty. Ltd. I- 5 Overseas Drive Noble Park North VIC 3174 Tel: + 61 3 9795 9599 / Fax: + 61 3 9795 9645

• **Further information obtainable from:** Regulatory Affairs

sds@ivoclarvivadent.com • Emergency telephone number: 131 126 (Poisons Information Centre - 24 hours / 7 days)

2 Hazard(s) Identification

\cdot Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapour.
Eye Irrit. 2A H319 Causes serious eye irritation.
STOT SE 3 H336 May cause drowsiness or dizziness.

· Label elements

• *GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).*

· Hazard pictograms



· Signal word Danger

• Hazard statements

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed.

Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)



ΑL

Printing date 31.01.2020

Version number 9

Revision: 31.01.2020

Trade name: SR Retentions Adhesive

(Contd. of page 1)

Wear protective gloves/protective clothing/eye protection/face protection. Call a POISON CENTER/doctor if you feel unwell.

Store in a closed container. Additional information:

Repeated exposure may cause skin dryness or cracking.

• Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

 CAS: 67-64-1
 acetone
 Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336
 50-100%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

· Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

• After inhalation:

- Supply fresh air; consult doctor in case of complaints.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Wash with water and acidic soap.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information
- Cool endangered receptacles with water spray.
- See Section 14 for Hazchem Code.

6 Accidental Release Measures

• *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*

(Contd. on page 3)

Printing date 31.01.2020

Version number 9

Revision: 31.01.2020

Trade name: SR Retentions Adhesive

(Contd. of page 2)

• *Environmental precautions:* Do not allow to enter sewers/surface or ground water. • *Methods and material for containment and cleaning up:*

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

- CAS: 67-64-1 acetone
- NES Short-term value: 2375 mg/m³, 1000 ppm Long-term value: 1185 mg/m³, 500 ppm
- WES Short-term value: 2375 mg/m³, 1000 ppm Long-term value: 1185 mg/m³, 500 ppm

• Additional information: The lists valid during the making were used as basis.

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:
- Usual hygienic measures for dental practice and dental laboratories.
- Wash hands before breaks and at the end of work.
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Do not inhale gases / fumes / aerosols.
- Avoid contact with the eyes and skin.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 4)

AU

Printing date 31.01.2020

Version number 9

Revision: 31.01.2020

Trade name: SR Retentions Adhesive

(Contd. of page 3)

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and chemic General Information	ical properties
Appearance:	
Form:	Fluid
Colour:	Yellow tint
Odour:	Acetone-like
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Undetermined. 55 °C
Flash point:	-19 °C
Ignition temperature:	465 °C
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	<i>Product is not explosive. However, formation of explosive air/vapour mixtures are possible.</i>
Explosion limits:	
Lower:	2.6 Vol %
Upper:	13.0 Vol %
Vapour pressure at 20 °C:	233 hPa
Density:	Not determined.
Relative density	Not determined.

Printing date 31.01.2020

Version number 9

Revision: 31.01.2020

Trade name: SR Retentions Adhesive

		(Contd. of page
· Vapour density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Partly miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
• Other information	No further relevant information available.	

10 Stability and Reactivity

· Reactivity No further relevant information available.

- · *Chemical stability Stable under normal handling and storage conditions.*
- *Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications.
- · Possibility of hazardous reactions Reacts with strong oxidising agents.
- *Conditions to avoid* No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological Information

· Information on toxicological effects

• Acute toxicity

· LD/LC50 values relevant for classification:

CAS: 67-64-1 acetone

Oral LD50 5800 mg/kg (rat)

Dermal LD50 20000 mg/kg (rabbit)

Skin corrosion/irritation No irritant effect.

- · Serious eye damage/irritation Irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- Additional toxicological information: No further relevant information available.

12 Ecological Information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

Printing date 31.01.2020

Version number 9

Revision: 31.01.2020

Trade name: SR Retentions Adhesive

(Contd. of page 5)

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

UN-Number ADG, IMDG, IATA	UN1090	
UN proper shipping name		
ADG	1090 ACETONE	
IMDG, IATA	ACETONE	
Transport hazard class(es)		
ADG		
Class	3 (F1) Flammable liquids.	
Label	3	
IMDG, IATA		
- Class	3 Flammable liquids.	
Label	3	
Packing group		
ADG, IMDG, IATA	II	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Warning: Flammable liquids.	
Danger code (Kemler):	33	
Hazchem or Emergency Action Code:	•2YE	
EMS Number:	F-E,S-D	
Stowage Category	E	
Transport in bulk according to Annex II of I		
and the IBC Code	Not applicable.	

Printing date 31.01.2020

Version number 9

Revision: 31.01.2020

Trade name: SR Retentions Adhesive

	(Contd. of page
Transport/Additional information:	
ADG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E2
• • • • •	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN ''Model Regulation'':	UN 1090 ACETONE, 3, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Chemical Substances

CAS: 67-64-1 acetone

· Standard for the Uniform Scheduling of Medicines and Poisons

CAS: 67-64-1 acetone

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS). Hazard pictograms



· Signal word Danger

· Hazard statements

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

Call a POISON CENTER/doctor if you feel unwell. Store in a closed container.

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

• Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t

 \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t

(Contd. on page 8)

S5

AU

Printing date 31.01.2020

Version number 9

Revision: 31.01.2020

Trade name: SR Retentions Adhesive

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. • Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 *Eye Irrit.* 2: Serious eye damage/eye irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3