ivoclar vivadeni:

Safety Data Sheet in accordance with HSNO

Printing date 12.12.2019

Version number 5

Revision: 12.12.2019

1 Identification of the substance or mixture and of the supplier

· Product identifier

· Trade name: Adhese Universal

• *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*

· Application of the substance / the mixture Light-curing, single-component dental adhesive

· Details of the supplier of the safety data sheet

Manufacturer/Supplier: Ivoclar Vivadent AG Bendererstrasse 2 9494 Schaan PRINCIPALITY OF LIECHTENSTEIN Tel: +423 235 35 35 / Fax: +423 235 33 60

Importer: Ivoclar Vivadent Ltd 12 Omega St, Rosedale, Auckland New Zealand Tel: + 64 9 914 9999 / Fax: + 64 9 914 9990

• Further information obtainable from: Regulatory Affairs sds@ivoclarvivadent.com

• Emergency telephone number: 0800 764 766 (National Poison Centre - 24 hours / 7 days)

2 Hazards identification

• Classification of the substance or mixture

Flam. Liq. 3 H226 Flammable liquid and vapour.
Acute Tox. 5 H333 May be harmful if inhaled.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

• GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms



· Signal word Warning

Hazard-determining components of labelling: 2-hydroxyethyl methacrylate
2-dimethylaminoethyl methacrylate
Bis-GMA
1,10-decandiol dimethacrylate
methacrylated phosphoric acid ester
Hazard statements
Flammable liquid and vapour.
May be harmful if inhaled.

(Contd. on page 2)

Printing date 12.12.2019

Version number 5

Revision: 12.12.2019

Trade name: Adhese Universal

(Contd. of page 1)

Causes serious eye irritation. May cause an allergic skin reaction.

· Precautionary statements

Causes skin irritation.

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

· Additional information:

Medical devices as defined in Directive 93/42/EEC and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of Regulation (EC) No 1272/2008 (CLP/GHS) usually if they are in the finished state and intended for the final user.

· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/Information on ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

| · Dangerous components: | | |
|---|---|---------|
| CAS: 868-77-9 | 2-hydroxyethyl methacrylate | 10-25% |
| EINECS: 212-782-2 | Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 | |
| CAS: 36425-15-7 | Bis-GMA | 10-25% |
| NLP: 500-089-0 | Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317 | |
| CAS: 64-17-5 | ethanol | 10-25% |
| EINECS: 200-578-6 | Flam. Liq. 2, H225 | |
| CAS: 6701-13-9 | 1,10-decandiol dimethacrylate | 2.5-10% |
| EINECS: 229-745-1 | <i>Eye Irrit. 2A, H319; Skin Sens. 1, H317</i> | |
| CAS: 85590-00-7 | methacrylated phosphoric acid ester | 2.5-10% |
| | Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317 | |
| CAS: 10373-78-1 | camphorquinone | <2.5% |
| | Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 | |
| CAS: 2867-47-2 | 2-dimethylaminoethyl methacrylate | <2.5% |
| EINECS: 220-688-8 | Acute Tox. 2, H330; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Flam. Liq. 4, H227 | |
| • Additional information: For the wording of the listed hazard phrases refer to section 16. | | |

4 First aid measures

· Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

(Contd. on page 3)

⁻ NZ

Printing date 12.12.2019

Version number 5

Revision: 12.12.2019

Trade name: Adhese Universal

(Contd. of page 2)

If symptoms persist consult doctor.

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available. • Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

- *Precautions for safe handling* Only adequately trained personnel should handle this product. For use in dentistry only.
- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Protect from exposure to the light.
- Keep container tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

NZ

Printing date 12.12.2019

Version number 5

Revision: 12.12.2019

Trade name: Adhese Universal

(Contd. of page 3)

· Control parameters · Ingredients with limit values that require monitoring at the workplace: CAS: 64-17-5 ethanol WES Long-term value: 1880 mg/m³, 1000 ppm • Additional information: The lists valid during the making were used as basis. · Exposure controls · Personal protective equipment: • General protective and hygienic measures: Usual hygienic measures for dental practice and dental laboratories. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. · Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. · Protection of hands: Protective gloves After use of gloves apply skin-cleaning agents and skin cosmetics. · Material of gloves Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Not suitable are gloves made of the following materials: Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. • Eye protection: Tightly sealed goggles 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information

| · Appearance: | |
|--|--------------------|
| Form: | Liquid |
| Colour: | Yellow |
| · Odour: | Characteristic |
| • Odour threshold: | Not determined. |
| · pH-value: | Not applicable. |
| · Change in condition | |
| Melting point/freezing point: | Undetermined. |
| Initial boiling point and boiling range: | : Undetermined. |
| · Flash point: | 36 °C (ASTM D7094) |
| | (Contd. on page 5) |

Version number 5

Revision: 12.12.2019

Trade name: Adhese Universal

| | | (Contd. of page 4) |
|--|---|--------------------|
| • Auto-ignition temperature: | Product is not selfigniting. | |
| · Explosive properties: | Product does not present an explosion hazard. | |
| · Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| · Vapour pressure: | Not determined. | |
| · Density: | Not determined. | |
| · Relative density | Not determined. | |
| · Vapour density | Not determined. | |
| · Evaporation rate | Not determined. | |
| · Solubility in / Miscibility with | | |
| water: | Fully miscible. | |
| · Partition coefficient: n-octanol/water: | Not determined. | |
| · Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: Not determined. | | |
| • Other information No further relevant information available. | | |

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid
- Protect from exposure to the light.

Keep away from heat and direct sunlight.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation Irritating effect.
- · Respiratory or skin sensitisation Sensitisation possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 6)

⁻ NZ

Printing date 12.12.2019

Version number 5

Revision: 12.12.2019

Trade name: Adhese Universal

(Contd. of page 5)

• Behaviour in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

· vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

| UN-Number ADR/RID/ADN, IMDG, IATA | UN1170 |
|--|--|
| UN proper shipping name ADR/RID/ADN | 1170 ETHANOL SOLUTION (ETHYL ALCOHOL |
| IMDG | SOLUTION), ENVIRONMENTALLY HAZARDOUS ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) |
| IATA | ETHANOL SOLUTION |
| Transport hazard class(es) | |
| ADR/RID/ADN | |
| Class Label | 3 (F1) Flammable liquids. 3 |
| | 3 |
| IMDG, IATA | |
| Class | 3 Flammable liquids. |
| Label | 3 |
| Packing group ADR/RID/ADN, IMDG, IATA | III |

Printing date 12.12.2019

Version number 5

Revision: 12.12.2019

Trade name: Adhese Universal

| | (Contd. of pag | |
|--|---|--|
| Environmental hazards: Marine pollutant: | No | |
| Special precautions for user Warning: Flammable liquids. | | |
| · Danger code (Kemler): | 30 | |
| · EMS Number: | F- E , S - D | |
| • Transport in bulk according to Annex I | of Marpol | |
| and the IBC Code | Not applicable. | |
| · Transport/Additional information: | | |
| · ADR/RID/ADN | | |
| · Limited quantities (LQ) | 5L | |
| • Excepted quantities (EQ) | Code: E1 | |
| | Maximum net quantity per inner packaging: 30 ml | |
| | Maximum net quantity per outer packaging: 1000 ml | |
| • Transport category | 3 | |
| • Tunnel restriction code | D/E | |
| ·IMDG | | |
| · Limited quantities (LQ) | 5L | |
| • Excepted quantities (EQ) | Code: El | |
| | Maximum net quantity per inner packaging: 30 ml | |
| | Maximum net quantity per outer packaging: 1000 ml | |
| · UN "Model Regulation": | UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL | |
| 6 | SOLUTION), 3, III, ENVIRONMENTALLY | |
| | HAZARDOUS | |

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

| · New Zealand Inventory of Chemicals | | | |
|--------------------------------------|-----------------------------------|-----------|--|
| All ingredients are listed. | | | |
| · HSNO Approval numbers | | | |
| CAS: 868-77-9 | 2-hydroxyethyl methacrylate | HSR003005 | |
| CAS: 64-17-5 | ethanol | HSR001144 | |
| CAS: 2867-47-2 | 2-dimethylaminoethyl methacrylate | HSR001558 | |
| CHS label elements | | | |

GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS). • *Hazard pictograms*



· Signal word Warning

• Hazard-determining components of labelling: 2-hydroxyethyl methacrylate 2-dimethylaminoethyl methacrylate Bis-GMA 1,10-decandiol dimethacrylate

(Contd. on page 8)

Printing date 12.12.2019

Version number 5

Revision: 12.12.2019

Trade name: Adhese Universal

(Contd. of page 7)

methacrylated phosphoric acid ester · Hazard statements Flammable liquid and vapour. May be harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed. · Seveso category P5c FLAMMABLE LIQUIDS • Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t • Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t · National regulations: • Other regulations, limitations and prohibitive regulations The product is a medical device according to the Directive 93/42/EEC. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. **16 Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H225 Highly flammable liquid and vapour. H227 Combustible liquid. H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H330 Fatal if inhaled. H335 May cause respiratory irritation. · Abbreviations and acronvms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Flam. Liq. 4: Flammable liquids - Category 4 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity - Category 2 Acute Tox. 5: Acute toxicity - Category 5 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3