

Printing date 11.12.2019 Version number 4 Revision: 11.12.2019

1 Identification of the substance or mixture and of the supplier

- · Product identifier
- · Trade name: IPS Empress Universal Glaze Spray / IPS e.max Ceram Glaze Spray
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Auxiliary for manufacture of dental prothesis
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ivoclar Vivadent AG

Bendererstrasse 2

9494 Schaan

PRINCIPALITY OF LIECHTENSTEIN

Tel: +423 235 35 35 / Fax: +423 235 33 60

Importer:

Ivoclar Vivadent Pty. Ltd.

12 Omega St, Rosedale, Auckland

New Zealand

Tel: + 64 9 914 9999 / Fax: + 64 9 914 9990

· Further information obtainable from:

Regulatory Affairs

sds@ivoclarvivadent.com

· Emergency telephone number: 0800 764 766 (National Poison Centre - 24 hours / 7 days)

2 Hazards identification

· Classification of the substance or mixture

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Acute Tox. 5 H333 May be harmful if inhaled. Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard statements

Extremely flammable aerosol. Pressurised container: May burst if heated.

May be harmful if inhaled.

Causes serious eye irritation.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

(Contd. on page 2)

Printing date 11.12.2019 Version number 4 Revision: 11.12.2019

Trade name: IPS Empress Universal Glaze Spray / IPS e.max Ceram Glaze Spray

(Contd. of page 1)

Do not breathe spray.

Wear eye protection / face protection.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/Information on ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:				
		propan-2-ol	25-50%	
	EINECS: 200-661-7	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336; Acute Tox. 5,		
		H333		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- Description of first aid measures
- · After inhalation:

Supply fresh air.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Rinse with water.

Generally the product does not irritate the skin.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Rinse out mouth and then drink plenty of water.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.
- · Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· Environmental precautions: Do not allow to enter sewers/surface or ground water.

(Contd. on page 3)

Printing date 11.12.2019 Version number 4 Revision: 11.12.2019

Trade name: IPS Empress Universal Glaze Spray / IPS e.max Ceram Glaze Spray

(Contd. of page 2)

· Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb liquid components with liquid-binding material.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Only adequately trained personnel should handle this product.

For use in dentistry only.

Keep away from heat and direct sunlight.

Open and handle receptacle with care.

Use only in well ventilated areas.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

CAS: 67-63-0 propan-2-ol

WES Short-term value: 1230 mg/m³, 500 ppm Long-term value: 983 mg/m³, 400 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Usual hygienic measures for dental practice and dental laboratories.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

(Contd. on page 4)

Printing date 11.12.2019 Version number 4 Revision: 11.12.2019

Trade name: IPS Empress Universal Glaze Spray / IPS e.max Ceram Glaze Spray

(Contd. of page 3)

· Respiratory protection:

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical	and c	hemical	properties

Information on basic physical and chemical properties General Information			
· Appearance:			
Form:	Aerosol		
Colour:	Whitish		
· Odour:	Characteristic		
· Odour threshold:	Not determined.		
· pH-value:	Not applicable.		
· Change in condition			
Melting point/freezing point:	Undetermined.		
Initial boiling point and boiling range:	Not applicable, as aerosol.		
· Flash point:	Not applicable, as aerosol.		
· Flammability (solid, gas):	Not applicable.		
\cdot $Auto-ignition\ temperature:$	Product is not selfigniting.		
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.		
· Explosion limits:	Product is not selfigniting. Product is not explosive. However, formation of explosive air/		
Lower:	Not determined.		
Upper:	Not determined.		
· Vapour pressure:	Not determined.		
· Density:	Not determined.		
Relative density	Not determined.		
· Vapour density	Not determined.		
· Evaporation rate	Not applicable.		

(Contd. on page 5)

Printing date 11.12.2019 Version number 4 Revision: 11.12.2019

Trade name: IPS Empress Universal Glaze Spray / IPS e.max Ceram Glaze Spray

(Contd. of page 4)

Solubility in / Miscibility with water:

Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

• *Other information No further relevant information available.*

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal handling and storage conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Danger of explosion.
- · Conditions to avoid Keep away from heat and direct sunlight.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation Irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information: No further relevant information available.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

N7

Printing date 11.12.2019 Version number 4 Revision: 11.12.2019

Trade name: IPS Empress Universal Glaze Spray / IPS e.max Ceram Glaze Spray

(Contd. of page 5)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

Transport information	
· UN-Number · ADR/RID/ADN, IMDG, IATA	UN1950
· UN proper shipping name · ADR/RID/ADN · IMDG · IATA	1950 AEROSOLS AEROSOLS AEROSOLS, flammable
· Transport hazard class(es)	
· ADR/RID/ADN	
· Class · Label	2 5F Gases. 2.1
· IMDG, IATA	
· Class · Label	2.1 2.1
· Packing group · ADR/RID/ADN, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user · Danger code (Kemler): · EMS Number: · Stowage Code	Warning: Gases F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
· Segregation Code	category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE

Printing date 11.12.2019 Version number 4 Revision: 11.12.2019

Trade name: IPS Empress Universal Glaze Spray / IPS e.max Ceram Glaze Spray

	(Contd. of page
	AEROSOLS: Segregation as for the appropriate subdivision of class 2.
Transport in bulk according to Annex II of	f Marpol
and the IBC Code	Not applicable.
Transport/Additional information:	
ADR/RID/ADN	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
~ ~ ~	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · New Zealand Inventory of Chemicals

CAS: 75-28-5 isobutane

CAS: 67-63-0 propan-2-ol

· HSNO Approval numbers

CAS: 67-63-0 propan-2-ol

HSR001180

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard statements

Extremely flammable aerosol. Pressurised container: May burst if heated.

May be harmful if inhaled.

Causes serious eye irritation.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

Do not breathe spray.

Wear eye protection / face protection.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 8)

Printing date 11.12.2019 Version number 4 Revision: 11.12.2019

Trade name: IPS Empress Universal Glaze Spray / IPS e.max Ceram Glaze Spray

(Contd. of page 7)

- · Seveso category P3a FLAMMABLE AEROSOLS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations:
- · Other regulations, limitations and prohibitive regulations

The product is a medical device according to the Directive 93/42/EEC.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H333 May be harmful if inhaled.

H336 May cause drowsiness or dizziness.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Aerosol 1: Aerosols - Category 1

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 5: Acute toxicity - Category 5

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

-NZ