

FAST CURE LIQUID

Page: 1

Compilation date: 30/01/2013

Revision No: 1

1.1. Product identifier		
	FAST CURE LIQUID	
1.2. Relevant identified uses	of the substance or mixture and uses advised against	
Use of substance / mixture:	PC32: Polymer preparations and compounds. PC39: Cosmetics, personal care	
	products.	
1.3. Details of the supplier of	the safety data sheet	
Company name:	WHW Plastics Ltd	
	Therm Road	
	Cleveland Street	
	Hull	
	East Yorkshire	
	HU8 7BF	
	UK	
Tel:	+44(0)1482 329154	
Fax:	+44(0)1482 217140	
Email:	info@whwplastics.com	
1.4. Emergency telephone nu	Imber	
Emergency tel:	+44(0)1482 329154	
	(office hours only)	
Section 2: Hazards identifica	tion	
2.1. Classification of the sub	stance or mixture	
Classification under CLP:	Flam. Liq. 1: H224; Skin Irrit. 2: H315; Skin Sens. 1: H317; STOT SE 3: H335	
	F: R11; Xi: R37/38; Sens.: R43	
	Extremely flammable liquid and vapour. Causes skin irritation. May cause an allergic	
	skin reaction. May cause respiratory irritation.	
2.2. Label elements		
Label elements under CLP:		
Hazard statements:	H224: Extremely flammable liquid and vapour.	
	H315: Causes skin irritation.	
	H317: May cause an allergic skin reaction.	
Cianal wards	H335: May cause respiratory irritation.	
Signal words:	-	
Hazard pictograms:		
	GHS07: Exclamation mark	[cont.

## FAST CURE LIQUID

Page: 2



Precautionary statements:P280: Wear protective gloves/protective clothing/eye protection/face protection.P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing.Rinse skin with water/shower.P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a positioncomfortable for breathing.P312: Call a POISON CENTER or doctor if you feel unwell.

## 2.3. Other hazards

Other hazards: In use, may form flammable / explosive vapour-air mixture.

PBT: This substance is not identified as a PBT substance.

## Section 3: Composition/information on ingredients

3.2. Mixtures

### Hazardous ingredients:

#### METHYL METHACRYLATE

	EINECS	CAS	CHIP Classification	CLP Classification	Percent
201	1-297-1	80-62-6	-	Flam. Liq. 2: H225; STOT SE 3: H335; Skin Irrit. 2: H315; Skin Sens. 1: H317	>80%

## ETHYLENE DIMETHACRYLATE

	202-617-2	97-90-5	-	STOT SE 3: H335; Skin Sens. 1: H317	1-10%	
--	-----------	---------	---	-------------------------------------	-------	--

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

- **Ingestion:** Wash out mouth with water. Give 1 cup of water to drink every 10 minutes. Do not induce vomiting. Consult a doctor.
- Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

## FAST CURE LIQUID

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

#### Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Alcohol resistant foam. Water spray. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Highly flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture. Vapour may travel considerable distance to source of ignition and flash back.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of ignition.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

## Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools.

## FAST CURE LIQUID

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Keep away from

sources of ignition. Prevent the build up of electrostatic charge in the immediate area.

**Respirable dust** 

Ensure lighting and electrical equipment are not a source of ignition.

## 7.3. Specific end use(s)

Specific end use(s): Heat cure denture liquid.

# Section 8: Exposure controls/personal protection

# 8.1. Control parameters

### Hazardous ingredients:

## METHYL METHACRYLATE

### Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	50 ppm	100 ppm	-	-

### 8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area. Ensure lighting and electrical		
	equipment are not a source of ignition.		
Respiratory protection:	Half face filtering respirator (EN140). Gas/vapour filter, type A: organic vapours (EN141).		
Hand protection:	PVC gloves. Butyl gloves. Nitrile gloves. Neoprene gloves.		
Eye protection:	Safety glasses. Ensure eye bath is to hand.		
Skin protection:	Protective clothing.		

## Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State:	Liquid		
Colour:	Colourless		
Odour:	Characteristic odour		
Oxidising:	Non-oxidising (by EC criteria)		
Solubility in water:	Slightly soluble		
Boiling point/range°C:	Not determined	Flammability limits %: lower:	2.1
upper:	12.5	Flash point°C:	10
Autoflammability°C:	421	Relative density:	0.95
pH:	Not applicable		

9.2. Other information

Other information: No data available.

## FAST CURE LIQUID

## Section 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

### Section 11: Toxicological information

### 11.1. Information on toxicological effects

#### Hazardous ingredients:

### METHYL METHACRYLATE

IPR	RAT	LD50	1328	mg/kg
ORL	MUS	LD50	3625	mg/kg
ORL	RAT	LD50	7872	mg/kg

### ETHYLENE DIMETHACRYLATE

IPR	RAT	LD50	2800	mg/kg
ORL	MUS	LD50	2	gm/kg
ORL	RAT	LD50	3300	mg/kg

## **Relevant effects for mixture:**

Effect	Route	Basis
Irritation	INH DRM	Hazardous: calculated
Sensitisation	DRM	Hazardous: calculated

## Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

## FAST CURE LIQUID

**Page:** 6

Ingestion: There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

## Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

### 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

# 12.5. Results of PBT and vPvB assessment

PBT identification: This substance is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

## 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Disposal of packaging:** Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### **Section 14: Transport information**

14.1. UN number

UN number: UN1247

14.2. UN proper shipping name

Shipping name: METHYL METHACRYLATE MONOMER, STABILIZED

## 14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: ||

# FAST CURE LIQUID

## 14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E

Transport category: 2

# Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:** This product is a Seveso category/named substance in Annex I of Council Directive 96/82/EC.

15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

# Section 16: Other information

# Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and 3:	H224: Extremely flammable liquid and vapour.
	H225: Highly flammable liquid and vapour.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H335: May cause respiratory irritation.
	R11: Highly flammable.
	R37/38: Irritating to respiratory system and skin.
	R43: May cause sensitisation by skin contact.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.