

EU Safety Data Sheet

Y-2 Ceramic Solder



Date of issue / Reference

23.05.2005 hot

Replaces version of

17.04.2002

Date of printing

23.05.2005 **Sheet No. 1438**

Page 1 of 5

Company

Ivoclar Vivadent AG, Bendererstrasse 2, FL - 9494 Schaan
Principality of Liechtenstein

1 Commercial product name and supplier

1.1 Commercial product name /
Designation

Y-2 Ceramic Solder

1.2 Application / Use

Pre solder

1.3 Producer

Ivoclar Vivadent, Inc.
175 Pineview Drive, Amherst NY 14228, USA

1.4 Supplier

1.5 TOX emergency number

Emergency-Call USA: (716) 691-0010
Emergency-Call LI: +423 / 235 35 35 or 373 40 40

2 Composition

2.1 Chemical characterization

Solder made of :
80.0 % Au (CAS-Nr. 7440-57-5), 3.1% Pd (7440-05-3), 16.5 % Ag
(7440-22-4), < 1.0 % Fe, In, Li, Ru

2.2 Hazardous components

2.3 Further information

None.

3 Hazards identification

Avoid breathing of grinding dust and vapours.
Melted material may cause burns.

4 First aid measures

4.1 Eye contact

Flush eyes with plenty of water. Call a physician if irritation persists.

4.2 Skin contact

Melted material presents a special hazard of deep thermal burns. If
burn occurs, treat as any thermal burn.

4.3 Ingestion

Call a physician immediately.

4.4 Inhalation

Remove to fresh air.

4.5 Further information

None.

5 Fire-fighting measures

5.1 Suitable extinguishing media

Not required.
not combustible

5.2 Extinguishing media to avoid

Do not use direct water stream.

EU Safety Data Sheet

Y-2 Ceramic Solder



Date of issue / Reference 23.05.2005 hot
Replaces version of 17.04.2002
Date of printing 23.05.2005

Sheet No. 1438

Page 2 of 5

5.3 Further information None.

6 Accidental release measures Clean up mechanically.
Clean and reuse

7 Handling and storage

7.1 Handling Only adequately trained personnel should handle this product.
Keep out of reach of children.

7.2 Industrial hygiene Usual hygienic measures for dental practice.

7.3 Storage No specific requirements.

7.4 Place of storage

7.5 Fire- and explosion-protection No specific requirements.

8 Exposure controls / Personal protection

8.1 Technical measures Provide adequate local ventilation. Control airborne concentration below the exposure guideline.

8.2 Control of threshold limits Dust and vapors: MAK 0.1 mg/m³

8.3 Personal protective equipment

8.3.1 Respiratory protection If metal fumes are present, use an approved high-efficiency particulate respirator (P3).
In dusty atmospheres, use an approved dust respirator P2.

8.3.2 Hand protection Gloves.

8.3.3 Eye protection Safety goggles.

8.3.4 Other Use only with adequate ventilation.

9 Physical and chemical properties

9.1 Appearance solid

9.2 Colour yellow

9.3 Odour odourless

9.4 Change of physical state Test method:
Melting range 1070-1100 °C

9.5 Density

9.6 Vapour pressure not applicable

9.7 Viscosity not applicable

EU Safety Data Sheet

Y-2 Ceramic Solder



Date of issue / Reference 23.05.2005 hot
Replaces version of 17.04.2002
Date of printing 23.05.2005

Sheet No. 1438

Page 3 of 5

9.8 Solubility

Solubility in

non soluble

9.9 pH

not applicable

9.10 Flash point

not applicable

9.11 Ignition temperature

not applicable

9.12 Explosion limits

Lower:
Upper:
not applicable

9.13 Further information

None.

10 Stability and reactivity

10.1 Thermal decomposition

None, if used in accordance to instructions.

10.2 Hazardous decomposition products

None, if used in accordance to instructions.

10.3 Hazardous reactions

None, if used in accordance to instructions.

10.4 Further information

None.

11 Toxicological information

11.1 Acute toxicity

Solder: non-cytotoxic, non-mutagenic, non-irritant, non-sensitizer

11.2 Subacute / Chronic toxicity

Fumes or dusts generated from cutting or grinding operations may cause respiratory irritation.

11.3 Further information

None.

12 Ecological information

No ecological problems to be anticipated if properly handled and used.
nearly insoluble

13 Disposal considerations

Recycling

13.1 EU waste key

17 04 07

14 Transport information

14.1 Transport at land

ADR

RID

EU Safety Data Sheet

Y-2 Ceramic Solder



Date of issue / Reference 23.05.2005 hot
Replaces version of 17.04.2002
Date of printing 23.05.2005

Sheet No. 1438

Page 4 of 5

		UN Number	Kemler Number
		Packing Group	
		Proper shipping name	
14.2	Transport at sea	ADNR	IMDG
		UN Number	
		EMS	MFAG
		Packing Group	
		Proper shipping name	
14.3	Air transport	ICAO / IATA-DGR	
		UN Number	
		Proper shipping name	
		Subsidiary Risk	
		Labels	
	Passenger airplane	Packing Group	
		Packing Instructions	
	Cargo Airplane	max.	
		Packing Instructions	
		max.	
14.4	Further information	Product is not classified for any mode of transportation.	

15 Regulatory information

This product does not require classification according to the criteria of the EC.
The product is a medical device according to the EC-directive 93/42.

15.1 UN number

15.2 National regulations

15.3 EU number ---

15.4 Hazard symbols

15.5 Hazard designation

15.6 Risk phrases

15.7 Safety phrases

15.8 MAK value 0.1 mg/m³ ml/m³ (ppm)

15.9 BVD classification (CH) ---

15.10 VbF (D) ---

15.11 Further information None.

EU Safety Data Sheet

Y-2 Ceramic Solder



Date of issue / Reference 23.05.2005 hot

Replaces version of 17.04.2002

Date of printing 23.05.2005 **Sheet No. 1438**

Page 5 of 5

16 Other information

Version: 3

Changes: 13.1

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications do not have the meaning of guarantees on properties.

This safety data sheet has been generated with the safety database 'ChemManager',
© ASSiST Applied Software Solutions in Science and Technology AG, Weiherweg 3, CH-4104 Oberwil, Switzerland

91/155/EEC