

Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Racegel
- · Article number / formula: 287S
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the preparation : dental product
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

IVOCLAR VIVADENT LTD.

12 Omega Street, Rosedale, Auckland 0632, New Zealand PO Box 303011, North Harbour, Auckland 0751, New Zealand

Telephone: +649 914 9999 Fax: +649 914 9990

orders.nz@ivoclarvivadent.com http://www.ivoclarvivadent.co.nz

• 1.4 Emergency telephone number: 0800 764 766 (National Poisons Centre)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

(Contd. on page 2)



Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

Trade name: Racegel

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture: consisting of the following components.

| · Dangerous components: | | |
|-----------------------------------|---|---------|
| | aluminum chloride hexahydrate | 10-25% |
| EINECS: 231-208-1 | ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319 | 10.250/ |
| CAS: 64-17-5 EINECS: 200-578-6 | ethanol ♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319 | 10-25% |
| Index number: 603-002-00-5 | V Fum. Eq. 2, 11223, V Eye 1111. 2, 11319 | |
| RTECS: KQ 6300000 | | |
| Reg.nr.: 01-2119457610-43-xxxx | | |

- · SVHC No
- · Additional information: For the wording of the listed risk phrases, refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After excessive inhalation:

In case of unconsciousness place patient in a stable laying down side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult a doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture: No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures: Not required.

(Contd. on page 3)





Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

Trade name: Racegel

(Contd. of page 2)

- 6.2 Environmental precautions: Do not allow the product to enter sewers/ surface water or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protective equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling: No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- \cdot 7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · 8.1 Control parameters

| · Ingredients with limit values that require monitoring at the workplace: | | |
|---|---|--|
| CAS: 64-17-5 ethanol (10-25%) | | |
| WEL (Great Britain) | Long-term value: 1920 mg/m³, 1000 ppm | |
| MAK (Switzerland) | MAK (Switzerland) Short-term value: 1920 mg/m³, 1000 ppm Long-term value: 960 mg/m³, 500 ppm | |
| Long-term value: 960 mg/m³, 500 ppm | | |
| | SSc; | |

· DNELs

CAS: 64-17-5 ethanol

| CA5. 04-17-5 emanor | | |
|---------------------|--|---------------------|
| Dermal | DNEL Worker long-term systemic | 343 mg/kg bw/d |
| Inhalative | DNEL Worker long-term systemic | $950 \ mg/m^3$ |
| | DNEL Worker acute/short-term local effects | 19 mg/m^3 |

· PNECs

CAS: 64-17-5 ethanol

| Oral | PNEC sediment (fresh water) | 3.6 mg/kg |
|------|------------------------------|------------|
| | PNEC STP | 0.72 mg/L |
| | | 0.96 mg/L |
| | | 0.79 mg/L |
| | PNEC sediment (marine water) | 2.9 mg/kg |
| | PNEC soil | 0.63 mg/kg |

· Additional information:

The most current valid lists have been used as a basis for the production of this document.

(Contd. on page 4)





Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

Trade name: Racegel

(Contd. of page 3)

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from food, beverages and petfood.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

- · Gloves material: Butyl rubber, BR
- · Eye protection:



Tightly sealed goggles

| SECTION | 9: Physi | cai ana ch | iemicai pro | perties |
|---------|----------|------------|-------------|---------|
| | | | | |
| | | | | |

- · 9.1 Information on basic physical and chemical properties
- · General Information

 \cdot Appearance:

Form: gel
Colour: Orange
• Odour: Characteristic
• Odour threshold: Not determined.

• **pH-value:** 2.3-3.5

· Change in condition

Melting point/freezing point: Undetermined. **Initial boiling point and boiling range:** Undetermined.

Flash point: Not applicable.
 Flammability (solid, gas): Not applicable.

• Ignition temperature: 425 °C

· Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not self igniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

 Lower:
 3,5 Vol %

 Upper:
 15,0 Vol %

· Vapour pressure at 20 °C: 59 hPa

· Density: Not determined.

• Relative density: Not determined.

(Contd. on page 5)





Version number 3 Revision: 02.12.2017 Printing date 02.12.2017

Trade name: Racegel

(Contd. of page 4)

· Vapour density: Not determined. · Evaporation rate: Not determined.

· Solubility in / Miscibility with

Not miscible or difficult to mix. water:

· Segregation coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. Kinematic: Not determined.

· Solvent content:

21.90 % VOC (EC)

· 9.2 Other information: No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- · 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC50 | <i>งสโนค</i> ร | relevant for | classification: |
|-----------|----------------|--------------|-----------------|
| | | | |

CAS: 64-17-5 ethanol

LD50 Oral 7,060 mg/kg (rat) Inhalative LC50/4 h 20,000 mg/l (rat)

- · Primary irritant effect:
- · On the skin:

Causes skin irritation.

· On the eyes:

Causes serious eye irritation.

- · Respiratory or skin sensitization Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met. · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.





Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

Trade name: Racegel

(Contd. of page 5)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

CAS: 64-17-5 ethanol

EC50 72h | 275 mg/l (Algae)

EC50 48h | 12,340 mg/l (daphnia)

EC50 96h 13,000 mg/l (fish)

- · 12.2 Persistence and degradability: No further relevant information available.
- · 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects: No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation :



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP 4 Irritant - skin irritation and eye damage

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

| SECTION 14: Transport information | | |
|-----------------------------------|---|---------------|
| · 14.1 UN-Number | | |
| · ADR, ADN, IMDG, IATA | Not classified as hazardous for transport | |
| · 14.2 UN proper shipping name | | |
| · ADR, ADN, IMDG, IATA | Not classified as hazardous for transport | |
| · 14.3 Transport hazard class(es) | | |
| · ADR, ADN, IMDG, IATA | | |
| ·Class | Not classified as hazardous for transport | |
| · 14.4 Packing group | | |
| · ADR, IMDG, IATA | Not classified as hazardous for transport | |
| | | (Contd. on no |

(Contd. on page 7)





Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

Trade name: Racegel

| (Contd. | of | page | 6 |
|---------|----|------|---|
| | | | |

| | (Contd. of p | age o) |
|---|---|--------|
| · 14.5 Environmental hazards: | | |
| · Marine pollutant: | No | |
| · 14.6 Special precautions for user | Not applicable. | |
| · 14.7 Transport in bulk according to Annex II of | | |
| Marpol and the IBC Code | Not applicable. | |
| · UN ''Model Regulation'': | Not classified as hazardous for transport | |

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

| · Classification according to Regulation (EC) No 1272/2008 | | |
|--|---|--|
| Skin corrosion/irritation | The classification of the mixture is generally based on | |
| Serious eye damage/eye irritation | the calculation method using substance data | |
| | according to Regulation (EC) No 1272/2008. | |

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2