

# Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29CFR 1910. 1200. Standard must be consulted for specific requirements.

## SECTION 1 - WHITE ACRYLIC KNOCK DOWN WHEELS

Manufacturer's Name	KEYSTONE INDUSTRIES	Emergency Telephone No.	(800)-535-5053
Address	616 Hollywood Ave	Other Information Calls	(800) 333-3131
City, State, and ZIP	Cherry Hill, NJ 08002	Date Prepared	Oct 4, 2010
Signature of Person Responsible for Preparation (Optional)			

## SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY

Hazardous Component(s) (chemical & common name(s))	OSHA PEL	ACGIH TLV	Other Exposure Limits	% (optional)	CAS NO.
<b>NUISANCE DUST:</b>					
<b>RESPIRABLE FRACTION:</b>	15 Mppcg	5mg/M <sup>3</sup>			
<b>TOTAL DUST</b>	50 Mppcf	15mg/M <sup>3</sup>			

## SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling Point	N/A	Specific Gravity (H <sub>2</sub> O=1)	N/A	Vapor Pressure (mm Hg)	N/A
		Vapor Density (Air = 1)	N/A		
Solubility in Water	INSOLUBLE	Reactivity in Water	NONE		
Appearance and Odor	SOLID NO ODOR	Melting Point	N/A		

## SECTION 4 - FIRE & EXPLOSION DATA

Flash Point	F.	C.	Method Used	Flammable Limits in Air % by Volume	LEL Lower	UEL Upper
					N/A	N/A
Auto-Ignition Temperature			N/A	Extinguisher Media		
					WATER	
Special Fire Fighting Procedures			NONE			
Unusual Fire and Explosion Hazards			NONE			

## SECTION 5 - PHYSICAL HAZARDS (REACTIVITY DATA)

Stability Unstable  Conditions  
Stable  to Avoid

Incompatibility  
(Materials to Avoid) N/A

Hazardous  
Decomposition Products DUST FROM GRINDING

Hazardous May Occur  Conditions  
Polymerization Will Not Occur  to Avoid

## SECTION 6 - HEALTH HAZARDS

1. Acute 2. Chronic  
PROLONGED EXPOSURE TO DUST MAY CAUSE RESPIRATORY

Signs and  
Symptoms of Exposure COUGHING, CHOKING PROBLEMS

Medical Conditions Generally  
Aggravated by Exposure THOSE AGGRAVATED BY NUISANCE DUST

Chemical Listed as Carcinogen or Potential Carcinogen NO National Toxicology Program Yes  No  I.A.R.C. Monographs Yes  No  OSHA Yes  No

Emergency and  
First Aid Procedures REMOVE TO FRESH AIR, FLUSH AFFECTED AREAS WITH LARGE AMOUNTS OF WATER TO

REMOVE DUST

ROUTES  
OF  
ENTRY

1. Inhalation  
MAY CAUSE RESPIRATORY PROBLEMS
2. Eyes  
DUST MAY IRRITATE EYES
3. Skin  
DUST MAY CAUSE SKIN IRRITATION
4. Ingestion  
NO KNOWN EFFECTS

## SECTION 7 - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

Precautions to be Taken  
in Handling and Storage SEE ANSI B7.1 SAFETY CODE

Other  
Precautions SEE ANSI B7.1 SAFETY CODE

Steps to be Taken in Case  
Material is Released or Spilled NORMAL

Waste Disposal  
Methods (Consult federal, state, and local regulations) NORMAL

## SECTION 8 - SPECIAL PROTECTION INFORMATION/CONTROL MEASURES

Respiratory Protection  
(Specify Type) APPROVED DUST APPARATUS

Ventilation X Local Exhaust IF TLV EXCEEDED Mechanical (General) Special Other

Protective  
Gloves NO Eye  
Protection APPROVED EYE PROTECTION

Other Protective  
Clothing or Equipment NO

Work/Hygienic Practices  
THOSE USED FOR NUISANCE DUST

**IMPORTANT**  
Do not leave any blank spaces. If required information is unavailable, unknown, or does not apply, so indicate.