

SAFETY DATA SHEET

KeySplint Soft

Section 1. Identification

GHS product identifier	: KeySplintSoft
Product code	: 4220005, 4210005
Other means of	: Not available.
identification	
Product type	: Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

Supplier's details	: Keystone Industries 52 West King Street Myerstown, PA 17067 (856) 663-4700
Importer:	Ivoclar Vivadent Ltd 12 Omega St, Rosedale, Auckland, New Zealand Phone +64 9 914 9999 Fax +64 9 914 9990
Emergency phone number:	<u>www.ivoclarvivadent.co.nz</u> 0800 764 766 (National Poison Centre) Poisons Hotline (24 hours / 7 days)

Section 2. Hazards identification

Date of issue/Date ofrevision	workplace : 4/24/2019	•	: 1/10/2019	Version : 2.01	1/13
Prevention	been read Recomme shields. W	and understood. Wear pr nded: chemical splash go 'ear protective clothing: R	otective gloves. We ggles and/or face sh ecommended: Nitrile	il all safety precautions ha ar eye or face protection: ield. safety glasses with si gloves. Neoprene gloves it not be allowed out of the	ide- S
Precautionary statements	-				
Hazard statements	•	an allergic skin reaction. I of damaging fertility.			
Signal word	: Warning				
GHS label elements Hazard pictograms	:				
	Percentag	e of the mixture consisting	g of ingredient(s) of	unknown oral toxicity: 52.2 unknown dermal toxicity: { unknown inhalation toxicit	53.9%
Classification of the substance or mixture		SITIZATION - Category 1) REPRODUCTION (Ferti	lity) - Category 2		
OSHA/HCS status		al is considered hazardou 910.1200).	is by the OSHA Haz		iaiu

 IF exposed or concerned: Get medical attention. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention.
: Store locked up.
 Dispose of contents and container in accordance with all local, regional, national and international regulations.
: None known.

Section 3. Composition/information on ingredients

available.

Substance/mixture	: Mixture
Other means of	: Not avai
identification	

KeySplint Soft

The specific chemical identity and exact concentration of the ingredient(s) listed below are being withheld as a trade secret.

Ingredient name	CAS number	EC number	INCI Name	%
Proprietary Ingredient #1	-	-	-	≥25 - ≤50
Proprietary Ingredient #2	-	-	-	≤3
Proprietary Ingredient #3	-	-	-	≤3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Section 4. First aid measures

Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/	effects. acute and delayed
Potential acute health effe	ects
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
<u>Over-exposure signs/sym</u>	<u>ptoms</u>
Eye contact	: No specific data.
Inhalation	: Adverse symptoms may include the following: Suspected of damaging fertility.
Skin contact	: Adverse symptoms may include the following: Suspected of damaging fertility. redness irritation
Ingestion	: Adverse symptoms may include the following: Suspected of damaging fertility.
Indication of immediate me	dical attention and special treatment needed. if necessary
Notes to physician	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.

Section 5. Fire-fighting measures

Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides
Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Section 7. Handling and storage

Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name		Exposure limits	
Proprietary Ingredient#1 Proprietary Ingredient#2 Proprietary Ingredient#3	nt#2 None.		
Appropriate engineering controls		gas, vapor or mist, use process enclosures, eering controls to keep worker exposure to nmended or statutory limits.	
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.		
Individual protection measu	<u>ires</u>		
Hygiene measures	eating, smoking and using the lavatory Appropriate techniques should be used Contaminated work clothing should not	to remove potentially contaminated clothing. be allowed out of the workplace. Wash Ensure that eyewash stations and safety	
Eye/face protection	assessment indicates this is necessary gases or dusts. If contact is possible, th the assessment indicates a higher degr	oved standard should be used when a risk to avoid exposure to liquid splashes, mists, ne following protection should be worn, unless ee of protection: safety glasses with side- sh goggles and/or face shield. safety glasses	
Skin protection			
Hand protection	worn at all times when handling chemic necessary. Considering the parameters during use that the gloves are still retair noted that the time to breakthrough for	omplying with an approved standard should be cal products if a risk assessment indicates this is a specified by the glove manufacturer, check hing their protective properties. It should be any glove material may be different for different ctures, consisting of several substances, the accurately estimated.	

Section 8. Exposure controls/personal protection

•	· · ·
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Nitrile gloves. Neoprene gloves.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Personal protective equipment (Pictograms)	

Section 9. Physical and chemical properties

Appearance	
Physical state	: Liquid.
Color	: Clear.
Odor	: Acrylic [Slight]
Odor threshold	: Not available.
рН	: Not available.
Melting point	: Not available.
Boiling point	:>100°C(>212°F)
Flash point	: Closed cup: >100°C (>212°F) [Setaflash.]
Evaporation rate	: Not available.
Flammability (solid, gas)	: Notavailable.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: Not available.
Solubility	: Partially soluble in the following materials: acetone. Very slightly soluble in the following materials: cold water and hot water.
Solubility in water	: Notavailable.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Notavailable.
Viscosity	: Kinematic (room temperature): 6 to 12 cm²/s (600 to 1200 cSt)
Flow time (ISO 2431)	: Notavailable.

: 1/10/2019

Section 10. Stability and reactivity

Chemical stability: The product is stable.Possibility of hazardous reactions: Hazardous reactions or instability may occur under certain conditions of storageConditions to avoid: Storage > 38 °C (100 °F), exposure to light, loss of dissolved air, and contamin with incompatible materials.Incompatible materials: Polymerization initiators, including peroxides, strong oxidizing agents, alcoho copper alloys, carbon steel, iron, rust, and strong bases.	nts.
reactions Conditions to avoid : Storage > 38 °C (100 °F), exposure to light, loss of dissolved air, and contamin with incompatible materials. Incompatible materials : Polymerization initiators, including peroxides, strong oxidizing agents, alcoho	
with incompatible materials. Incompatible materials : Polymerization initiators, including peroxides, strong oxidizing agents, alcoho	e or use.
	ation
	, copper,
Hazardous decomposition : Under normal conditions of storage and use, hazardous decomposition products products not be produced.	s should

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Proprietary Ingredient #2	LD50 Oral	Rat	5050 mg/kg	-

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure) Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure

: Not available.

Section 11. Toxicological information

Potential acute health effects	
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics				
Eye contact	: No specificdata.			
Inhalation	: Adverse symptoms may include the following: Suspected of damaging fertility.			
Skin contact	: Adverse symptoms may include the following: Suspected of damaging fertility. redness irritation			
Ingestion	: Adverse symptoms may include the following: Suspected of damaging fertility.			

Delaved and immediate effects and also chronic effects from short and long term exposure

Delaveu anu inimeulate enec	is and also chronic enects from short and fond term exposure
<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Notavailable.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Notavailable.
Potential chronic health effe	ects
Not available.	
General	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: Suspected of damaging fertility.

Numerical measures of toxicity

Acute toxicity estimates Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Proprietary Ingredient #2		ute LC50 227000 μg/l Fresh water Juvenile (Fledgling, Hatchling, Weanling)	

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Proprietary Ingredient #2	0.42	-	low
Proprietary Ingredient #3	-	53 to 72	low

<u>Mobility in soil</u>

Soil/water partition : Not available. coefficient (Koc)

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods: The generation of waste should be avoided or minimized wherever possible. Disposal
of this product, solutions and any by-products should at all times comply with the
requirements of environmental protection and waste disposal legislation and any
regional local authority requirements. Dispose of surplus and non-recyclable products
via a licensed waste disposal contractor. Waste should not be disposed of untreated to
the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Waste packaging should be recycled. Incineration or landfill should only be considered
when recycling is not feasible. This material and its container must be disposed of in a
safe way. Care should be taken when handling emptied containers that have not been
cleaned or rinsed out. Empty containers or liners may retain some product residues.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains
and sewers.

Section 14. Transport information

	•					
	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	UN3082	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	-	-
Date of issue/Date of	revision : 4/24/	2019 Date o	f previous issue	: 1/10/2019	Version	: 2.01 9/1

KeySplint Soft							
Section 14.	Transp	ort inform	ation				
Transport hazard class(es)	-	-	-	9	-	-	
Packing group	-	-	-		-	-	
Environmental hazards	No.	No.	No.	Yes.	No.	No.	
Additional inform ADR/RID	nation					ted in sizes of ≤5 L or 1.1.1, 4.1.1.2 and 4.1.1.	
ΙΑΤΑ		: The environmentally hazardous substance mark may appear if required by other transportation regulations.					
Special precautions for user		: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.					
Transport in bulk to Annex II of MA the IBC Code		: Not available.					

Section 15. Regulatory information

U.S. Federal regulations	: TSCA 8(a)	PAIR: Pigment Violet 19			
	TSCA 8(a	a) CDR Exempt/Partial exe	emption: Not detern	nined	
	Clean Wa	ater Act (CWA) 307: Pigmo	ent Blue 15		
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Listed				
Clean Air Act Section 602 Class I Substances	: Notlisted				
Clean Air Act Section 602 Class II Substances	: Notlisted				
DEA List I Chemicals (Precursor Chemicals)	: Notlisted				
DEA List II Chemicals (Essential Chemicals)	: Notlisted				
<u>SARA 302/304</u>					
Composition/information	on ingredient	<u>s</u>			
No products were found.					
SARA 304 RQ	: Not applica	able.			
<u>SARA 311/312</u>					
Date of issue/Date of revision	: 4/24/2019	Date of previous issue	: 1/10/2019	Version : 2.01	10/13

Section 15. Regulatory information

Classification

: SKIN SENSITIZATION - Category1 TOXIC TO REPRODUCTION (Fertility) - Category 2

Composition/information on ingredients

Name	%	Classification
Proprietary Ingredient#1	≥25 - ≤50	SKIN SENSITIZATION - Category 1A
Proprietary Ingredient#2	≤3	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1
Proprietary Ingredient#3	Proprietary	COMBUSTIBLE DUSTS TOXIC TO REPRODUCTION (Fertility, causing atrophy of the testes) - Category 2

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Proprietary Ingredient #1	-	≥25 - ≤50
Supplier notification	Proprietary Ingredient #1	-	≥25 - ≤50

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: The following components are listed: GLYCOL ETHERS
Pennsylvania	: None of the components are listed.
<u>California Prop. 65</u>	

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations


<u>Chemical Weapon Convention List Schedules I. II & III Chemicals</u> Not listed.

Inventory list

Australia	: Not determined.
Canada	: At least one component is not listed in DSL but all such components are listed in NDSL.
China	: All components are listed or exempted.
Europe	: Not determined.
Japan	: Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined.
Malaysia	: Not determined.
New Zealand	: All components are listed or exempted.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: All components are listed or exempted.
Viet Nam	: Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

	Classification	Justification	
SKIN SENSITIZATION - Ca TOXIC TO REPRODUCTIO	Calculation method Calculation method		
<u>History</u>			
Date of printing	: 4/24/2019		
Date of issue/Date of revision	: 4/24/2019		
Date of previous issue	issue : 1/10/2019		
Version	: 2.01		
Key to abbreviations	 ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations 		

Date of issue/Date of revision	: 4/24/2019	Date of previous issue	: 1/10/2019	Version : 2.01
--------------------------------	-------------	------------------------	-------------	----------------

12/13

Section 16. Other information

References : Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Information contained within this SDS is only to be distributed as required by law.