

Printing date 09/13/2019 Version number 1 Reviewed on 09/13/2019

1 Identification

- · Product identifier
- · Trade name: Porta Aurium 2, Auropal KF
- Application of the substance / the mixture

Dental alloy

Manufacture of dental prothesis

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ivoclar Vivadent Inc.

175 Pineview Drive, Amherst, N.Y. 14228

USA

Tel. +1 800 533 6825

Fax +1 716 691 2285

Ivoclar Vivadent Inc.

1-6600 Dixie Road

Mississauga, Ontario

L5T 2Y2 Canada

Phone: +1 905 670 8499 Fax: +1 905 670 3102

· Information department: Quality Assurance / Regulatory Affairs

Emergency telephone number:

24 Hour Emergency Assistance:

Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-6666

General SDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182

2 Hazard identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Alloys do not require a label, providing they do not present a hazard to human health by inhalation, ingestion or contact with skin or to the aquatic environment in the form in which they are placed on the market.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0
 Fire = 0
 Reactivity = 0

(Contd. on page 2)

Printing date 09/13/2019 Version number 1 Reviewed on 09/13/2019

Trade name: Porta Aurium 2, Auropal KF

(Contd. of page 1)

· Other hazards Avoid breathing of grinding dust and vapours. Melted material may cause burns.

3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Dental alloy

· Dangerous components:			
CAS: 7440-22-4	silver	15-40% w/w *	
CAS: 7440-05-3	palladium	5-10% w/w *	
CAS: 7440-74-6	indium	1-5% w/w *	

^{*} Actual concentration ranges are withheld as a trade secret.

4 First aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Grinding dust: Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: After contact with the molten product, cool rapidly with cold water.
- · After eye contact:

Grinding dust: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Seek medical treatment.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: The product is not flammable.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

No special measures required.

Do not allow to enter sewers/surface or ground water.

- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

CA

Printing date 09/13/2019 Version number 1 Reviewed on 09/13/2019

Trade name: Porta Aurium 2, Auropal KF

(Contd. of page 2)

7 Handling and storage

- · Handling:
- Precautions for safe handling

Only adequately trained personnel should handle this product.

For use in dentistry only.

Extractors are required on all machines used for thermal processing or splinter removal processes.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

CAS: 7440-22-4 silver

EL Short-term value: 0.03 mg/m³ Long-term value: 0.01 mg/m³

as Ag

EV Long-term value: 0.1* 0.01** mg/m³

*metal; **water-soluble compdounds (as silver)

CAS: 7440-74-6 indium

EL Long-term value: 0.1 mg/m³

as In; IARC 2B

EV Long-term value: 0.1 mg/m³

as indium

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Usual hygienic measures for dental practice and dental laboratories.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Use respiratory protective device against the effects of fumes/dust/aerosol.
- · Protection of hands: Protective gloves should always be worn during mechanical and thermal processing.
- · Material of gloves

Thermal processing:

Heat protection gloves

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Printing date 09/13/2019 Version number 1 Reviewed on 09/13/2019

Trade name: Porta Aurium 2, Auropal KF

(Contd. of page 3)

· Eye protection:

Always wear safety goggles during mechanical processing (grinding, sawing /cutting, drilling, milling).

Information on basic physical and	chemical properties			
· General Information				
Appearance:	0.1.1			
Form: Color:	Solid Yellow			
Odor:	Odorless			
Odor threshold:	Not determined.			
pH-value:	Not applicable.			
Change in condition				
Melting point/Melting range:	910 - 1110 °C			
Boiling point/Boiling range:	Undetermined.			
Flash point:	Not applicable.			
Flammability (solid, gaseous):	Not determined.			
Auto igniting:	Product is not selfigniting.			
Danger of explosion:	Product does not present an explosion hazard.			
Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
Vapor pressure:	Not applicable.			
Density at 20 °C:	$13.7 - 14.2 \text{ g/cm}^3$			
Relative density	Not determined.			
Vapor density	Not applicable.			
Evaporation rate	Not applicable.			
Solubility in / Miscibility with				
Water:	Insoluble.			
Partition coefficient (n-octanol/wat	t er): Not determined.			
Viscosity:				
Dynamic:	Not applicable.			
Kinematic:	Not applicable.			
Solvent content:				
Solids content:	100 %			
Other information	No further relevant information available.			

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal handling and storage conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 5)

Printing date 09/13/2019 Version number 1 Reviewed on 09/13/2019

Trade name: Porta Aurium 2, Auropal KF

(Contd. of page 4)

· Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Fumes or dusts generated from cutting or grinding operations may cause respiratory irritation.

- · Carcinogenic categories
- · NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

141	ransp	ort in	forma	non

- · UN-Number
- · DOT/TDG, ADR, ADN, IMDG, IATA Void
- · UN proper shipping name
- · DOT/TDG, ADR, ADN, IMDG, IATA Void
- · Transport hazard class(es)
- · DOT, ADR, ADN, IMDG, IATA
- · Class Void
- · Packing group
- · DOT/TDG, ADR, IMDG, IATA Void

(Contd. on page 6)

Printing date 09/13/2019 Version number 1 Reviewed on 09/13/2019

Trade name: Porta Aurium 2, Auropal KF

	(Contd. of page 5)			
· Environmental hazards:	Not applicable.			
· Special precautions for user	Not applicable.			
Transport in bulk according to Annex MARPOL73/78 and the IBC Code				
· Transport/Additional information:	Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).			
· UN ''Model Regulation'':	Void			

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- Section 355 (extremely hazardous substances):

 None of the ingredients is listed.

 Section 313 (Specific toxic chemical listings):

 CAS: 7440-22-4 silver

 CAS: 7440-22-4 silver

 CAS: 7440-05-3 palladium
 - CAS: 7440-74-6 indium

 GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · National regulations:
- · Other regulations, limitations and prohibitive regulations

The product is a medical device according to the Directive 93/42/EEC.

This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Date of the latest revision of the safety data sheet 09/13/2019 / -
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative