ivoclar vivadeni:

Safety Data Sheet in accordance with HSNO

Printing date 06.12.2019

Version number 2

Revision: 06.12.2019

1 Identification of the substance or mixture and of the supplier

· Product identifier

Trade name: IPS e.max ZirCAD MT Colouring Liquid C1, C2, C3, C4, D4 / IPS e.max ZirCAD LT Colouring Liquid D2

• **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture Manufacture of dental prothesis

• Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Ivoclar Vivadent AG Bendererstrasse 2 9494 Schaan PRINCIPALITY OF LIECHTENSTEIN Tel: +423 235 35 35 / Fax: +423 235 33 60

Importer: Ivoclar Vivadent Ltd 12 Omega St, Rosedale, Auckland New Zealand Tel: + 64 9 914 9999 / Fax: + 64 9 914 9990

• Further information obtainable from:

Regulatory Affairs sds@ivoclarvivadent.com • Emergency telephone number: 0800 764 766 (National Poison Centre - 24 hours / 7 days)

2 Hazards identification

· Classification of the substance or mixture

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms



· Signal word Danger

- Hazard-determining components of labelling: inorganic nitrate salts
- · Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Printing date 06.12.2019

Version number 2

Revision: 06.12.2019

Trade name: IPS e.max ZirCAD MT Colouring Liquid C1, C2, C3, C4, D4 / IPS e.max ZirCAD LT Colouring Liquid D2

(Contd. of page 1)

2.5-10%

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/Information on ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7782-61-8 Iron(III) nitrate nonahydrate

Ox. Sol. 2, H272; Skin Irrit. 2, H315; Eye Irrit. 2A, H319

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· Description of first aid measures

- After inhalation:
- Supply fresh air or oxygen; call for doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately rinse with water.
- After eye contact:
- Rinse opened eye for several minutes under running water.
- Call a doctor immediately.
- *After swallowing: Rinse out mouth and then drink plenty of water. Seek medical treatment.*
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away. • Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 3)

NZ

Printing date 06.12.2019

Version number 2

Revision: 06.12.2019

Trade name: IPS e.max ZirCAD MT Colouring Liquid C1, C2, C3, C4, D4 / IPS e.max ZirCAD LT Colouring Liquid D2

(Contd. of page 2)

See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Only adequately trained personnel should handle this product.
- For use in dentistry only.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- \cdot Further information about storage conditions:
- Keep container tightly sealed.
- Protect from heat and direct sunlight.
- *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Usual hygienic measures for dental practice and dental laboratories. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Immediately remove all soiled and contaminated clothing Avoid contact with the eyes and skin.
 Respiratory protection: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves Natural rubber, NR Chloroprene rubber, CR Nitrile rubber, NBR Butyl rubber, BR Fluorocarbon rubber (Viton) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

NZ

Printing date 06.12.2019

Version number 2

Revision: 06.12.2019

Trade name: IPS e.max ZirCAD MT Colouring Liquid C1, C2, C3, C4, D4 / IPS e.max ZirCAD LT Colouring Liquid D2

(Contd. of page 3)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

| Information on basis physical and show | uiaal muon ontion | |
|---|---|--|
| Information on basic physical and chen General Information | nicai properties | |
| Appearance: | | |
| Form: | Fluid | |
| Colour: | Different according to colouring | |
| Odour: | <i>Characteristic</i> | |
| Odour threshold: | Not determined. | |
| pH-value at 20 °C: | < 2 | |
| Change in condition | | |
| Melting point/freezing point: | Undetermined. | |
| Initial boiling point and boiling range | e: Undetermined. | |
| Flash point: | Undetermined. | |
| Flammability (solid, gas): | Not applicable. | |
| Auto-ignition temperature: | Product is not selfigniting. | |
| Explosive properties: | Product does not present an explosion hazard. | |
| Vapour pressure: | Not determined. | |
| Density: | Not determined. | |
| Relative density | Not determined. | |
| Vapour density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| water: | Soluble. | |
| Partition coefficient: n-octanol/water: | Not determined. | |
| Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability Stable under normal handling and storage conditions.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 5)

NZ

Printing date 06.12.2019

Version number 2

Revision: 06.12.2019

Trade name: IPS e.max ZirCAD MT Colouring Liquid C1, C2, C3, C4, D4 / IPS e.max ZirCAD LT Colouring Liquid D2

(Contd. of page 4)

- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- · Behaviour in environmental systems:
- · *Bioaccumulative potential* No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

| UN-Number ADR/RID/ADN, IMDG, IATA | UN3264 |
|--------------------------------------|---|
| UN proper shipping name | |
| ADR/RID/ADN | 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, |
| | N.O.S. (inorganic nitrate salts) |
| IMDG, IATA | CORROSIVE LIQUID, ACIDÍC, INORGANIC, N.O.S. |
| | (inorganic nitrate salts) |

JZ –

Printing date 06.12.2019

Version number 2

Revision: 06.12.2019

Trade name: IPS e.max ZirCAD MT Colouring Liquid C1, C2, C3, C4, D4 / IPS e.max ZirCAD LT Colouring Liquid D2

| | (Contd. of pag |
|--|--|
| Transport hazard class(es) | |
| ADR/RID/ADN | |
| | |
| • Class • Label | 8 (C1) Corrosive substances. 8 |
| · IMDG, IATA | |
| | |
| · Class · Label | 8 Corrosive substances. 8 |
| · Packing group · ADR/RID/ADN, IMDG, IATA | Ш |
| · Environmental hazards: | Not applicable. |
| Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category Stowage Code | Warning: Corrosive substances. 80 F-A,S-B Acids B SW2 Clear of living quarters. |
| Transport in bulk according to Annex II and the IBC Code | of Marpol Not applicable. |
| Transport/Additional information: | |
| • ADR/RID/ADN • Limited quantities (LQ) • Excepted quantities (EQ) • Transport category | 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 |
| • Tunnel restriction code | Ē |
| · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) | 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |
| · UN "Model Regulation": | UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (INORGANIC NITRATE SALTS 8, II |

(Contd. on page 7)

Printing date 06.12.2019

Version number 2

Revision: 06.12.2019

Trade name: IPS e.max ZirCAD MT Colouring Liquid C1, C2, C3, C4, D4 / IPS e.max ZirCAD LT Colouring Liquid D2

(Contd. of page 6)

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealand Inventory of Chemicals

CAS: 7782-61-8 Iron(III) nitrate nonahydrate

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS). • *Hazard pictograms*



GHS05

· Signal word Danger

• *Hazard-determining components of labelling: inorganic nitrate salts*

· Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• National regulations:

• Other regulations, limitations and prohibitive regulations

The product is a medical device according to the Directive 93/42/EEC.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

Herevant phrases
H272 May intensify fire; oxidiser.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: Chemical Abstracts Service (division of the American Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic

- vPvB: very Persistent and very Bioaccumulative
- Ox. Sol. 2: Oxidizing solids Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

(Contd. on page 8)

NZ

Printing date 06.12.2019

Version number 2

Revision: 06.12.2019

Trade name: IPS e.max ZirCAD MT Colouring Liquid C1, C2, C3, C4, D4 / IPS e.max ZirCAD LT Colouring Liquid D2

(Contd. of page 7)

NZ

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A