

SAFETY DATA SHEET (GHS)

Issue Date:	29.03.2019
Version:	1.0.1
Revision Date:	29.03.2024
Print Date:	29.03.2019

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE/PRODUCT AND MANUFACTURER/IMPORTER

1.1	Product identifier:-				
	Product name:	High	Fusing White Ceramic Solde	r	
	Product number:	NA ¹	190404		
1.2	Other means of identification:-				
	Not applicable.				
1.3					
	Not applicable.				
	Identified uses:	Dent	al Alloy / Manufacture of dental	prosthesis.	
1.4					
	Manufacturer:		ar Vivadent Inc.		
		175 Pineview Drive			
		Amh	erst New York 14228 United Sta	ates of America	
			+ 1 800 533 6825 Fax: + 1 716		
	Importer:		ar Vivadent Ltd		
			12 Omega St, Rosedale, Auckland, New Zealand		
			Phone +64 9 914 9999 Fax +64 9 914 9990		
			www.ivoclarvivadent.co.nz		
1.5	Emergency phone number:		764 766 (National Poison Cent	tre)	
			ons Hotline (24 hours / 7 days)		
		I	(
2. 2.1	HAZARD(S) IDENTIFICATION GHS Classification:- Void.				
2.2					
	Hazard Pictogram:	Void			
	Signal word:		Void.		
	Hazard statements:		Void.		
			Void.		
	Additional information:				
	Alloys do not require a label, providing they do not present a hazard to human health by inhalation,				
	ingestion or contact with skin or to the aquatic environment in the form in which they are placed on the				
	market.				
2.3	Other hazards:-	i			
	Results of PBT and vPvB assessment:		Not applicable.		
		vPvE	3: Not applicable.		
3	COMPOSITION/INFORMATION O				
	Ingredient name	CAS No.	Classification	Concentration	
	Silver	7440-22-4	Substance with a community	25-50%	
			workplace exposure limit		
	Palladium	7440-05-3	Self-heat. 2 – H252	10-<25%	
			Ox. Sol. 2 – H272		
	Non-hazardous ingredients	N/A	N/A	to 100%	

For the full text of the H-Statements mentioned in this Section, refer to Section 16.



4. FIRST AID MEASURES

4.1	Description of necessary first aid measures:-			
	General advice:	No special measures required.		
		Remove contaminated clothing and shoes immediately		
		and launder thoroughly before reusing.		
		First aid facilities include first aid rooms and medical		
		centres.		
		If a risk assessment determines that a first aid room or		
		medical centre is not needed, a rest area within the		
		workplace may be suitable to assist an injured or ill		
		person.		
	If inhaled:	Grinding dust: -		
		Remove affected person from the immediate area.		
		Ensure supply of fresh air and consult a doctor in case of		
		complaints.		
		Keep patient warm.		
		In case of unconsciousness place patient stably in side		
		position for transportation.		
	In case of skin contact:	After contact with molten product, cool rapidly with cold		
		water.		
		Wash off immediately with water.		
		Generally the product does not irritate the skin.		
	In appa of ava contact	If skin irritation occurs, consult a doctor. Grinding dust: -		
	In case of eye contact:	Remove contact lenses, irrigate copiously with clean,		
		fresh water for at least 15 minutes holding the eyelids		
		apart and consult a doctor.		
		Mechanical effects only.		
	If swallowed	Do not induce vomiting.		
	il citation cu	Rinse mouth thoroughly with water.		
		Let plenty of water be drunk in small gulps.		
		Never give anything by mouth to an unconscious person.		
		Seek medical treatment immediately.		
4.2	Symptoms caused by exposure:-	Please refer to section 2.2 and section 11.		
4.3	Medical attention and special treatment: -	No further relevant information available.		
	-			
5.	FIRE FIGHTING MEASURES			
5.1	Suitable extinguishing equipment:-			
	Suitable extinguishing media:	This product is not flammable.		
	Unsuitable extinguishing media:	No further relevant information available.		
5.2	Specific hazards arising from the	No further relevant information available.		

substance/mixture/product:5.3 Special protective equipment and precautions for fire fighters:Special personal protective equipment: Do not inhale explosion gases or other set of the set of

Special personal protective equipment:Do not inhale explosion gases or combustion gases.Precautions:Do not inhale explosion gases or combustion gases.Precautions:Cool endangered receptacles with water spray.

6. ACCIDENTAL RELEASE MEASURES

 6.1 Personal precautions, protective equipment and emergency procedures:-No special measures required. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. Use of suitable equipment (incl PPE) to prevent contamination of skin, eyes, clothing, removal of ignition



sources, ventilation, emergency procedures (eg. evacuate, consult expert).

6.2 Environmental precautions:-

Do not allow to enter sewers/surface or ground water.

6.3 Methods and materials for containment and cleaning up:-

Pick up mechanically.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling:-

Extractors are required on all machines used for thermal processing or splinter removal processes. No special measures necessary if stored and handled as prescribed. Only adequately trained personnel should handle this product. Ensure good ventilation/exhaustion at the workplace. Wash hands before breaks and after work. Do not eat, drink or smoke during work time. Remove soiled or soaked clothing immediately. Keep away from foodstuffs and beverages.

7.2 Conditions for safe storage, including any incompatibilities:-Keep only in the original container. Keep container tightly sealed. Store in cool, dry conditions in well-sealed receptacles. Store receptacle in a well ventilated area. Recommended storage temperature for storage rooms and vessels is 20 - 30°C.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Exposure control measures:-

Occupational exposure limits:

Ingredients with biological values:				
Component	CAS No.	Value	Parameters	Basis
Silver	7440-22-4	Long-term value: 0.1 mg/m ³		The lists valid during the making were used as basis

Ingredients with biological limit values:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Exposure should be kept to as low as practicable and below the AOES.

8.2 Biological monitoring:-

Assess in accordance with exposure limits – please refer to section 8.1.

Exposure controls / Personal protective equipment / General protective and hygienic measures: Usual hygienic measures for dental practice.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Do not inhale gases/fumes/aerosols.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Avoid contact with the eyes and skin.

Always wear safety goggles during mechanical processing (grinding/sawing/cutting/drilling/milling).

8.3 Control banding:-

Use good industrial hygiene practice and general ventilation.



8.4	Engineering controls:- In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Individual protection measures include PPE:-	
	Eye/face protection:	Safety glasses Use tightly fitting safety glasses as per Australian
		Standard AS 1336 and AS/NZS 1337.
	Skin protection:	Protective gloves The glove material has to be impermeable and resistant to
		the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves Butyl rubber, BR. Fluorocarbon rubber (Viton). PVA gloves.
		The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
	Respiratory protection:	Provide for good ventilation of working area (local exhaust ventilation, if necessary). In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained
9. 9.1	PHYSICAL/CHEMICAL PROPERTIES	respiratory protective device.

Appearance/Form:a)

- Colour:b)
- Odour: c)
- d) Odour threshold:
- pH value: e)

Solid. Grey. Odourless. Not determined. Not applicable.

High Fusing White Ceramic Solder



- f) Melting point/melting range:
- g) Boiling point/boiling range:
- h) Flash point:
- i) Ignition temperature:
- j) Self-igniting:
- k) Danger of explosion:
- I) Upper/lower flammability or explosive limits:
- m) Vapour pressure:
- n) Density at 20°C:
- o) Relative density:
- p) Vapour density:
- q) Evaporation rate:
- r) Solubility in/miscibility with water:
- s) Partition coefficient: n- octanol/water:
- t) Viscosity:

10. STABILITY AND REACTIVITY

- **10.1 Reactivity;-**No further relevant information available.
- 10.2 Chemical stability:-Stable under normal handling and storage conditions. Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions:**-Reacts with reducing agents.
- **10.4 Conditions to avoid:-**No further relevant information available.
- **10.5** Incompatible materials:-No further relevant information available.
- **10.6 Hazardous decomposition products:-**None under normal conditions of storage and use.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects: Acute toxicity / Values relevant for classification: None. Skin corrosion/irritation:

Serious eye damage/eye irritation: Respiratory or skin sensitization: Additional toxicology information:

Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: Specific target organ toxicity - single exposure: Specific target organ toxicity - repeated exposure: Aspiration hazard: Additional information: 1100 - 1165°C. Undetermined. Not applicable.

Not determined. Product is not self-igniting. Product does not present an explosion hazard. Not determined. Lower Upper Not determined. Not applicable. Not determined. Not determined Not applicable. Not applicable. Insoluble. Not determined. Dvnamic Not applicable. Kinematic Not applicable.

No irritant effect. Mechanical effects only. No sensitizing effects known. Fumes or dusts generated from cutting and grinding operations may cause respiratory irritation. No further relevant information available. No further relevant information available.

No further relevant information available. No further relevant information available.



Information on possible routes of exposure:-11.2

No further relevant information availab
No further relevant information availab
Mechanical effects only.
No further relevant information availab
Mechanical effects only.
No further relevant information availab
No further relevant information availab
No further relevant information availab

- 11.4 Delayed health effects from exposure:-
- 11.5 Exposure levels and health effects:-
- 11.6 Interactive effects:-
- Other:-11.7

11.3

- 12. **ECOLOGICAL INFORMATION**
- 12.1 Ecotoxicity:-No further relevant information available.
- 12.2 Persistence/degradability:-No further relevant information available.
- 12.3 **Bioaccumulative potential:-**No further relevant information available.
- Mobility in soil:-12.4 No further relevant information available.
- 12.5 Other adverse effects:-No further relevant information available. Additional ecological information / General notes: Water hazard class 1 (German Regulation)(Self-assessment): slightly hazardous for water. Do not allow undiluted products or large quantities of it to reach ground water, water course or sewage. Other adverse effects:-12.6
 - No further relevant information available

13. **DISPOSAL CONSIDERATIONS**

13.1 **Disposal methods:-**

Must not be disposed together with household garbage.

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal.

Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

Disposal must be made according to official regulations.

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

TRANSPORT INFORMATION 14.

UN number ADR / IMDG / IATA:-	Void.
UN proper shipping name or technical name:-	
ADR:	Void. Void.
IMDG, IATA:	Void.

able. ble.

ble. ble. ble. ble

ble. ble. ble.

No further relevant information available. No further relevant information available. No further relevant information available. No further relevant information available.



High Fusing White Ceramic Solder

	passion vision innov
Transport hazard class(es):	Void.
Label:	Void.
Packaging group:	Void.
Environmental hazards:	No.
Special precautions for user:	Not applicable.
Danger code: EMS Number: Transport in bulk according to Annex II of	Void. Void. Not applicable.
MARPOL73/78 and the IBC Code: Additional information – ADR:-	Product is not classified as a dangerous good for transport.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance/mixture/product:-

Classified as Hazardous according to the criteria of the National Occupational Health and Safety Commission (NOHSC) approved criteria for the classifying hazardous substances [NOHSC: 1008] 3rd edition.

Standard for the Uniform Scheduling of Medicines and Poisons.

Carcinogen classification under WHS Regulation 2011, Schedule 10.

Notification status in accordance with section 3 and current national legislation.

HSNO Approval: HSR003077

EPA NZ Classes of hazardous properties: Class 9.1A Substances that are very ecotoxic in the aquatic environment

16. OTHER INFORMATION

Key to abbreviations/acronyms used in SDS:-

H252 Self-heating in large quantities: may catch fire. H272 May intensify fire: oxidiser.

Key literature references/data sources used to compile SDS:-

Standard EN420:2003 General requirements for protective gloves: disposable gloves, e.g. nitrile rubber, material thickness 0.1 mm (Australian Standard 2161).

Long-term exposure (Level 6: < 480 min): protective gloves, e.g. nitrile rubber, material thickness 0.7 mm (Australian Standard 2161).

Personal eye protection - Éye and face protectors for occupational applications: safety glasses (Australian Standard AS 1336 and AS/NZS 1337.1:2010).

Copyright statement:-

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:-

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road).

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

GHS: Globally Harmonised System of Classification and Labelling of Chemicals.

EINECS: European Inventory of Existing Commercial Chemical Substances.

ELINCS: European List of Notified Chemical Substances.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

Aquatic Acute 1: Hazardous to the aquatic environment – AcuteHazard, Category 1.

Aquatic Chronic 1: Hazardous to the aquatic environment – Chronic Hazard, Category 1.

Aquatic Chronic 3: Hazardous to the aquatic environment – Chronic Hazard, Category 1. LC50: Lethal concentration, 50 percent.

High Fusing White Ceramic Solder



LD50: Lethal dose, 50 percent. Flam. Liq. 2: Flammable liquids, Hazard Category 2. Flam. Liq. 3: Flammable liquids, Hazard Category 3. Acute Tox. 4: Acute toxicity, Hazard Category 4. Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2. Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2. Repr. 2: Reproductive toxicity, Hazard Category 2. STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3. STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2. Asp. Tox. 1: Aspiration hazard, Hazard Category 1. * Data compared to the previous version altered

Disclaimer:-

Ivoclar Vivadent Ltd believes the information in this document to be accurate as at the date of preparation, but, to the maximum extent permitted by law, Ivoclar Vivadent Ltd accepts no responsibility for any loss or damage caused by any person acting or refraining from action because of this information.

The provision of this information should not be construed by anyone as a recommendation to use this product. In particular, no one should use any product in violation of any patent or other intellectual proprietary rights or in breach of any statute or regulation.

Users should rely on their own knowledge and inquiries and make their own determination as to the applicability of this information in relation to their particular purposes and specific circumstances. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace and in conjunction with other substances or products.

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.