

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# smartrepair® rosa

Revision date: 24.09.2020 Product code: 922 Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

smartrepair® rosa

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Ligth curing repair material for use in dentistry.

## 1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: DETAX GmbH & Co. KG Street: Carl-Zeiss-Strasse Place: D-76275 Ettlingen

Telephone: +49 7243/510-0 Telefax: +49 7243/510-100

e-mail: post@detax.de Internet: www.detax.de Responsible Department: Emergency number:

+49 7243/510-0

This number is only obtainable during office hours (Monday - Thursday 8.00 a.m.

- 5.00 p.m., Friday 8.00 a.m. - 4.00 p.m.)

Importer / Distributer

Company name: Ivoclar Vivadent Pty Ltd

1-5 Overseas Drive Noble Park North VIC 3174 Place:

Telephone: +61 3 9795 9599 Telefax: Fax: +61 3 9795 9645

e-mail: info@ivoclarvivadent.com

1.4. Emergency telephone 13 11 26

number: Poisons Hotline (24 hours / 7 days)

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1

Reproductive toxicity: Repr. 2

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements: Causes skin irritation. Causes serious eve irritation. May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child. Toxic to aquatic life with long lasting effects.

# 2.2. Label elements

### Regulation (EC) No. 1272/2008

# Hazard components for labelling

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate tetrahydrofurfuryl methacrylate THFMA purified grade

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Signal word: Warning



according to Regulation (EC) No 1907/2006

# smartrepair® rosa

Revision date: 24.09.2020 Product code: 922 Page 2 of 11

#### Pictograms:







#### **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.
H411 Toxic to aquatic life with long lasting effects.

## **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents/ container in accordance with local and national regulations.

### Additional advice on labelling

According to Regulation (EC) 1272/2008, art.1 No. 5 (d) this product as a medical product must not be labelled!

## 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## **Chemical characterization**

Mixture of acrylic/ methacrylic resins with auxilliary matters.

#### Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification					
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate					
	276-957-5	276-957-5 01-2120751202-68				
	Skin Sens. 1B, Aquatic C	hronic 2; H317 H411				
2455-24-5	tetrahydrofurfuryl methacrylate THFMA purified grade					
	Repr. 2, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H361 H315 H319 H317 H335					
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide					
	278-355-8	015-203-00-X				
	Repr. 2, Skin Sens. 1B, Aquatic Chronic 2; H361f H317 H411					
21245-02-3	2-Ethylhexyl 4-(dimethylamino)benzoate					
	244-289-3		01-2120766649-35			
	Repr. 1B; H360					

Full text of H and EUH statements: see section 16.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# smartrepair® rosa

Revision date: 24.09.2020 Product code: 922 Page 3 of 11

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

### After ingestion

Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Medical treatment necessary. Seek immediately medical advice. Do not induce vomiting. In case of spontaneous vomiting take care of an unhindered flow out of the vomit (danger of suffocation).

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## 5.2. Special hazards arising from the substance or mixture

Non-flammable.

## 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

## Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## smartrepair® rosa

Revision date: 24.09.2020 Product code: 922 Page 4 of 11

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

#### Hints on joint storage

Keep away from spontaneous flammable or combustible substances.

## Further information on storage conditions

Keep only in the original container in a cool, dry and well-ventilated place, away from foodstuffs. Keep away from all kind of ligth. An inert gas blanket should not be applied, because the stability of the product depends on the presence of oxygen (air).

#### 7.3. Specific end use(s)

Dental repair material.

For use by trained specialist staff.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.2. Exposure controls

### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

## Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

## Eye/face protection

Suitable eye protection: goggles.

## **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable are gloves of the following material: Butyl caoutchouc (butyl rubber)

## Skin protection

Wear suitable protective clothing.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Paste , low-viscosity

Colour: pink

Odour: characteristic



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

smartrepair® rosa

Revision date: 24.09.2020 Product code: 922 Page 5 of 11

Test method

pH-Value: not determined

Changes in the physical state

Melting point: not determined
Initial boiling point and boiling range: not determined

Flash point: >100 °C DIN 51755

**Flammability** 

Solid: not applicable
Gas: not applicable

**Explosive properties** 

The product is not: Explosive.

Lower explosion limits: not determined Upper explosion limits: not determined

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidizing.

Vapour pressure: <1 hPa

(at 20 °C)

Density (at 20 °C): 1,1 g/cm³ DIN 51757

Water solubility: insoluble

Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / dynamic: 6500 mPa·s Rheostress

(at 23 °C)

Vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: not determined

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

Ultra-violet ligth and dayligth initiate polymerisation of the product. Therefore keep only in tightly closed containers away from any sources of light. Keep at temperature not exceeding 25°C/77°F.

## 10.5. Incompatible materials

Reacts with: oxidising agents, radicals forming substances or heavy metal ions.



according to Regulation (EC) No 1907/2006

# smartrepair® rosa

Revision date: 24.09.2020 Product code: 922 Page 6 of 11

#### 10.6. Hazardous decomposition products

In case of fire, acrid acrylic fumes may occur.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

For the product itself no toxicological data are available. In products with a comparable composition, a LD50 (orally, species rat) of > 5000 mg/kg has been found.

CAS No	Chemical name							
	Exposure route	Dose		pecies	Source	Method		
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate							
	oral	LD50 >500 mg/kg	0 Ra	at	OECD 401			
	dermal	LD50 >200 mg/kg	0 Ra	at	OECD 402			
75980-60-8	diphenyl(2,4,6-trimethylbe	enzoyl)phosphine o	xide					
	oral	LD50 >500 mg/kg	0 Ra	at				
	dermal	LD50 >200 mg/kg	0 Ra	at				
21245-02-3	2-Ethylhexyl 4-(dimethyla	2-Ethylhexyl 4-(dimethylamino)benzoate						
	oral	LD50 14,90 mg/kg	00 Ra	at				

# Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

## Sensitising effects

May cause an allergic skin reaction. (7,7,9(or

7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate; tetrahydrofurfuryl methacrylate THFMA purified grade; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide)

## Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of damaging fertility or the unborn child. (tetrahydrofurfuryl methacrylate THFMA purified grade; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

## **SECTION 12: Ecological information**

### 12.1. Toxicity



according to Regulation (EC) No 1907/2006

# smartrepair® rosa

Revision date: 24.09.2020 Product code: 922 Page 7 of 11

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,1				exadecane-1,16-diyl bisn	nethacrylate	
	Acute crustacea toxicity	EC50 mg/l	>1,2		Daphnia magna (Big water flea)	OECD 202	
2455-24-5	tetrahydrofurfuryl methaci	ylate THFM	A purified gra	ade			
	Acute fish toxicity	LC50 mg/l	34,7	96 h		GESTIS	
75980-60-8	diphenyl(2,4,6-trimethylbe	nzoyl)phosp	hine oxide				
	Acute algae toxicity	ErC50 mg/l	>2,01		Scenedesmus subspicatus		
	Acute crustacea toxicity	EC50 mg/l	3,53	3 48 h Daphnia mag water flea)			
	Acute bacteria toxicity	(>1000 m	ng/l)	3 h	Activated sludge		
21245-02-3	2-Ethylhexyl 4-(dimethyla	mino)benzoa	ate				
	Acute fish toxicity	LC50 mg/l	0,235	96 h	QSAR		
	Acute algae toxicity	ErC50 mg/l	<0,015		Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	>0,031	1	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(1000 mg	ı/l)	3 h	Activated sludge		

# 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide						
		0-10%	28				
	Not readily biodegradable (according to OECD criteria)		•	·			

## 12.3. Bioaccumulative potential

The product has not been tested.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	3,1

# BCF

CAS No	Chemical name	BCF	Species	Source
	diphenyl(2,4,6-trimethylbenzoyl)phosphi ne oxide	47-55	Cyprinus carpio (Common Carp)	

# 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

Not identivied as PBT/ vPvB substances

# 12.6. Other adverse effects

No information available.



according to Regulation (EC) No 1907/2006

# smartrepair® rosa

Revision date: 24.09.2020 Product code: 922 Page 8 of 11

#### **Further information**

Avoid release to the environment.

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### Contaminated packaging

@1301.B130039 Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Contains: 7,7,9(or

7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbis

methacrylate

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9

Classification code: M6

Special Provisions: 274 335 375 601 Limited quantity: 5 L/ 30 kg

Excepted quantity: E1
Transport category: 3
Hazard No: 90
Tunnel restriction code: -

## Other applicable information (land transport)

Contains: 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

## Marine transport (IMDG)

**14.1. UN number:** UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Contains: 7,7,9(or

7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbis

methacrylate

14.3. Transport hazard class(es): 9

14.4. Packing group:IIIHazard label:9Marine pollutant:YES

Special Provisions: 274, 335, 969
Limited quantity: 5 L/ 30 kg
Excepted quantity: E1
EmS: F-A, S-F

Other applicable information (marine transport)

 $Contains: 7,7,9 (or\ 7,9,9) - trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazah exade can e-1,16-diyl bismethac rylate and the contains of the con$ 

Flash point: > 100°C

## Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 3082



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

smartrepair® rosa

Revision date: 24.09.2020 Product code: 922 Page 9 of 11

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Contains: 7,7,9(or

7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbis

methacrylate

E1

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9

Special Provisions:

Limited quantity Passenger:

Passenger LQ:

A97 A158 A197

30 kg G

Y964

IATA-packing instructions - Passenger:964IATA-max. quantity - Passenger:450 LIATA-packing instructions - Cargo:964IATA-max. quantity - Cargo:450 L

Other applicable information (air transport)

Contains: 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

14.5. Environmental hazards

Excepted quantity:

ENVIRONMENTALLY HAZARDOUS: yes

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** regulatory information

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

**National regulatory information** 

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service



according to Regulation (EC) No 1907/2006

# smartrepair® rosa

Revision date: 24.09.2020 Product code: 922 Page 10 of 11

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

@1602.B016012

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
Repr. 2; H361	Calculation method
Aquatic Chronic 2; H411	Calculation method

### Relevant H and EUH statements (number and full text)

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
11000	

H360 May damage fertility or the unborn child.

Causes skin irritation.

H361 Suspected of damaging fertility or the unborn child.

H361f Suspected of damaging fertility.

H411 Toxic to aquatic life with long lasting effects.

### **Further Information**

H315

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.





according to Regulation (EC) No 1907/2006

smartrepair® rosa

Revision date: 24.09.2020 Product code: 922 Page 11 of 11

## **Identified uses**

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Gewerblich	-	-	-	-	-	-	-	2

LCS: Life cycle stages
PC: Product categories
ERC: Environmental release categories

PROC: Process categories AC: Article categories

SU: Sectors of use

TF: Technical functions

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)