Printing date 12.11.2020

vivadent

Version number 2

Revision: 12.11.2020

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

· Product identifier

· Trade name: ProArt Print Wax yellow

• *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*

· Application of the substance / the mixture Burn-out material for stereolithography

Details of the supplier of the safety data sheet
Manufacturer/Supplier: Ivoclar Vivadent AG Bendererstrasse 2
9494 Schaan PRINCIPALITY OF LIECHTENSTEIN Tel: +423 235 35 35 / Fax: +423 235 33 60

Importer: Ivoclar Vivadent Pty. Ltd. I- 5 Overseas Drive Noble Park North VIC 3174 Tel: + 61 3 9795 9599 / Fax: + 61 3 9795 9645

• **Further information obtainable from:** Regulatory Affairs sds@ivoclarvivadent.com

• Emergency telephone number: 131 126 (Poisons Information Centre - 24 hours / 7 days)

2 Hazard(s) Identification

\cdot Classification of the substance or mixture

Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.Skin Sens. 1H317May cause an allergic skin reaction.

- · Label elements
- GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms



· Signal word Warning

• *Hazard-determining components of labelling: urethane dimethacrylate triethylene glycol dimethacrylate*

• Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.

(Contd. on page 2)

AU

Printing date 12.11.2020

Version number 2

Revision: 12.11.2020

Trade name: ProArt Print Wax yellow

(Contd. of page 1)

· Precautionary statements

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards

- Results of PBT and vPvB assessment
- · PBT: Not applicable.

· vPvB: Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

Dungerous compe		
CAS: 72869-86-4	urethane dimethacrylate	25-50%
	Eye Irrit. 2A, H319; Skin Sens. 1, H317	
CAS: 72162-39-1	urethane acrylate oligomer	10-25%
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
CAS: 109-16-0	triethylene glycol dimethacrylate	10-25%
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 39670-09-2	ethyltriglycol methacrylate	2.5-10%
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
CAS: 75980-60-8	diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	<2.5%
	Repr. 2, H361	
• Additional inform	nation: For the wording of the listed hazard phrases refer to section 16.	

4 First Aid Measures

· Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

· Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

Printing date 12.11.2020

Version number 2

Revision: 12.11.2020

Trade name: ProArt Print Wax yellow

(Contd. of page 2) • Special hazards arising from the substance or mixture No further relevant information available. • Advice for firefighters

• **Protective equipment:** No special measures required.

6 Accidental Release Measures

• *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*

· Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

• Handling:

· Precautions for safe handling

Only adequately trained personnel should handle this product. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions:

Keep container tightly sealed.

Protect from exposure to the light.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• *Additional information:* The lists valid during the making were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Usual hygienic measures for dental practice and dental laboratories.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Remove contaminated clothing and wash before reuse.

Avoid contact with the eyes and skin.

(Contd. on page 4)

Printing date 12.11.2020

Version number 2

Revision: 12.11.2020

Trade name: ProArt Print Wax yellow

(Contd. of page 3)

• *Respiratory protection:* Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Not suitable are gloves made of the following materials:

Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates. • Eye protection:



Tightly sealed goggles

Information on basic physical and chemic	ical properties	
General Information Appearance:		
Form:	Fluid	
Colour:	Yellow	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	Undetermined.	
Flash point:	>107 °C (ISO 13736)	
Flammability (solid, gas):	Not applicable.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	

Printing date 12.11.2020

Version number 2

Revision: 12.11.2020

Trade name: ProArt Print Wax yellow

		(Contd. of page 4
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
• Other information	No further relevant information available.	

10 Stability and Reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Photoreactive (Danger of polymerization).
- Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Danger of polymerisation.
- · Conditions to avoid
- Protect from exposure to the light.
- Keep away from heat and direct sunlight.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological Information

- · Information on toxicological effects
- Acute toxicity
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation Irritating effect.
- Respiratory or skin sensitisation Sensitisation possible through skin contact.
- Additional toxicological information:
- The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
- Irritant

12 Ecological Information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Harmful to aquatic organisms

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 6)

AU

Printing date 12.11.2020

Version number 2

Revision: 12.11.2020

Trade name: ProArt Print Wax yellow

(Contd. of page 5)

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

UN-Number	
ADG, ADN, IMDG, IATA	Void
UN proper shipping name ADG, ADN, IMDG, IATA	Void
Transport hazard class(es)	
ADG, ADN, IMDG, IATA	
Class	Void
Packing group	
ADG, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II	of Marpol
and the IBC Code	Not applicable.
Transport/Additional information:	Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).
UN ''Model Regulation'':	Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

·Australian Inventory of Industrial Chemicals	
CAS: 72869-86-4 urethane dimethacrylate	
CAS: 1565-94-2 Bis-GMA	
CAS: 24447-72-1 Aromatic dimethacrylate	
CAS: 43048-08-4 tricyclodocane dimethanol dimethacrylate	
CAS: 10287-53-3 ethyl p-dimethylaminobenzoate	
CAS: 10373-78-1 camphorquinone	
(C	ontd. on page 7)

AU

Safety Data Sheet according to WHS Regulations

Printing date 12.11.2020

Version number 2

Revision: 12.11.2020

Trade name: ProArt Print Wax yellow

	(Contd. of page
	2-(2-Hydroxy-5-methylphenyl)-benzotriazol; 2-(2H-Benzotriazol-2-yl)-p-kresol
	diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide
CAS: 150-76-5	mequinol
CAS: 5870-38-2	diethyl 2,5-dihydroxyterephthalate
*	Uniform Scheduling of Medicines and Poisons
None of the ingre	dients is listed.
	y Existing Chemicals
None of the ingre	dients is listed.
Hazard pictogram	assified and labelled according to the Globally Harmonised System (GHS). ns
GHS07	
Signal word War	ning
Hazard-determin	ing components of labelling:
Hazard-determin urethane dimetha	
urethane dimetha triethylene glycol	crylate dimethacrylate
urethane dimetha triethylene glycol Hazard statemen	crylate dimethacrylate ts
urethane dimetha triethylene glycol Hazard statemen Causes skin irrita	crylate dimethacrylate ts tion.
urethane dimetha triethylene glycol Hazard statemen Causes skin irrita Causes serious ey	crylate dimethacrylate ts tion. re irritation.
urethane dimetha triethylene glycol Hazard statemen Causes skin irrita Causes serious ey May cause an alle	crylate dimethacrylate ts tion. ve irritation. ergic skin reaction.
urethane dimetha triethylene glycol Hazard statemen Causes skin irrita Causes serious ey May cause an alle Precautionary sta	crylate dimethacrylate ts tion. ve irritation. ergic skin reaction. atements
urethane dimetha triethylene glycol Hazard statemen Causes skin irrita Causes serious ey May cause an alle Precautionary sta Avoid release to t	crylate dimethacrylate ts tion. ve irritation. ergic skin reaction. ttements he environment.
urethane dimetha triethylene glycol Hazard statement Causes skin irrita Causes serious ey May cause an alle Precautionary sta Avoid release to t Wear protective g	crylate dimethacrylate ts tion. ve irritation. ergic skin reaction. ttements he environment. loves/protective clothing/eye protection/face protection.
urethane dimetha triethylene glycol Hazard statement Causes skin irrita Causes serious ey May cause an alle Precautionary sta Avoid release to t Wear protective g If skin irritation o	crylate dimethacrylate ts tion. ergic skin reaction. ttements he environment. cloves/protective clothing/eye protection/face protection. or rash occurs: Get medical advice/attention.
urethane dimetha triethylene glycol Hazard statement Causes skin irrita Causes serious ey May cause an alle Precautionary sta Avoid release to t Wear protective g If skin irritation o If eye irritation pe	crylate dimethacrylate ts tion. ve irritation. ergic skin reaction. ttements he environment. loves/protective clothing/eye protection/face protection.
urethane dimetha triethylene glycol Hazard statemen Causes skin irrita Causes serious ey May cause an alle Precautionary sta Avoid release to t Wear protective g If skin irritation o If eye irritation pe Dispose of conten	crylate dimethacrylate ts tion. ere irritation. ergic skin reaction. ttements he environment. cloves/protective clothing/eye protection/face protection. er rash occurs: Get medical advice/attention. ersists: Get medical advice/attention. ersists: Get medical advice/attention.
urethane dimetha triethylene glycol Hazard statement Causes skin irrita Causes serious ey May cause an alle Precautionary sta Avoid release to t Wear protective g If skin irritation of f eye irritation pe Dispose of content Directive 2012/18	crylate dimethacrylate ts tion. ere irritation. ergic skin reaction. ttements he environment. cloves/protective clothing/eye protection/face protection. er rash occurs: Get medical advice/attention. ersists: Get medical advice/attention. ersists: Get medical advice/attention.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H361 Suspected of damaging fertility or the unborn child. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: Chemical Abstracts Service (division of the American Chemical Society)

Printing date 12.11.2020

Version number 2

Revision: 12.11.2020

Trade name: ProArt Print Wax yellow

(Contd. of page 7)

AU

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Skin Sens. 1: Skin sensitisation – Category 1 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3